

CLEAN-CIDE . **READY TO USE**

GERMICIDAL DETERGENT CLEANS • DISINFECTS • DEODORIZES ** GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL FUNGICIDAL and VIRUCIDAL*

ACTIVE INGREDIENT:

OTHER INGREDIENTS: 99.40%

EPA Reg. No. 34810-35

EPA Est. No. 34810-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

GERMICIDAL ACTIVITY: This product is effective in 5% serum against: Pseudomonas aeruginosa! Staphylococcus aureus¹. Salmonella choleraesuis¹. Mycobacterium bovis². Trichophyton mentagrophytes², Listeria monocytogenes¹, Escherichia Coli¹, Clostridium difficile², Staphylococcus aureus - MRSA1, Staphylococcus epidermis - MRSE1, Enterococcus faecalis Vancomycin Resistant1 (VRE), Poliovirus2 type 1, Canine Parvovirus2 (CPV), Respiratory Syncytial Virus1, Rotavirus1 Human Immunodeficiency Virus Type 1 (Strain HTLV-III_B), Herpes Simplex Type 1, Herpes Simplex1 Type 2 (Strain G), Vaccinia Virus1, Influenza A Virus1 (Strain Hong Kong), Adenovirus1 Type 2. Duck Hepatitis B Virus (DHBV)2

- 1 Five minutes Contact Time
- 2 Ten minutes Contact Time

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or dothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a Poison Control Center or doctor for further treatment advice.

Wexford Labs, Inc. 325 Leffingwell Avenue Kirkwood, Missouri 63122

Net Contents: One Quart ==

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Product is ready to use. DO NOT DILUTE. Clean-Cide is a synthetic germicidal detergent with broad spectrum kill of gram positive and gram negative microorganisms. It is an excellent cleaner for working surfaces, such as stainless steel, chrome, glass, and vinyl. Apply with a cloth or brush, or by immersing equipment to disinfect, CONTACT TIME: 10 Minutes, For heavily soiled areas or surfaces or objects soiled with blood or body fluids, a precleaning step must be implemented to remove the heavy soil before disinfection. Discard solution when it becomes dirty. replace with fresh solution. DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection. *CLEAN-CIDE KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in all settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be solled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS virus). PERSONAL PROTECTION: When handling objects soiled with blood or body fluids use disposable latex gloves, gowns, mask or eye coverings. CLEANING PROCEDURE: DO NOT DILUTE this product. Use as is. Remove and clean blood and other body fluids from surfaces and objects before application of Clean-Cide with a mop, cloth, or sponge so as to thoroughly wet pre-cleaned surfaces.

Allow surfaces to remain wet for five minutes to ensure total in-activation of HIV virus. For lightly soiled areas wipe off visual soil, clean with solution, and disinfect surface with second application of solution. For large spills, the contaminated area should be flooded with the solution before cleaning then decontaminated with fresh solution. DISPOSAL OF INFECTIOUS MATERIAL: Blood and other fluids should be autoclaved and

CLEAN-CIDE .

disposed of according to Federal, State and Local regulations for infectious waste disposal. CLEAN-CIDE is a broad spectrum, highly effective disinfectant and cleaner for use on hard, non-

porous surfaces of inanimate objects. It is also designed to pre-soak and decontaminate instruments before sterilization. Ultra-Cide is useful in the patient care, patient examination, laboratory, and food preparation area (non-food contact surfaces only), of medical, dental, and veterinary clinic and practitioners offices. Ultra-Cide can also be used on the hard, non-porous surfaces of long term care facilities where environmental control of cross contamination is important

STORAGE AND DISPOSAL: Store in a cool place. Do not leave containers open during storage. Do not reuse empty container. Wastes resulting from use of this product may be poured down the drain. No special handling is required. Federal, State, or local regulations should be observed.

Made in the USA

DEC 13 2005

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for tha pesticide, registered under EPA Reg. No.