Net Contents

Gallons

ALLADDIN ALGA SLIME TREATMENT (For

ACTIVE INGREDIENTS: N-alkyl (C_{14} -60%; C_{16} -30%; C_{12} -dimethyl benzyl ammonium chloride. N-alkyl (C_{12} -50%; C_{14} -30%; C_{16} -17%; C_{18} -3%) dimethyl ethylbenzyl ammonium chloride. INERT INGREDIENTS: ethanol. water. Weight per gallon. Weight per gallon.

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling and harmful or fatal if swallowed. Avoid contamination of food. (See First Aid and Additional Precautions on Back Panel).

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams ponds or public water. Apply this product only as specified on this label. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

DIRECTIONS

ALLADDIN ALGAE & SLIME TREATMENT (Formula "O") is used to control algae and bacterial slime in circulating commercial and industrial cooling towers. Badly fouled systems must be cleaned before treatment is begun. Begin the treatment when the system is in danger of becoming affected or after cleaning systems whose efficiency is already impaired. An initial slug dosage of 42-84 fluid ounces of ALLADDIN ALGAE & SLIME TREATMENT (Formula "O") per 1000 gallons of water (20-40 parts per million of active ingredients). Subsequent slug additions of 13-35 fluid ounces of ALLADDIN ALGAE & SLIME TREATMENT (Formula "O") per 1000 gallons of water (5-15 parts per million active ingredients) should be employed every 2-5 days or as needed. Frequency of addition depends upon the severity of the microbiological Problem and the relative amount of bleed-off. Slug additions should be made in the sump of water cooling towers.



EPA Reg. No. 34858 5

ACCEPTED


E & rmula	" O ")
2 ^{-5%; C} 18 ^{-5%)}	2.94%
	2.94%
 0.48 ال	

FIRST AID: and wash contaminated clothing before re-use.

> If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO **PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCETED
SEP - 1975
Under the Federal Insecticide, Fungicide, and Antomicide Act, as amended for the possible EPA Reg. 10. registered in der 34625



In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove