

ACCEPTED

Net Contents Gallons

JUN 17 1975

UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE AND ROBOTICIDE ACT FOR ECONOMIC PEST CONTROL ASSISTANCE

34858-6

ALLADDIN ALGAE AND FUNGUS TREATMENT (Formula "G")

ACTIVE INGREDIENTS:

Sodium Pentachlorophenate..... 8.69%
Sodium Salts of Other Chlorophenols 1.21%

INERT INGREDIENTS 90.10%

Weight Per Gallon..... 9.0 Lbs.
Weight of Active Ingredient 0.89 Lbs./Gal.

DANGER . . . **KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling and harmful or fatal if swallowed. Avoid contamination of food. (See First Aid and Additional Precautions on Back Panel).

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Apply this product only as specified on this label. Do not reuse empty drum. Destroy when empty.

DIRECTIONS

ALLADDIN ALGAE AND FUNGUS TREATMENT (Formula "G") is used to control algae and fungal and bacterial slime in recirculating industrial cooling waters. Badly fouled systems must be cleaned before treatment is begun. Begin treatment when the system is in danger of becoming affected or after cleaning systems whose efficiency is already impaired. An initial slug addition of 52-104 fluid ounces of ALLADDIN ALGAE AND FUNGUS TREATMENT (Formula "G") per 1000 gallons of water to provide 40-80 parts per million of active ingredient based on total weight of water in the system is recommended. Repeat until control is achieved. Subsequent slug additions of 26-52 fluid ounces of ALLADDIN ALGAE AND FUNGUS TREATMENT (Formula "G") per 1000 gallons of water (20-40 parts per million active ingredient) should be employed every 2-5 days or as needed. The frequency of addition depends upon the severity of the microbiological problem and the relative amount of bleed-off. Slug additions should be made in the sump of water cooling towers.

Sold by

ALLADDIN LABORATORIES, INC.

30 SOUTH OCEAN AVENUE
FREEPORT, N.Y. 11520

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO

PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED
JUN 17 1975
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
EPA UNDER NO. 34858-b

Comment

ACCEPTED WITH COMMENTS