

WC-140 SANITIZER

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SANITIZATION OF EQUIPMENT IN FOOD PROCESSING PLANTS, INCLUDING MEAT AND POULTRY PLANTS

Clean and rinse equipment thoroughly. Then spray all surfaces with a solution of 1 ounce of WC-140 Sanitizer to 4 gallons of water (200 ppm active quaternary). Maintain contact with sanitizing solution for at least 2 minutes. No potable water rinses are required for use at dilutions of 200 ppm. However, the solution should be drained from the surfaces and the equipment air dried before use. This solution may not be reused for sanitizing purposes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open containers are prohibited. Do not reuse empty container. Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. When empty, triple rinse or equivalent container and dispose in an incinerator or landfill approved for pesticide containers. For more information, consult the label. State or local officials should be notified of approved alternative procedures, such as limited open burning.

ACTIVE INGREDIENT
n-ALKYL (50% C₁₂, 40% C₁₄, 10% C₁₆) DIMETHYL BENZYL
AMMONIUM CHLORIDE
INERT INGREDIENTS

DANGER

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT: If on skin, flush skin with water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If in eyes, immediately flush eyes with plenty of water for 15 minutes. Get medical attention. If swallowed, drink small quantities of milk, egg whites, gelatin solution or water. Avoid alcohol. Induce vomiting. Get medical attention immediately. Note to physician: Probable mucosal damage may contraindicate gastric lavage. Measures against circulatory shock, respiratory depression, convulsion may be needed.

See Side Panel for Additional Precautionary Statements

CLOSE CONTAINER AFTER EACH USE.

EPA Reg. No. 34859-4

EPA Est. No. 34859-

NET CONTENTS 1 GALLON (3.785 LIT)



WC-140 SANITIZER

INGREDIENT
 1/2 L (50% C., 40% C., 10% C.) DIMETHYL BENZYL
 QUONIUM CHLORIDE 10%
 INGREDIENTS 90%

DANGER

KEEP OUT OF REACH OF CHILDREN

MODE OF PRACTICAL TREATMENT: If on skin, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing. If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. If swallowed, drink promptly large amounts of milk, egg whites, gelatin solution or water. Avoid alcohol. Do NOT induce vomiting. Get medical attention immediately. Physician: Probable mucosal damage may contraindicate the use of emetics. Measures against circulatory shock, respiratory depression and shock may be needed.

See Side Panel for Additional Precautionary Statements

CLOSE CONTAINER AFTER EACH USE.

EPA Reg. No. 34859-4

EPA Est. No. 34859-N-01

NET CONTENTS 1 GALLON (3.785 LITERS)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Manufactured by

Wayne Chemical Inc.

3032 South Calhoun Street

Fort Wayne, Indiana 46807

34859-4

Wayne Chemical