GLIDCO PINE OIL - 155

For manufacturing germicides

NOT TO BE USED OR FORMULATED FOR USE ON FOOD/CROPS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes eye burns and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Har inful if swallowed. Avoid contamination of foodfood crops.

FIRST AID: in case of contact, Immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed do not induce vomiting. Vomiting may be harmful. Call a physician immediately.

NOTICE TO PHYSICIAN: Measures against circulatory shock, respiratory depression and convulsion may be needed. If emesis has not occurred.

PHYSICAL OR CHEMICAL HAZARDS: Combustible liquid Keep away from heat, sparks and open flame. Flash Point 168°F (TCC).



Active Ingredient 100% Pine Oil

Net 55 Gallons 7.8 Lbs./Gallon

EPA Reg. No. 13648-EPA Est. No. 200 FL-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTICE: Formulators are advised it is their responsibility to develop efficacy data for their specific formulation.

STORAGE AND DISPOSAL

STORAGE: Store in a well ventilated area. Do not contaminate water, food or feed

PINE OIL DISPOSAL:

Pine - That cannot be used shroud be disposed of a land if approved for pesticides away from water supplies. Pesticide wastes are acutery hazardhus. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Mazardhus Waste représentative at the nearest EPA Regional Ciffice foi guidance.

CONTAINER DISPOSAL:

Triple rings. Then offer for recycling or record finning in puncture and dispose of in a sanitely landfill in thy other procedures approved by state and local authorities.

TARRES

.. 13648-15

US ENVIRONMENTAL PROPERTION AGENC
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON DC 20460.

(Under the Ledeval In Control of Language)

EFA REGISTRATION		DNE	OF IS
J4359-6	~~24	3,0.	UEI
	•		MI.L

TERM OF ISSUANCE

NAME OF PESTURE PRODUCT NOTICE OF PESTICIDE and Radentry LA Common to the

NAME AND ADDRESS OF REASONANT Include ZIP cites

NCTE Changes in lateling through distribution of standard from that a cepts this consists a sometiment, that in not the submitted to and accepts the too Read matrix Divisor egistry of a contraction of the product always refer to the above the IPA registration number.

On the basis of informat, with the fed to the registrant, the above marked profits decisible fed. Required Rere, istered under the Federal Insectionle, Established, and Rodentroide Act.

A copy of the labeling accepted in section with this Regio traffic Refreshbation is refused beresiation

Registration is in now as table on true flas an index ement or approval of the growth true to the right of the health and the environment one Administrator, on his motion chavariary time suspendion, anced the registration of a people acide in a confinee with the A.C. The a ceptaner of any name in a nucltic result the registration of a professional Act is not to be a contract as a covariance where the result route a right to each of the hardest force by others.

 $\frac{\partial}{\partial x} = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} - \frac{$

The state of the s (4) (1) (2) (2) (3)

- the state of the s

ATTA HMENT ALLE FOLE	
SIGNATURE HE ARETCING SEC.	A * F

FPA Form 8570 6 (Rev. 5 76)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section $\delta(e)$. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joff Kempter Product Manager (32) Antimicrobial Program Branch Registration Division (TS-767C)

Enclosures

.

WC-220 SANITIZER

Recommended for use in Dairies, Dairy Farms, Beverage and Food Processing Plants

FOR INDUSTRIAL USE ONLY

DANGER!

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

 34859-6

WC-220 ACID SANITIZER fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1985, Recommendations of the U.S. Public Health Service, in waters up to 400 ppm of hardness calculated as Calcium carbonate when tested by the A.O.A.C. Germicidal and Detergent Sanitizers-Official Method.

COARDSTVE! PRECAUTIONARY STATE MEN'TS

HARMFUL OR FATAL IF SWALLOWED.

Contains phosphoric acid.
Causes severe irritation or burns to eyes and skin. DO NOT get in eyes, on skin or on clothing. Wear safety goggles or face shield, rubber gloves and protective clothing when handling. DO NOT MIX with chlorinated cleaners, ammonia or caustic cleaners as hazardous gases may be generated. DO NOT breathe mist or spray. Use with adequate ventilation. Avoid contamination of food.

See side panels for Additional Precautionary Statements.

NET CONTENTS 55 U.S. GALLONS (208.2 LITERS)

WC-220 SANITIZER

(SIDE PANELS)

ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

Treat as a phosphoric acid injury.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Raise upper and lower eyelids while flushing to assure the complete removal of chemical. CONSULT A PHYSICIAN IMMEDIATELY.

SKIN: Immediately flush skin with large amounts of water while removing contaminated clothing and footwear. Wash with mild soap and water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

INGESTION: If swallowed, immediately drink large amounts of water while obtaining milk, baking soda solution, egg whites, gelatin solution, or lime water. DO NOT induce vomiting.

IMPORTANT--Readminister if vomiting occurs. Never give anything by mouth to an unconscious or convulsing person. Avoid alcohol. IMMEDIATELY CONSULT A PHYSICIAN.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

INHALATION: Remove to fresh air. If breathing difficulty persists, give oxygen. GET MEDICAL ATTENTION.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent). Then offer for recycling or reconditioned, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning, If burned, stay out of smoke.

EFFICACY SUPPORTED BY THE DATA

This product has passed the A.O.A.C. Germicidal and Detergent Sanitizers Method for its effectiveness as a sanitizing rinse for previously cleaned food contact surfaces against Staphylococcus aureus and Escherichia coli at the recommended use dilution of 1:256 in the presence of 400 ppm hard water (as CaCO₃) for a contact time of one minute.

WC-220 SANITIZER

DIRECTIONS FOR USF

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIPECTIONS for DAIRY, BEVERAGE, and FOOD PROCESSING EQUIPMENT

Clean aquipment immediately after use. Remove gross food particles and soil by a preflush or prescrape and, when necessary, presoak treatment, inen thoroughly wash all surfaces with a detergent or compatible cleaner, followed by a potable water rinse. Apply recommended WC-220 ACID SANITIZER by soaking, brushing or circulating in solution for 10 to 20 minutes or by spraying.

- * To sanitize by immersing, brushing or circulating, use 1 fluid ounce (2 level tablespoons) of WC-220 in 2 gallons of water to yield a solution of 200 ppm active agent.
- * To sanitize by spraying, use 2 fluid ounces (4 level tablespoons) of WC-220 in 2 gallons of water to yield a solution of 400 ppm active agent.
- * Drain the use solution from surfaces and allow to air dry.
- * Protect from dust and dirt.

Treat equipment immediately before reuse with a WC-220 ACID SANITIZER solution. Test regularly and discard when solution has depreciated to 200 ppm. Do not reuse for sanitizing. Hollow objects should be flushed and filled.

CONTACT TIME: The laws of some states require that utensils and equipment remain in contact with sanitizing solution for 2 minutes. Check with your Health Department.

- - /

DIRECTIONS for DAIRY UTENSILS

Remove gross food particles and soil by a preflush or prescrape and, when necessary, presoak treatment, then thoroughly wash all surfaces with a detergent or compatible cleaner, followed by a potable water rinse.

- * C.I.P. Method: Use 1 quart of WC-220 ACID SANITIZER with 32 gallons of water at 150-165°F for 15 to 30 minutes to provide 400 ppm dodecylbenzenesulfonic acid. Drain the use solution from surfaces and allow to air dry.
- * Soak Method: Use 1 quart of WC-220 ACID SANITIZER with 32 gallons of water to provide 400 ppm dodecylbenzenesulfonic acid. Allow to soak 15 to 20 minutes in 140°F water. Brush with a stiff brush. Drain the use solution from surfaces and allow to air dry.

In addition to use on food-processing equipment and utensils, this solution may be used on glass bottles and other glass containers intended for holding milk. Do not reuse for sanitizing. Hollow objects should be flushed and filled.

RECOMMENDATIONS for DAIRY FARM EQUIPMENT

Remove gross food particles and soil by a preflush or prescrape and, when necessary, presoak treatment, then thoroughly wash all surfaces with a detergent or compatible cleaner, followed by a potable water rinse.

- * Rinse all lines and utensils with clean water.
- Soak and brush utensils in solution of 1 fluid ounce of WC-220 ACID (ANITIZER to 2 gallons of water 200 ppm active agent).
- Drain the use solution from surfaces and allow to air dry.