

<p style="text-align: center;">US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION</p> <p style="text-align: center;">(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	EPA REGISTRATION NO. 34874-32	DATE OF ISSUANCE JUL 11 1986
	TERM OF ISSUANCE CONDITIONAL	
	NAME OF PESTICIDE PRODUCT Sevin Brand Carbaryl Insecticide 5% Dust	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="display: flex; justify-content: space-between; align-items: flex-start; padding: 10px;"> <div style="width: 80%;"> <p>⌋</p> <p>Bishop Chemical, Inc. P.O. Box 12020 Tyler, TX 75708</p> <p>⌋</p> </div> <div style="width: 15%; text-align: right;"> <p>171846</p> <hr style="width: 50%; margin: 0 auto;"/> <p>18/03</p> <hr style="width: 50%; margin: 0 auto;"/> <p>161</p> </div> </div>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 34874-32." b. In your Directions for Use on small fruits, revise the sentence "Caneberries such as blackberry, boysenberry . . ." by deleting "such as." c. A 1-year storage stability study for this product must be submitted within 15 months from the date of this Registration Notice. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
SIGNATURE OF APPROVING OFFICIAL <i>Laverne J. Scharbatt</i>	DATE JUL 11 1986	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lawrence J. Schnaubelt
Acting Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

SEVIN ^R

brand CARBARYL Insecticide

5% DUST

For Vegetables, Flowers, Lawns, Small Fruits,
And Dogs To Control Many Insects
Feeding On These Plants and Pets

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl methylcarbamate)* 5%
INERT INGREDIENTS 95%

Sevin is a registered trademark of Union Carbide
Corporation for carbaryl insecticide

CAUTION

KEEP OUT OF REACH OF CHILDREN

See other cautions on back panel

EPA Est. 34874-TX-1

Manufactured by:




RT. 12, BOX 12020
TYLER, TEXAS 75708

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JUL 11 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

34874-32



11/5

(READ ENTIRE LABEL BEFORE USING) 3 DUST

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

VEGETABLES: Cover upper and lower surfaces of the leaves thoroughly. Potato, tomato, eggplant, pepper: To control Colorado potato and flea beetles, leafhoppers, tomato fruitworm, fall armyworm, tomato hornworm, stink bugs, tarnished plant bugs. May be used on day of harvest. Okra: To control corn earworm, stink bugs. May be used on day of harvest. Cucumbers, squash, pumpkin, melons: To control pickleworm, melonworm, cucumber beetles, flea beetles, leafhoppers, squash bugs. May be used on day of harvest. Leafy vegetables and root crops: Carrots, chinese cabbage, collards, dandelion, endive, beet, horseradish, kale, lettuce, mustard greens, parsley, parsnip, radish, rutabaga, salisfy, spinach, Swiss chard, turnip: To control flea beetles, leafhoppers, harlequin bug, six-spotted leafhopper (aster yellows vector), corn earworm, armyworms, cabbage loopers, imported cabbage worms, tarnished plant bugs, stink bugs. May be used on day of harvest of carrots, up to 3 days before harvest of beets, horseradish, radish, rutabaga, turnips and head lettuce, and up to 14 days before harvest of chinese cabbage, collards, dandelion, endive, kale, mustard greens, parsley, parsnip, salisfy, spinach and swiss chard.

FLOWERS: To control Japanese, blister, flea, and June beetles, boxelder, mealy, lace, and plant bugs; leafhoppers, leaf rollers, psyllid, rose aphid, and exposed thrips.

NOTE: Does not control spider mites but is compatible with all common miticides.

SMALL FRUITS: Cover upper and lower surfaces of the leaves thoroughly. Cane berries (such as blackberry, boysenberry, dewberry, loganberry, raspberry, to control Japanese beetle, leaf rollers, leafhoppers, raspberry aphid. Can be used up to 7 days before harvest. Strawberries for spittlebugs, leafhoppers, and weevils, to be used up to 1 day before harvest.

LAWNS: Dust liberally using one pound per 275 sq. ft. for control of ants, chinch bugs, earwigs, fall armyworms, fleas, leafhoppers, mosquitoes, sod webworms (lawn moths), millipedes. For best results mow lawn and apply after watering or rain. Repeat in 2 to 3 weeks if necessary.

DOGS: DO NOT use on pregnant dogs. Dust liberally over entire animal, avoiding eyes, to control ticks and fleas. Rub thoroughly into skin. Comb out dead ticks a few hours after treatment. Repeat at weekly intervals if needed. Also, dust liberally in and around sleeping quarters, kennels, and doghouses. Be sure to force dust into cracks and crevices. Repeat as necessary. Avoid treatment of puppies less than 4 weeks old.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Call a physician or Poison Control Center.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water.

P 7

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container.

PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container. Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

