

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

☐ REGISTRATION  
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

EPA REGISTRATION NO.

34874-33

DATE OF ISSUANCE

JUN 30 1986

TERM OF ISSUANCE

CONDITIONAL

NAME OF PESTICIDE PRODUCT

Sevin Brand Carbaryl Insecticide  
10% Dust

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Bishop Chemical  
Route 12  
P.O. Box 12020  
Tyler, TX 75708

171847  
18/03  
181

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 34874-33."
  - b. A 1-year storage stability study on this product must be submitted within 15 months from the date of this Registration Notice.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lawrence J. Schnaubelt  
Acting Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

☐ Enclosures  
ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Lawrence J. Schnaubelt

DATE

JUN 30 1986

SEVIN BRAND CARBARYL INSECTICIDE 10% DUST

MULTI-PURPOSE

FOR USE ON:    \*\*Lawn & Turf\*\*Poultry\*\*Trees & Shrubs\*\*Ornamentals\*\*

Active Ingredient:

Carbaryl (1-naphthyl methylcarbamate).....	10%
Inert Ingredients.....	90%
TOTAL	100%

SEVIN is a registered trademark of Union Carbide Corporation for Carbaryl Insecticide.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:    Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED:        Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN:        Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES:        Rinse eyes with plenty of water. Call a physician immediately.

SEE ADDITIONAL CAUTIONS ON BACK OF LABEL

E.P.A. Registration #

E.P.A. Establishment #34874-TX-1

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUN 30 1986

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

34874-33

Manufactured by:

Bishop Chemical, Inc.  
Rt. #12, Box 12020,  
Tyler, TX 75708

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

INJURY to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days duration following treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

STORAGE AND DISPOSAL

STORAGE: Store out of reach of children and domestic animals. LEAVE IN ORIGINAL CONTAINER UNTIL USED.

DISPOSAL: Do not reuse empty container. Wrap in newspaper and put in trash disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

DO NOT USE EXCEPT AS SPECIFIED ON THIS LABEL  
OBSERVE ALL PRECAUTIONARY AND WARNING STATEMENTS

VEGETABLES: Tomatoes, potatoes, eggplants, peppers; To control Colorado potato beetles, leafhoppers, lace bugs, tomato fruit worms, horn worms and stink bugs. Dust upper and lower leaf surfaces for complete coverage. Carbaryl Insecticide Dust may be used up to day of harvest.

Cabbage, collards and mustard greens; To control imported cabbage worm, flea beetles, harlequin bug. Apply Carbaryl Insecticide Dust on upper and lower leaf surfaces for complete coverage. Do not use on cabbage within 3 days of harvest. Do not use on collards and mustard greens within 14 days of harvest.

Cucumbers and squash; To control cucumber beetles and flea beetles. Dust plants thoroughly with Carbaryl Insecticide Dust. May be used on these vegetables up to day of harvest.

LAWN AND TURF: To control ants, chinch bugs, crickets, cutworms, earwigs, fall armyworms, fleas, leafhoppers, millipedes, mosquitoes, sod webworms and ticks. Use 1 lb. per 500 sq. ft. for best results, mow lawn, remove clippings and apply immediately after rain or watering. Water following treatment. Keep children and pets off lawn until material is watered in and grass is dry.

ORNAMENTALS: Carbaryl Insecticide Dust can be safely used on roses, carnations, gladiolas, chrysanthemums, lilacs and azaleas. Carbaryl Insecticide Dust injures Boston ivy. Apply Carbaryl Insecticide Dust to the upper and lower leaf surface of all foliage for complete coverage to control; Japanese beetles, tent caterpillars, June beetles, bagworms, blister beetles, boxelder bugs, flea beetles, gypsy moths, lace bugs, leafhoppers and mealy bugs. Use 7 oz. per 1000 sq. ft. on the above insects.

TREES, SHRUBS AND WOODY PLANTS: Use 1 lb. Carbaryl Insecticide Dust per 500 sq. ft. as a foliage application to control apple aphids, bagworms, birch leaf miners, Japanese beetles, lace bugs, leafhoppers, leaf rollers, oak leaf miners, orange trotrix, periodical cicada, rose aphids, rose-slugs, scales, tent caterpillars and willow leaf beetles.

POULTRY HOUSES: To control chicken mites, fleas, bedbugs, and fowl ticks. Apply Carbaryl Insecticide Dust on walls and bedding, litter or roost surfaces at a rate of 1 lb. per 250 sq. ft. Force dust into cracks and crevices. Repeat as needed. Ventilate while dusting. Avoid contamination of nests, eggs, feeding and water troughs. Do not apply in poultry houses within 7 days of slaughtering poultry or game birds.

DOG HOUSES, KENNELS AND SLEEPING QUARTERS: For ticks use  $\frac{1}{2}$  lb. per 1000 sq. ft. Apply liberally by garden type duster. Force dust into cracks and crevices. Repeat as needed. DO NOT expose kittens less than 4 weeks of age to treated areas. DO NOT apply directly to dogs or cats.

#### NOTE

Carbaryl Insecticide Dust does not control spider mites. Where infestations are encountered, use a recommended miticide.

#### WARRANTY

Seller's guarantee shall be limited to the terms of the label, and subject there to. The buyer assumes any risk to persons or property arising out of use or handling, and accepts the product under these conditions.

