POOL ALGAE 80

10F3 Pm23 34874-41

For control of algae in swimming pools



Active Ingredient:
Simazine:
2-chloro-4,6-bis
(ethylamino)s-triazine
Inert Ingredients: 20%
Total:
100%

Keep Out of Reach of Children.

Caution

See additional precautionary statements on panel at left.

See directions for use on panel at right.

NET CONTENTS

E.P.A. Registration No.

E.P.A. Est. No. 34874-TX-1



It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

Pool Algae 80 effectively controls the growth of algae in swimming pools. The effectiveness of this project is not influenced by the normal range of swimming pool water pH. There is no waiting to swim in pools treated with this product. Pool Algae 80 is compatible with all pool additives, is non-foaming, will not stain, and is non-corrosive to pool filters, heaters, piping, and fittings. Pool filtering systems will not reduce the effectiveness of this product. The use of this product will not replace the need for chlorine to maintain proper pH and sanitation, but does relieve the need for excessive quantities of chlorine to combat algae.

MIXING INSTRUCTIONS:

Mix the correct dosage in a container of clear water, shake or agitate thoroughly, and evenly distribute the mixture over the water to be treated.

CALCULATION OF WATER VOLUME:

To determine the gallons of wate in a body of water with a rectangular or square surface, multiply, in feet, the length x width x average depth x 7.5. If the surface of the body of water is oval or round, multiply, in feet, the length x width x average depth x 5.9.

SWIMMING POOLS:

Pool Algae 80 may be poured into the skimmer or evenly distributed around the edge of the pool. Water temperature of 80 F or greater results in faster algae control. Do not allow treated water from pool to contact plants, trees, and shrubs.

GREEN ALGAE CONTROL:

Apply 1 3/4 oz. of Pool Algae 80 (1.06 ppm simazine) per 10,000 gals. of water when algae growth is first visible. Seven days later, brush algae from walls, vacuum out settled algae.

BLACK ALGAE CONTROL:

Apply 2 2/3 oz. of Pool Algae 80 (1.6 ppm simazine) per 10,000 gals, of water when algae growth is first visible. For factor results, remove top of algae growth with wire brush daily and vacuum out settled algae.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Causes eye irritation. Harmful if inhaled or absorbed through the skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID:

If in eyes, flush with plenty of water. Get medical attention if irritation persists. ' If on skin, wash with soap and water. If inhaled remove victim to fresh air!. If not ... breathing, give artificial respiration, preferably mouth to mouth; get medical attention.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water except as directed on the labeling. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

STORAGE:

Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizers, seeds food or feed.

PRODUCT DISPOSAL:

Securely wrap original container in several layers of newspaper and discard in trash. Soak up spilled product in absorbent material before disposal.

CONTAINER DISPOSAL:

Do not reuse empty container. Wrap container and put in trash.