

NDC 10038-049-07

Blue Gel

EPA Reg. No. 34875-5

Kills Pubic (Crab) Lice

(Phthirus Pubis Linné) and their eggs

ACTIVE INGREDIENTS: Pyrethrins, 0.3%; Piperonyl Butoxide*, Technical, 3.0%
INERT INGREDIENTS: 96.7%**

*Equivalent to min. 2.4% (D-allylcyclohexyl (6-propylpiperonyl) ether and 0.6% related compounds

**Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for additional precautions

Net Wt. 1 ounce (28.35 g)

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **THIS PRODUCT IS FOR EXTERNAL USE ON HUMANS ONLY.** Apply to affected area until the hair is thoroughly wet with product. Allow product to remain on area for 10 minutes but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

PREVENT REINFECTION: To avoid reinfection, all clothing and bed linen should be disinfected by washing in hot water and drying using hot cycle for at least 20 minutes, or by dry cleaning. Combs and brushes should be soaked in water above 135°F for 5 to 10 minutes. Sexual partners should be treated simultaneously. Items contacted by infested individuals should be thoroughly disinfected.

PHTHIRUS PUBIS (CRAB) LICE: Pubic lice may be transmitted by sexual contact, therefore, sexual partners should be treated simultaneously to avoid reinfection. The lice are very small and look almost like brown or gray dots on the skin. Pubic lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface. In heavy infestations, pubic lice may be present on the short hairs of the thighs and trunk, underarms, and occasionally on the beard and mustache. Underwear should be disinfected by machine washing in hot water then drying using the hot cycle for at least 20 minutes.

PRECAUTIONARY STATEMENTS—HAZARD TO HUMANS—CAUTION: Causes eye irritation. Do not get in eyes. Harmful if swallowed. Do not inhale. Avoid contact with mucous membranes. In case of ingestion or skin irritation, discontinue use and consult a physician. Consult a physician if irritation of eyebrows and eyelashes occurs. Avoid contamination of foodstuffs.

STATEMENT OF PRINCIPAL TREATMENT (FIRST AID)

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply respiration if indicated. If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

IMPORTANT: Should be used with caution by regulated personnel.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container and put in trash. Do not transport or store below 32°F.

AMMON LABORATORIES, E. Rutherford, NJ 07073 Made in USA

EPA Est. No. 34875-NJ-1

of
e
1.
h a
e
require-

BEST AVAILABLE COPY

ACCEPTED

JUN 4 1977

U.S. Environmental Protection Agency
Office of Pesticide Administration
Washington, D.C. 20460
Reg. No. 34875-5

Sincerely,

Frank M. Kuderka
Vice President
Technical Affairs

ns.