before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch Registration Division (H7505C) NDC 10038-190-30

AMBIX PYRINEX Pediculicide Shampoo

Kills Head Lice (Pediculus humanus capitis DeG); Body Lice (Pediculus humanus humanus L.); and Pubic (Crab) Lice (Phthirus pubis L.)

ACTIVE INCREDIENTS: Pyrethrins, 0.2%; Piperonyl Butoxide*, Technical, 2.0%

INERT INCREDIENTS: 97.8%**

*Equivalent to min. 1.6% (butylcarbityl)

(6-propylpiperonyl) ether

**Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN
CAUTION: See side panel for
additional precautions.

EPA Reg. No. 34875—NJ-1 AMBIX LABORATORIES, E. Rutherford, NJ 07073 Made in U.S.A.

4 fl. oz. (118 ml)

ACCIDETED
with COMMENTS
in FPA to the Equad-

AUG 28 1991
Under the Perbone is emission,
Fungicide, and Rode of the control of amended, for the positions
interest under RPA Reg. No. 3-1875-6

DIRECTIONS RTR USE: It is a violation of Fr al Law to use this product in a manner inconsistent with its labeling. THIS PRODUC. IS FOR EXTERNAL USE ON HUMANS ONLY. Apply undiluted to the infested area until entirely wet. DO NOT USE ON EYELASHES OR EYEROWS. Allow treatment to remain 10 minutes, but no longer. Then wash thoroughly with warm water and shampoo or soap. Dead lice and eggs may require removal with a fine comb. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

TO PREVENT REINFESTATION: To avoid reinfestation with head, pubic or body lice, all clothing and bed linen should be disinfected by washing in hot water and drying, using the hot cycle for at least 20 minutes, or by drycleaning. Combs and brushes should be soaked in water above 135°F for 5 to 10 minutes. Sexual partners should be treated simultaneously. Rooms inhabited by infested patients should be thoroughly vacuumed.

GENERAL INFORMATION: Head Lice live on the scalp, laying small white eggs (nits) on the hair shaft close to the scalp. The nits are most easily found on the nape of the neck or behind the ears. All personal headgear, scarves, coats, and bedlinen should be disinfected by machine washing in hot water and drying, using the hot cycle of a dryer for at least 20 minutes. Personal articles of clothing or bedding that cannot be washed may be dry-cleaned or scaled in a plastic bag for a period of about 2 weeks, or sprayed with a product specially designed for this purpose. Personal combs and brushes may be disinfected by soaking in hot water above 135°F for 5 to 10 minutes. Thorough vacuuming of rooms inhabited by infested patients is recommended.

Pubic (Crab) Lice, generally transmitted by sexual contacts, are very small and look almost like brown or grey dots on the skin. Crab lice usually cause intense itching and lay small white eggs (nits) on the hair shaft close to the skin surface. In hairy individuals, the crab louse may be present on the short hairs of the thighs and trunk, underarms, and occasionally on the beard

and mustache. Sexu treated simultaneou All underwear shoul washing in hot water hot cycle for at le Body Lice and their in the seams of clo waistline and armoi skin to feed, then clothing, where the clothing should be procedure outlined should be sealed for plastic bag for bod (eggs) can remain d to 30 days. PRECAUTIONARY STATE

PRECAUTIONARY STATE CAUTION: Causes eye eyes and avoid continuous skin irritation or develops, discontinuous doctor. Consult a eyebrows and eyelassination of feed or IMPORTANT: Not to be to ragweed.

STATEMENT OF PRACTICITY SWALLOWED - Call Control Center immediasses of water and ing the back of the until vomit is clear or give anything by person.

IF INNALED - Remove Apply artificial results in EYES - Flush of Call a physician if STORAGE AND DISPOSAT food, or feed by storeuse container. What trash. Do not transbuyer assumes all ribandling if this mat accordance with directions.