

FUE...  
 GS...  
 Registered...  
 EPA Reg. No. 34911-2

**HI-YIELD MALATHION INSECT SPRAY**  
**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.**

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

GENERAL INFORMATION: HI-YIELD MALATHION INSECT SPRAY provides an excellent means of protecting certain ornamentals; fruit trees; citrus trees and vegetables from insect damage... controls certain crawling household insects as listed in label directions.

DIRECTIONS: Spray thoroughly covering all plant parts, to fruit and to vegetables. Mix 4 teaspoons in 1 gallon of water unless otherwise specified. Repeat in 10-14 days if necessary. Do not apply to fruit or vegetables within 7 days of harvest.

ORNAMENTALS: (Rose, Azalea, Camellia, Gardenia, Carnations, Mums, Evergreens) Controls Lace Bugs, Aphids, Mealybugs, Red Spider Mites, Whiteflies, Japanese Beetle Adults, Birch Leaf Miners, Bagworms, Tent Caterpillars, Scale. For Scale apply when crawlers have settled in foliage. For ants treat the pathways and the colonies of the ants to get better control. DO NOT APPLY TO FERNS!

FRUITS: For the or hard pests Codling Moth, Oriental Fruit Moth, and Plum Curculio, apply at petal fall and every 10-14 days thereafter until control is achieved.

APPLES	Woolly Apple, Green Apple and Rosey Apple Aphids; Codling and Bud Moth; Plum Curculio; Tent Caterpillar, Mealybugs; Forbs Scale. May injure foliage on some varieties.
PEACHES	Plum Curculio; Green Peach, Black Peach, Black Cherry Aphids and Rusty Plum Aphids; Japanese Beetle; Terrapin and Cottony Peach Scale; Oriental Fruit Moth.
PEARS	Codling Moth; Plum Curculio; Mealybugs; Red Spider Mites; Pear Psylla; Fruit Tree and Red Banded Leaf Roller.
APRICOTS	Aphids; Codling Moth; Orange Tortrix; Terrapin and Soft Brown Scale.

VEGETABLES:	
BEANS	Aphids; Cucumber, Japanese and Mexican Bean Beetles; Leafhoppers; Red Spider Mites.
CABBAGE	Aphids.
CUCUMBER, SQUASH	Aphids; Red Spider Mites; Pickleworm.
MELONS	Aphids; Red Spider Mites; Cucumber Beetles.

HOUSEHOLD: (Ants, Roaches, Carpet Beetles, Silverfish, Spiders, Scorpions, Clover Mites.) Mix 6 1/2 tablespoons in 1 quart of water and apply in a coarse spray or with a brush to all areas frequented by pests. Avoid contamination of food, dishes, utensils, milk and water. Repeat as necessary. NOTE: May damage finished surfaces and fabrics.

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Do not take internally. Do not breathe fumes or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

**Environmental Cautions:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse container for any purpose. Destroy empty container. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**HI-YIELD CHEMICAL COMPANY**  
**BONHAM, TEXAS**

5M-1-115

EPA Reg. No. 34911-2-AA

Full  
 M. S. Co.  
 Reg. No. 34911-2  
 EPA Reg. No.

NCE WITH  
 PUT ON  
 TAINERS.  
 ECT SPRAY  
 namentals  
 amage  
 ed in label  
 rts, to fruit  
 water unless  
 ary. Do not  
 t.  
 Carnations,  
 ybugs, Red  
 Birch Leaf  
 cale apply  
 t the path  
 ol. DO NOT

VEGETABLES	
BEANS	Aphids, Cucumber, Japanese and Mexican Bean Beetles, Leafhoppers, Red Spider Mites
CABBAGE	Aphids
CUCUMBER SQUASH	Aphids, Red Spider Mites, Pick-worm
MELONS	Aphids, Red Spider Mites, Cucumber Beetles

HOUSEHOLD: (Ants, Roaches, Carpet Beetles, Silverfish, Spiders, Scorpions, Clover Mites.) Mix 6 1/2 tablespoons in 1 quart of water and apply in a coarse spray or with a brush to all areas frequented by pests. Avoid contamination of food, dishes, utensils, milk and water. Repeat as necessary. NOTE: May damage finished surfaces and fabrics.

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Do not take internally. Do not breathe fumes or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

**Environmental Cautions:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse container for any purpose. Destroy empty container. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

HI-YIELD CHEMICAL COMPANY  
 BONHAM, TEXAS

EPA 1-115

EPA Reg. No. 34911-2 AA

# Hi-Yield<sup>TM</sup>

# Malathion

# Insect Spray

