

HI-YIELD GARDEN INSECT SPRAY

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

GENERAL INFORMATION: HI-YIELD GARDEN INSECT SPRAY is a combination insecticide, miticide, scabicide product for use as a general purpose insect control in home gardens.

DIRECTIONS: Mix 3 tablespoons (1 1/2 fl. ozs.) in one gallon of water. Apply as a thorough cover spray. Make application when insects or their damage first appear. Repeat applications as needed or at 7-14 day intervals. Thorough coverage is important.

ORNAMENTALS & SHADE TREES: Roses, Azaleas, Camellias, Gardenias, Carnations, Mums, Evergreens, Oaks, Elms, Willows. Controls Aphids, Lace Bugs, Spider mites, Whiteflies, Adult Japanese beetle, Tent caterpillars, Cankerworms, Thrips, Leafhoppers, Rose Slugs, Rose chafer. Do not apply to ferns, petunias or Spirea.

VEGETABLES: Do not apply within 7 days of harvest.

PROBLEM AREA	PESTS
Tomatoes & Potatoes	Aphids, Colorado potato beetle, Spider mites, Flea beetle, Fall armyworm, Mealybugs.
Beans, Black-eyed Peas	Mexican bean beetle, Leafhoppers, Fall armyworm, Aphids, Spider Mites.
Collards, Cabbage, Brussels Sprouts, Beets, Peppers	Aphids, Spider Mites, Flea Beetles, Leafhoppers, Japanese beetles, Fall armyworm, Imported cabbageworm.
Corn	Aphids, Sap beetles, Thrips, Fall Armyworms, Japanese beetles.
Cucumbers, Squash, Melons, Pumpkins	Aphids, Spider Mites, Cucumber beetle, Flea beetle, Pickleworm.

FRUIT TREES May be applied up to 7 days before harvest on apples, pears, quinces, cherries, plum and prunes and up to 21 days before harvest on apricots and peaches.

NOTE: The following application schedule for the orchard pests; Codling Moth, Apple Maggot and Plum Curculio must be followed. Apply at petal fall and every 10-14 days thereafter until control is achieved:

PROBLEM AREA	PESTS
Apples, Pears, Quinces	Aphids, Mites, Apple Maggot, Codling moth, Japanese beetle, Plum curculio, Tent caterpillar, Forbes scale.
Peach, Plum, Cherry, Apricot, Prunes.	Aphids, Mites, Cherry fruit worm and fruit fly, Japanese beetle, Plum curculio, Rose Chafar, Tent caterpillar, Cankerworm, Terripan and Cottony cushion scale.

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Food utensils such as a teaspoon or measuring cup should not be used for food purposes after use with insecticides.

Do not reuse container for any purpose. Destroy empty container.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**HI-YIELD CHEMICAL COMPANY
BONHAM, TEXAS**

5M-1-115

EPA Reg. No. 34911-7-AA

Hi-Yield® Garden Insect Spray

ACCEPTED
DEC 04 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
approved for the pesticide
under
EPA Reg. No. 34911-7

34911-7
12/4/1975

Page 181