
11-16-1979 349 DATE OF ISSUANCE U.S. ENVIRONMENTAL PROTECTION AGENCY 11-16-79 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) TERM OF ISSUANCE 3 WASHINGTON, D.C. 20460 Registration NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: CREGISTRATION Hi Vield Improved Liquid Edger (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Available Best Γ we fache cher LOMP INY P.O. Boy -----Scaluma, X 75448 Attention: Richard D. Rodgers 1 NOTE: Changes in labeling formula differing in aubstance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label'in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act A copy of the labeling scented in p onnection with the Registration is in no why to be constructed an indor health and the environment the Administrate, on his icide in accordance with the Act. The acceptance of protect lon of a pestunder this as giving the registrant a Act is not to be constitute h čovered by others. this product is of Section 3(0) 1. You sub . . · · Agencybe dat If the Geb 1900 to cance NILLE Y. Garten M. C alone por 161.81 a-gerbe ude na tion automotion - 19-7677 21 ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL DATE 4 EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.



Shake well before use. Remove protective cap from jug. Screw applicator head on jug, being certain applicator head is screwed firmly on jug. Invert jug. Thoroughly wet foliage and stems of undesired vegetation. The width of the spray pattern may be adjusted by either raising or lowering the jug. Replace protective car applicator head for storage.



NN VARNISH

For best results apply during periods of high temperatures and humidity. Retreatment may be necessary if regrowth occurs.

For edging around lawns, fences, sidewalks, curbs and similar areas, hold jug about 2 to 6 inches from the surface of the grass depending on the desired width. One gallon of HI-YIELD Improved LIQUID EDGER used in this manner should treat a strip 2 inches wide and approximately 2000 feet in length. Under warm sunny conditions wilting will occur in 1 to 3 days and complete browning in 5 to 7 days. For treating larger areas such as vacant lots or similar areas where weed control is desired, hold jug at waist height away from body to avoid contact with skin or clothing and walk slowly, making sure that all undesirable plants are thoroughly covered with spray. Apply 1 gallon to cover 200 square feet. For spot treating weeds, hold jug so that spray hits only the weeds or area to be treated.

IMPORTANT: To avoid drift that may injure desirable plants, do not apply during windy weather. Do not apply directly to or allow this product to come into contact with leaves, green bark, bud crowns or broken bark on trees and ornamentals. Do not track from treated areas to untreated areas.

STORAGE AND DISPOSAL

Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. 23

HI-YIELD CHEMICAL COMPANY BONHAM, TEXAS 75418 . 34911-19 EPA Est. 7401-TX-1

5 48

EPA Reg. No. 34911-19

「「「「「「「」」」