

ACCEPTED
 22 1988
 Under the Federal Insecticide, Fungicide, and Rodenticide Act
 as amended by the pesticide registration law
 EPA Reg No 2548-75

MAX/KILL.

DURSBAN 5
 INSECTICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed, inhaled, or absorbed through skin.

Avoid breathing spray mist and provide adequate ventilation of area being treated.

Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and warm water after handling.

If poisoning occurs, get prompt medical aid.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is an antidote.

Do not use in commercial food processing or preparation areas except as a spot or crack and crevice treatment. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Do not allow children or pets to contact treated surfaces until spray has dried.

Remove pets and cover fish bowls (aerators) before spraying.

ENVIRONMENTAL HAZARDS

DEATH KILL: DURSBAN 5 is toxic to fish, birds, and other wildlife.

Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DIRECTIONS FOR USE

If in violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS
 Do not contaminate water, food, or feed by storage or disposal.

2. PESTICIDE DISPOSAL
 Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal site.

3. CONTAINER DISPOSAL
 Triple rinse thoroughly with water before recycling or reconditioning. or puncture and crush in a recycling facility, or by other procedures approved by the state and the authority.

4. GENERAL
 Consult federal, state, and local disposal authorities for approved procedures other than those given above. Approved procedures vary throughout the United States by generation.

5. EQUIVALENT METHOD TO TRIPLE RINSING
 Empty container as completely as possible. Rinse the inside and outside of the container with water. Repeat as necessary.

DURSBAN IS A REGISTERED TRADEMARK OF DOW CHEMICAL COMPANY

AIDS IN CONTROL OF	ACTIVE INGREDIENTS
Confused Flour Beetle, Red Flour Beetle, Rice Weevil, Saw Toothed Grain Beetle, Flat Grain Beetle, Lesser Grain Borer, Indian Meal Moth, Mediterranean Flour Moth, Angoumois Grain Moth, Granary Weevil, Cigarette Beetle, Brachids, Black Carpet Beetle, Silver Fish Ant, Clover Mites, Crickets, Firebrats, Spiders, Flies, Mosquitoes, Ticks, Scabbugs, Earwigs and Brown Dog Ticks	Chlorpyrifos (90% diethyl 0-13-5-6-trichloro-2-pyridyl) phosphorothioate) 75%
	INERT INGREDIENTS 25%

EPA Reg NO 2548 75
 EPA Est No 2548 KS-1

KEEP OUT OF THE REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

1. READ LABEL CAREFULLY. Do not use if you are pregnant or nursing. Do not use if you are allergic to any of the ingredients listed on the label.

2. Apply to areas where insects are found or where they are likely to be found. Do not apply to areas where food is stored or where food is prepared.

3. Do not use on surfaces where food is stored or where food is prepared.

4. Do not use on surfaces where food is stored or where food is prepared.

5. Do not use on surfaces where food is stored or where food is prepared.

NOTE: Atropine is a specific antidote. Should be administered by medical personnel.

See side panel for additional precautions.

USE INDOORS:

May be used with insecticide-resistant and fumigant-resistant buildings including food processing plants, grain elevators, farm houses, grain and flour mills, warehouses, manufacturing plants, hospitals, bakeries, restaurants, stores, schools, motels and hotels and residential buildings including homes and apartments for the control of: (1) Flour beetle, lesser grain borer, Indian meal moth, Mediterranean flour moth, Angoumois grain moth, granary weevil, cigarette beetle, leather beetle, carpet beetle, silver fish ant, clover mite, cricket, firebrat, spider, fly, mosquito, tick, scabbug and earwig.

In food areas of food handling establishments where food and food products are being processed, prepared or served, application shall be limited solely to spot, crack and crevice treatment.

FOR SPOT TREATMENT: Apply as a crack spray or with a paint brush to crack and areas where insects are found or where they are likely to be found. Do not apply to areas where food is stored or where food is prepared. Do not apply to areas where food is stored or where food is prepared.

FOR CRACK AND CREVICE TREATMENT: Apply in small amounts directly into cracks and crevices. Do not apply to areas where food is stored or where food is prepared. Do not apply to areas where food is stored or where food is prepared.

IN NON-FOOD AREAS: Thoroughly apply as a crack spray. Do not apply to areas where food is stored or where food is prepared. Do not apply to areas where food is stored or where food is prepared.

FOR CONTROL OF CARPET BEETLES AND DERMESTIDS: Thoroughly apply as a crack spray to cracks and crevices and edges of carpeting. Under carpeting, apply to the underside of the carpet and to the edges of the carpet. Do not apply to areas where food is stored or where food is prepared.

FOR CONTROL OF FLIES AND BROWN DOG TICKS: Thoroughly apply as a spray to infested areas such as pet houses and resting quarters. Use the cracks and crevices, along the walls, basins, etc. Do not apply to areas where food is stored or where food is prepared.

DO NOT TREAT PETS WITH THIS PRODUCT. Do not use on animals. Do not use on animals.

USE OUT DOORS:

FLY, MOSQUITO, TICK AND EARWIG: Use only as an outdoor residual spray on lawns or other areas where insects are likely to be found. Do not apply to areas where food is stored or where food is prepared.

ANTS: Thoroughly apply and renew. Repeat applications as needed. Do not apply to areas where food is stored or where food is prepared.



NET CONTENTS _____ **GALLONS**


MANUFACTURED BY

Research Products Company

DIV OF McSHARES, INC.
 SALINA, KANSAS 67401

ZOLONE

Pecan & Fruit Tree



Spray

oKills Pecan Weevils, Pecan Aphids, Black Pecan Aphids, Hickory Shuckworms, Pecan Nut Casebearer & Spittle-bugs on Pecan Trees.

oKills Oriental Fruit Moths, Mites, Aphids, Pear Psylla & Apple Maggots on Listed Fruit Trees.

o1 Pint Makes Up To 16 Gallons Spray.

Active Ingredients:


Phosalone [5-6-chloro-2,3-dihydro-2-oxobenzoxazol-3-yl-methyl 0,0-diethyl phosphorodithioate]	17.2%
Aromatic Petroleum Derivatives	47.0%
Inert Ingredients	35.8%

The product contains 1½ lbs. Phosalone per gallon

Keep Out Of Reach Of Children

WARNING

See back panel for additional precautionary statements



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hi-Yield ZOLONE Pecan & Fruit Tree Spray is formulated to effectively & easily help you kill major types of damaging insects on Pecan and fruit trees.

Mix the recommended amount of concentrate with water and spray to obtain a thorough and complete coverage. Use the minimum recommended rates for preventative applications and the higher rates of application when severe infestations occur. The recommended number of teaspoons (tsp.) indicates the amount of concentrate to mix with each gallon of water.

PECANS: Pecan Aphid (Monellia sp.) Black Pecan Aphid, Hickory Shuckworm, Pecan Nut Casebearer, Pecan Spittlebug, Pecan Weevil & Pecan Phylloxera (Suppression of), 2 1/2 tsp. Use 5-10 gallons spray to cover 1,000 sq.ft. Do not apply more than 20 lbs. (53 1/3 quarts) per acre per season. Do not apply after shucks split.

APPLES & PEARS: Aphids, Codling Moths, 1 1/2 - 2 1/2 tsp.; Redbanded Leafroller, European Red Mite, 2 - 5 tsp.; Plum Curculio & Two Spotted Mites, 2 1/2 - 5 tsp. For Pear Psylla on Pears, 4 tsp. Use from 10-15 gallons of water to cover 1,000 sq.ft. Do not apply more than 17 1/2 lbs. (46 2/3 quarts) per acre per season. Do not apply within 14 days of harvest.

PLUMS/PRUNES, APRICOTS, PEACHES & NECTARINES: Aphids, 1 1/2 - 2 tsp.; Peach Twig Borer, 2 1/2 tsp.; Mites (including European Red Mite, Two Spotted Mite & Brown Almond Mite), 4-5 tsp.; Leafhoppers & Plum Curculio, 2 1/2-5 tsp.; Oriental Fruit Moth on Peaches, Nectarines & Apricots, 2 1/2 tsp. Use 10 gallons mixture to cover 1,000 sq.ft. Do not apply more than 20 lbs. (53 1/3 quarts) per acre per season. Do not apply within 7 days of harvest.

ROSES: Rose Aphids, 2 1/2-5 tsp. Apply specified dosage in sufficient water to complete coverage (spray to wet). Apply when pest is present and repeat as necessary. Slight injury to leaves may occur.

STORAGE: Store in original container and place in a locked storage area.
DISPOSAL: Do not reuse container. Wash and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be fatal if swallowed or absorbed through the skin. Causes eye irritation. May cause allergic skin reactions in some individuals. Do not get into eyes, on skin or on clothing. Wear protective clothing, chemical resistant gloves, and goggles. Avoid breathing fumes or spray mist.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Do not store below 32°F.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: remove contaminated clothing. Wash affected area with soap and water. IF IN EYES, flush eyes with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Causes Cholinesterase inhibition. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift and runoff can be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetland (swamps, bays, marshes, etc.) (EPA 499-B-83).