

ASCO
Feb. 26, 1975
UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTRATION
ED UNDER NO. 34913-5

TO OPEN
FULL MARGIN BAND

SPRAKIL B-4 GRANULAR

WEED KILLER

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-
butyl-6-methyluracil) 4%

INERT INGREDIENTS: 96%

Total 100%

EPA Registration No. 34913-5
EPA Establishment No. 33560-PN-1

CAUTION: SEE BACK PANEL FOR USE DIRECTIONS AND PRECAUTIONS.

SPRAKIL

B-4 GRANULAR

WEED KILLER

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil) 4%

INERT INGREDIENTS: 96%

Total 100%

EPA Registration No. 34913-5
EPA Establishment No. 33560-PN-1

CAUTION: SEE BACK PANEL FOR USE DIRECTIONS AND PRECAUTIONS.

STORE IN A COOL PLACE

50 POUNDS NET

SPRAY SERVICES, INC.

4711 BROADMONT ROAD

HUNTINGTON, W. VA. 25704

SPRAKIL B-4 GRANULAR

This bag has been treated with COLLOIDAL SILICA to frictionize the surface and minimize sliding. It stacks more securely for shipping, handling, storing . . . provides extra protection for the product and the personnel who handle and transport it.

Colloidal Silica is another product of NALCO CHEMICAL COMPANY

SPRAKIL B-4 GRANULAR WEED KILLER

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil) 4%

INERT INGREDIENTS: 96%

Total 100%

EPA Registration No. 34913-5

EPA Establishment No. 33560-PN-1

Sprakil B-4 Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as railroad rights-of-way and industrial areas. 200 to 400 pound applications of Sprakil B-4 Granular per acre usually result in a non-productive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions.

DIRECTIONS: Sprakil B-4 Granular should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated. Application equipment is available from Spray Services. For the control of annual and most perennial weeds and grasses, apply Sprakil B-4 Granular at the rate of 200 to 400 pounds per acre; on smaller plots, 0.5 to 1.0 pounds per 100 square feet. Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain the best results, Sprakil B-4 Granular should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. Sprakil B-4 Granular may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialists for recommendations as to use in their particular area or write to Spray Services.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes, or do not use same spreading equipment for other purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Store away from and do not contaminate feed and foodstuffs. Do not contaminate irrigation ditches or water used for domestic purposes. Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas. Do not re-use this container. Destroy when empty. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CAUTION: MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT.

SPRAKIL B-4 GRANULAR

Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	4%
INERT INGREDIENTS:	<u>96%</u>
Total	100%

EPA Registration No. 34913-5
EPA Establishment No. 33560-PN-1

Sprakil B-4 Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as railroad rights-of-way and industrial areas. 200 to 400 pound applications of Sprakil B-4 Granular per acre usually result in a non-productive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions.

DIRECTIONS: Sprakil B-4 Granular should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated. Application equipment is available from Spray Services. For the control of annual and most perennial weeds and grasses, apply Sprakil B-4 Granular at the rate of 200 to 400 pounds per acre; on smaller plots, 0.5 to 1.0 pounds per 100 square feet. Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain the best results, Sprakil B-4 Granular should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. Sprakil B-4 Granular may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialists for recommendations as to use in their particular area or write to Spray Services.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Store away from and do not contaminate feed and foodstuffs. Do not contaminate irrigation ditches or water used for domestic purposes. Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas. Do not re-use this container. Destroy when empty. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CAUTION: MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT.

Avoid contact with skin, eyes and clothing. Avoid breathing dust. In case of contact, wash skin with soap and water; for eyes, immediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing before re-use.

FOR INDUSTRIAL USE ONLY
50 POUNDS NET

MANUFACTURED FOR
SPRAY SERVICES, INC.
4711 PIEDMONT ROAD
HUNTINGTON, W. VA. 25704

