## NEED KILL

### **ACTIVE INGREDIENT:**

Tebuthiuron 1-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea.....5.0% ""Equivalent to 6.25% Spike ® 80W". Spike is the registered trademark of Tebuthiuron, Elanco Products Company, a Division of Eli Lilly and Company.

INERT INGREDIENTS:..... 95.0%



KEEP OUT OF REACH OF CHILDREN.

## **CAUTION**

**AVOID BREATHING DUST** 

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact, flush with water.

See back panel for additional caution statements.

MANUFACTURED FOR

# **4711 PIEDMONT ROAD HUNTINGTON, W. VA. 25704**

EPA Registration No. 34913-10 EPA Establishment No. 33560-TN-1

**NET CONTENTS: 50 Pounds** 

### DIRECTIONS FOR USE Read All Directions Carefully Before Applying

Sprakil S-5 Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses, it is recorr mended only for non-cropland areas such as, AIRPORT RUNWAYS,
UTILITY SUBSTATIONS, TANK FARP RAILWAY ROADREDS
AND BALLAST, ROAD SHOULDERS NO VEGETATION AND BALLAST, ROAD SHOULDERS IS DESIRED, UNDER ASPHALT AN AROUND INDUSTRIAL BUILDING. ROAD YARDS, AT THE BASE OF SIGNPOSTS AND MARKERS AND A MISSION TOWERS AND POLES for I : NO VEGETATION TE PAVEMENTS, RAIL GUARDRAILS, JE OF TRANSand perennial grasses and broadleaved ...ds, Effects are slow to appear and will not become apparent until the chemical has been carried into the mot zone of the weeds by moisture. The effectiveness and length of time control will last depend on texture of soil, amount of rain, and other conditions.

HOW TO APPLY: Use a mechanical spreader or other device which will spread the required amount evenly over the area to be treated. It may be applied when top growth is dense but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rains or thorough watering after application will cause the material to move to the root zone and thus speed up control. Do not use when ground is

### GENERAL WEED CONTROL

Uniformly apply 80 pounds per acre to control the following weeds:

Allalfa Chickweed

Clover, red Aster, heath Cocklebur Aster, white heath Creeper, Virginia Barley, little Crowfootgrass Bedstraw Bluegrass, annual Dock, curley Dogfennel Bluegrass, Kentucky Bouncingbet Fescue Bromegrass, downy Fescue, rattail Bromegrass, ripgut Fiddleneck, coast Bromegrass, smooth Filaree Filaree, redstern Broomsedge Buffelgrass Fleabane, annual **Burclover** Foxtail Buttercup, smallflower Gaillardia, rosering Camphorweed Geranium, Carolina Carrot, wild Goldenrod Catsear, spotted Grape Gumweed

Hemlock poison Henbit Honeysuckle, Japanese Horseweed Knapweed Kochia Lambsquarters Lupine Medic, black Morningglory Muliein, common Nightshade, silverleaf Oat, wild Panicum, Texas Pepperweed, Virginia Pigweed Plantain, buckhorn **Puncturevine** 

Raspberry, red Ryegrass, Italian Sedge, Annual Sheperdspurse Sida, prickly Sowthistle, annual Spikeweed Spurge Spurge, spotted Starthistle, vellow Strawberry Sunflower, common Telegraphplant Thistie, Russian Timothy Trumpetcreeper Velvetgrass Vetch Witchgrass

Uniformly apply 120 pounds per acre to control the following weeds: Aspen, trembling Canarygrass, reed Awngrass, triple Carpetweed Barley, foxtall

Chicory

Vasevaress

Cinquefoil, common

Uniformly apply 160 pounds per acre to control the following weeds:

Barnyardgrass Johnsongrass, seeding Crabgrass Lovegrass Orchardgrass

ltchgrass Uniformly apply 320 pounds per acre to control the following weeds:

Reed, common Sandbur, field

Ragweed, giant

lvy, poison

Clover, white sweet

Smartweed, swamp Sowthistle, perennial Spurge, prostrate Sumac, staghorn

Oxtongue, bristly **Poorjoe** Pursiane, common Ragweed, common Salthush Sedge, bull

Cudweed

### Dallisgrass Bermudagrass Venus Lookingglass

Do not apply product on or near desirable trees or other plants or on areas where their roots may extend or in locations where the chemical may be washed into contact with their roots as severe injuly or death may occur. Do not use on walks, driveways, lawns, paties tennis courts, or similar areas where roots of desirable trees or other plants may extend or where product may be washed into contact with roots of desirable trees.

Keep from contact with pesticides, fertilizers, seeds,

Clean all traces of product from application equip-

### CAUTION

Bromegrass, Japanese

PRECAUTIONS

Harmful if swallowed, Avoid contact with skin, eyes, or clothing, In case of contact, flush with water. Avoid breathing mist.

Dispose of empty container in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Environmental

Do not contaminate any body of water,

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

SSI industries, inc. 4711 Piedmont Road Huntington, W. Va. 25704