[35137-7]

DIRECTIONS FOR USE

IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Assessible Stages of Insects* Infesting Dried Fruit Products in Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine nist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat application at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part product plus 5.6 parts oil.

*Flying Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle and Saw-Toothed Grain Beetle.

To Kill the Adult and Accessible Forms of Insect Pests* of Stored Food (Stored in Multiwall Paper Bags or in Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

* Rice Weevil, Yellow Meal Worms, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour, Moth and Indian Meal Moth.

In Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist as described above. Use a dosage of 1.2 to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Dinot remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meai Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found.

Do not apply this spray to surfaces that may dome in contact with find, excessive residues in find may resort

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

Infested stored food products should be fumigated or treated by other effective methods, using an approved product intended for this purpose.

SYNERGIZED

ACTIVE

Pyrethr

*Piperor -N-octy

> Petrol**a** 'Equiv**a**

-MGK

FOR USE ONLY

INTENDED FOR USE in food

Keep C

Do not breathe spray mist. Harm during application. Do not apply do not have to be stopped while cautions. After spraying in meal able water all equipment, bench is impractical, do not allow food Wash hands, arms, and face with Wash all contaminated clothing the D. S. Bureau of Mines) and large some of 30 CFR Part H.

APPLY TH

Remise pets and cover fish bowler ponds. Do not contaminate w

Don't rease empty drums or smd crushing and burying in a safe p

Keer into her closed. Do not

Fegulations 121 Ho 4, 121, 107

NET CONTENTS: , ... One Go

EPA Registration No. 35137-7

product as a fine mist in the air above acrosol machine, or use fixed ceiling. If overhead sprayers are used, be sure top trays of fruit. Use a dosage of plication at this dosage in any given iluted with more petroleum distillate, portionately. Do not remain in treated ution is 1 part product plus 5.6 parts oil.

(Stored in Multiwall Paper Bags or lose room or warehouse and shut off machine, or use fixed ceiling sprayers spray per 1000 cubic feet of room ment is completed. Repeat applications

tle, Saw-Toothed Grain Beetle, Meal Moth.

mist as described above. Use a dosage n closed to: at least ten minutes. Sweep t remain in treated areas. Ventilate

ice Weevils, Confused Flour Beetles,

Moth Larvae and Adults, Cigarette

wet spray to all areas infested by
ticular attention to cracks and
to floor drains, conveyors and other areas

; excessive residues in food may result.

ply this spray with a sprayer that work, floors, underneath sinks, itact as many insects as possible.

ffective methods, using an

SYNERGIZED PYRETHRIN INDUSTRIAL SPRAY

ACTIVE INGREDIENTS:

 100° o

Pyrethrins .50%.
*Piperonyl butoxide, technical 1.00%
= N-octyl bicycloheptene dicarboximide 1.67%
Petroleum distillate 96.83%

*Equivalent to .80% (butylcarbityl) (6-propylpiperonyl) ether, and .20% related compounds.

-MGK ether, and .20% related compounts.

FOR USE ONLY BY QUALIFIED PEST CONTROL OPERATORS AND TRAINED PERSONNEL: NOT FOR HOME USE.

INTENDED FOR USE in food processing plants, warehouses, restaurants and storage rooms.

CAUTION Keep Out Of Reach Of Children

Do not breathe spray mist. Harmful if swallowed. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is under way. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours.

Wash hands, arms, and face with soap and water after handling and before eating or smoking.

Wash all contaminated clothing with soap and hot water before reuse.

Wear a pesticide respirator jointly approved by the mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

Remove pets and cover fish bowls before spraying. This product is toxic to fish. Keep but of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty drums or smaller containers. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Keep container closed. Do not pour, store or spill near heat or open flame.

Note: This spray, when applied per the directions and clutions above, confirms with Food Additive Regulations 121, 1074, 121, 1075, and 121, 1205, and the food additive tolerances established thereunder.

Manufactured by:

PRICE RESEARCH, LTD.

205 Westport Road

Kansas City, Missouri 64111

NET CONTENTS: One Gallon:

Five Gallons:

20 Gallons:

35 Gallons:

35 Gallons

EPA Establishment No.

EPA Registration No. 35137-7