

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS &
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not spray near or toward an open flame.

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

**Fly &
Mosquito
Spray**



ACTIVE INGREDIENTS

* (5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3- (2-methylpropenyl)-	0.250%
cyclopropanecarboxylate	0.034%
Related compounds	0.329%
Aromatic petroleum hydrocarbons	0.375%
Petroleum Distillate	0.012%
INERT INGREDIENTS	100.000%

*Cis trans isomers ratio: max. 30% (1) cis and 70% (2) trans. U.S. Patents No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See side panel for additional precautionary statements.)

EPA Reg. No. 35138-30

EPA Est. No. 3513

Mfg. By: Winco Chemical Co., Inc. P.O. Box 10692 Jackson, MS

NET Contents 1 Pint

For use in Homes, Bakeries, Food Plants, Restaurants, Hotels, Schools, Motel., Office Buildings, Hospitals, and Food Handling Plants.

DIRECTIONS:

Kill flies, mosquitoes, gnats, flying moths (millers), wasps, beetles, water bugs, weevils, grain mites, sowbugs, spiders and centipedes.

Mosquitoes, Flies, Gnats, Flying Moths (Millers): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed. Remove patients from hospital rooms before spraying and ventilate rooms at least two hours before returning patients.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage area. Spray directly on insects where possible. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Batch No. _____

BEST AVAILABLE COPY

ACCEPTED
OCT 26 1981
U.S. Environmental Protection Agency
Washington, D.C. 20460
35138-30

10F1
PM17

35138-30

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, spray only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not spray near or toward an open flame.

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Fly &
Mosquito
Spray



ACTIVE INGREDIENTS

1:5 Benzyl 3-furyl methyl 2,2-dimethyl-3-(2-methylpropenyl)-cyclopropanecarboxylate	0.250%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.329%
Petroleum Distillate	99.375%
INERT INGREDIENTS	0.012%
	100.000%

*Cis:trans isomers ratio: max. 30% (+) cis and 70% (+) trans U.S. Patents No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See side panel for additional precautionary statements.)

EPA Reg. No. 36136-30

EPA Est. No. 36137

Mfg. By: Winco Chemical Co., Inc. P.O. Box 10882 Jackson, MS

NET Contents 1 Pint

For use in Homes, Bakeries, Food Plants, Restaurants, Hotels, Hospitals, Motels, Office Buildings, Hospitals, and Food Handling Plants.

DIRECTIONS:

Kill flies, mosquitoes, gnats, flying moths (millers), weevils, fleas, water bugs, bedbugs, grain mites, sowbugs, spiders and centipedes.

Beetles, Flies, Gnats, Flying Moths (Millers): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed. Remove patients from hospital rooms before spraying and ventilate rooms at least two hours before returning patients.

Weevils: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Cockroaches, Weevils, A. Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, metal areas, openings around pipes and sinks, under refrigerators, baseboards and storage area. Spray directly on insects where possible. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

Batch No. _____