

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate feed or feedstuffs with this spray. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash hands on tart surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (if any) before spraying. Do not use this product in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention.
IF ON SKIN: Remove contaminated clothes and wash skin with soap and water.
IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit is clear. Call physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not reuse empty container. Wrap container and place in trash container.

FAMBAT

**FLEA
AND
TICK
INSECTICIDE**

contains Dursban *

ACTIVE INGREDIENTS

**Resmethrin (5-phenylmethyl-3-(tranylmethyl)-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)	0.10%
*Chlorpyrifos (0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate)	99.40%
INERT INGREDIENTS	
Total	100.00%

* Cis/trans isomers ratio: max. 30% cis and min. 70% trans.
* U.S. Patent Nos. 3,485,007 and 3,542,928; 3,683,078.
* Penck's SBP 1032® brand of resmethrin insecticide.
* Penck Corp. 1050 Wall Street West, Lyndhurst, N.J. 07071.
* U.S. Patent No. 3,244,586. Dursban is a Trademark of Dow Chemical Co.
PRECAUTION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que le entregue la hoja de explicacion en su idioma.
TRANSLATION (TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.

ACCEPTED
35138-45
MAY 10 1982

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENT**

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENT
SHAKE WELL BEFORE USING
NET CONTENTS 1 GALLON
EPA Est. No. 35138-MS-1 EPA Reg. No. 35138-46
WINCO CHEMICAL COMPANY, INC.
P.O. BOX 10692
JACKSON, MS 39209

DIRECTIONS FOR USE (Continued)

CAUTION (PESTS INDOORS): Do not apply this water based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only, or base sprays. Prior to application, de-energize electrical equipment. After application, allow time for all to evaporate before starting motors or placing switches in the "On" position.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT!** Treat pets with a product registered for animal application such as SBP 13H2® (Doxalathrin) Aqueous Pressurized Spray, EPA Reg. No. 432-482 to control the source of flea and tick infestation.

PESTS OUT-OF-DOORS

GENERAL INFORMATION: Use Combat Flea and Tick Insecticide for control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use Combat Flea and Tick Insecticide to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawn, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs, and sowbugs (pebbles), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 7.7 ounces of Combat Flea and Tick Insecticide per gallon of water and apply as a coarse spray at the rate of about 1 gallon per 100 sq. ft. to thoroughly and uniformly wet the band.

WARRANTY STATEMENT

Our recommendations for use of the product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such of the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such or in combination with other materials.