

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate feed or feedstuffs with this spray. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not use this product in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Flush with plenty of water. Get medical attention.  
**IF ON SKIN:** Remove contaminated clothes and wash skin with soap and water.  
**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit is clear. Call physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.  
**IF INHALED:** Remove victim to fresh air. Apply respiration if indicated.  
**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

**ENVIRONMENTAL HAZARDS**

THIS PRODUCT IS TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**

Do not reuse empty container. Wrap container and place in trash section.



35138-48  
UN 10 1982

**ROACH  
AND  
ANT  
INSECTICIDE**

contains Dursban\*

**A COMBINATION OF INSECTICIDES OFFERING GOOD FLUSHING ACTIVITY, QUICK KNOCKDOWN AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS.**

**ACTIVE INGREDIENTS**

**Resmethrin [5 (phenylmethyl) 3 (4-arylmethyl) 2, 2-dimethyl-3 (2-methyl-1-propenyl)cyclopropanecarboxylate]	0.10% w/w
*Chlorpyrifos [0, 0-dimethyl 0, 3, 5, 6-tetrachloro-2-pyridyl] phosphorothioate	0.50
<b>INERT INGREDIENTS</b>	99.40% w/w
<b>Total</b>	<b>100.0% w/w</b>

\* Cis trans isomers ratio: max. 30% (cis) and min. 70% (trans)  
\* U.S. Patent Nos. 3,485,007 and 3,542,928; 3,683,078  
\* Penick 5 SBP 1032® brand of resmethrin insecticide  
\* Penick Corp. 1050 Wall Street West, Lyndhurst, N.J. 07071  
\* U.S. Patent No. 3,244,586. Dursban is a trademark of Dow Chemical Co.

**PRECAUTIONAL USUARIO:** Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada en español.  
**TRANSLATION: (TO THE USER:)** If you cannot read English, do not use this product until the label has been fully explained to you.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENT

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENT  
SHAKE WELL BEFORE USING  
NET CONTENTS 1 GALLON

EPA Est. No. 35138-MB-1  
WINCO CHEMICAL COMPANY, INC.  
P.O. BOX 9892  
JACKSON, MISSISSIPPI 39209  
EPA Reg. No. 35138-48

**FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, CRICKETS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES, FLEAS**

#### **DIRECTIONS FOR USE (Continued)**

**CARPET BEETLES:** Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

**ATTENTION PESTS INDOORS:** Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only oil-base sprays. Prior to application, de-energize electrical equipment. After application, allow time for all to evaporate before starting motors or placing switches in the "On" position.

**RESIDUAL SPRAY:** Aids in the control of COCKROACHES, CRICKETS, SILVERFISH, CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS. Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6-inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

**NOTE TO PEST CONTROL OPERATORS:** One gallon of spray is sufficient to treat 1500 linear feet with a 6-inch spray. For contact and residual spray, use Black Hawk Roach and Ant Insecticide without diluting. For repeat applications, dilute with equal parts of water. **CONTACT SPRAY KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, CARPET BEETLES, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, ANTS, SPIDERS, FLEAS.** Use as a spot treatment. When possible, spray directly on pests to reduce infestation. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

**ANTS:** To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

#### **WARRANTY STATEMENT**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such or in combination with other materials.

#### **DIRECTIONS FOR USE (Continued)**

**FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS AND HOSPITALS IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT, VENTILATE ROOM FOR TWO HOURS BEFORE RETURNING PATIENTS.**

**THIS PRODUCT CAN BE USED IN NON-FOOD AREAS ONLY, SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS AND BAKERIES.**

**ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS, AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.**

**ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY ON DOG AND HORSE FOOD OR FEED ITEMS.**

#### **PESTS OUT-OF-DOORS**

**GENERAL INFORMATION:** Use Black Hawk Roach and Ant Insecticide for control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** Use Black Hawk Roach and Ant Insecticide to control ants, clover mites, crickets, earwigs, millipedes and sowbugs by application as a residual spray or with a paint brush to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawn, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

**NOTE:** To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 7.7 ounces of Black Hawk Roach and Ant Insecticide per gallon of water and apply as a coarse spray at the rate of about 1 gallon per 100 sq. ft. to thoroughly and uniformly wet the band.