



COMBAT DURSBAN* 2.5% GRANULAR INSECTICIDE

Controls chinch bugs, sod webworms (lawn moths), ants, brown dog ticks, crickets, certain white grubs, cutworms, earwigs, sowbugs (pillbugs), and ***hyperodes (turfgrass weevils) infesting home lawns and other ornamental turf areas.

ACTIVE INGREDIENT:

Chlorpyrifos (0,0-diethyl O-[3,5,6-Trichloro-2-pyridyl] phosphorothioate.....	2.5%
INERT INGREDIENTS:.....	97.5%
TOTAL	100.0%

*Dursban trademark of the Dow Chemical Company

EPA Registration No. 35138-
EPA Est. No. 35138-MS-1

Net Contents _____

KEEP OUT OF REACH OF CHILDREN
CAUTION
See side panel for additional precautionary statements _

Mfg. by
Winco Chemical Co., Inc.
P.O. Box 10692
Jackson, MS 39209

2000-10-10

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not breathe dust. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from feed, foodstuffs and domestic water supplies. Keep children and pets off of treated areas until this material is washed into the soil and grass is dry.

NOTE TO PHYSICIAN: This product contains a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidote if symptoms of cholinesterase inhibition appear.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label

DISPOSAL

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Apply Dursban 2.5% Granular Insecticide uniformly to home lawns and other ornamental and recreational turf areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using at the rate of 40 lbs. per acre. To help obtain uniform distribution apply one-half of the required amount of product in one direction, then apply the balance at a right angle immediately after application, sprinkle the turf with 1,300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine the amount of Dursban 2.5% Granular Insecticide and water needed for smaller sized areas. Re-treat as necessary.

TO CONTROL CERTAIN WHITE GRUBS (larvae of European Chafer and Japanese beetle) use two to four times the amounts of Dursban 2.5% Granular shown in the following table (i.e. 2-4 lbs. per 1,000 sq. ft.). After application apply enough water to thoroughly wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

AREAS TO BE TREATED	RATES TO USE	
	LBS. OF DURSBAN 2.5% G	GALLONS OF WATER TO SPRINKLE ON TURF AFTER TREATMENT
1,000 sq. ft.	1	30
5,000 sq. ft.	5	150
10,700 sq. ft.	10	325

***To control hyperodes (turfgrass) weevils, use twice the rate of Dursban 2.5% Granular shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH 567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREGERATION
*(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended.)*

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

2/11/53

b. Add the phrase "EPA Registration No. 35138-53."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (RS-767)

Enclosure