35138-60 PM 18 US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS 35138-60 TERM OF ISSUANCE **REGISTRATION DIVISION (75-767)** WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fungicide, General Purpose Insecticide and Rodenticide Act. as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Aerochem, Inc. P.O. Pox 1089 7193609 Paymond, MS 39154 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FTFPA section 3(c)(1)(A) provided that you: 1. Submit/cite all data or other material required for registration/ reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: a. Add the phrase "FPA Registration No. 35138-60." b. In the label ingredient statement, delete "w/w" from "1% w/w" since weight by weight is already implied. c. Add a footnote to the label ingredient statement indicating: Contains xylene range aromatic solvent. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling. ATTACHMENT IS APPLICABLE

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTE

EPA Form 8570-6 (Rev. 5-76)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Phil Hutton

Product Manager (18)

Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures



#### (Front Panel)

## General Purpose Insecticide

ACTIVE INGREDIENTS: Rotenone	1.1% w/w 2.2% 0.8%
INERT NOREDIENTS:	95.9 <b>%</b> 100.0%

# KEEP OUT OF REACH OF CHILDREN WARNING

See side panel for additional precautionary statements and Statement of practical treatment

EPA Est. No. 35138-MS-1 EPA Reg. No. 35138-

Net Contents\_\_

Mfg. By AEROCHEM, INC. P. O. Pox 1089 Raymond, MS 39154

ACCIPTED
with COMMENTS
in EPA Letter Dated:

1.91

Under the regreat inserticide, Fungicide, and Rodenticice Act as amended, for the pesticide registered under EPA Reg. No.

35/38-60

**)**)

);

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on chothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

IF IN EYES OR ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL AND CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMM. Flash point minimum 130 degrees F (48.9 degrees C)

#### DIFECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistant with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: For containers 1 Gallon and Under. Store product to original container in a locked storage area.

PESTICIDE DISPOSAL: For Container Over 1 Gallon: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Ragional Office for guidance.

CONTAINER FISPCSAL: For containers I gallon and under. Do not reuse empty container. Wrap container and put in trash. For containers over I gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.



### ACCIONS FOR USE:

For use on ornamental and flowering plants such as poplar, linden, dogwood, willow, birch boxelder, maple, oak, elm, pine, spruce, cedar, yew, spirea, rose, lilac, zinnia, aster, petunia, geranium, dahlfa, gladiolus, phlox, sweet pea, marigold, carnation, chrysanthemum, mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

	PESTS	VOLUME OF PRODUCT/GALLON OF WATER(3.79L)
	Aphids, Leafh ppers, Exposed Thrips	1 teaspoon (5 ml)
	Oblique-banded Leaf Rollers, Sawfly larvae, Boxelder bugs, Japanese beetles, Elm leaf beetle larvae, Mites, Lygus bugs, Lace bugs, Greenhouse Whiteflies, Stink bugs, Garden Fleahoppers, Greenhouse Leaftler	2 teaspoons (10 ml)
)	Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles	4 teaspoons (20 ml)

For use on vegetable plants such as peas, bean, beet, cucumber, squash, muskmelon, potato, tomato, cabbage, spinach, lettuce, celery, asparagus, pepper, eggplant, onion, carrot and corn: Mix with water as described in the following charc. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER(3.79L)
Aphids, Leafhoppers, Exposed Thrips	1 teaspoon(5ml)
Cabbage worms, Bean beetles, Beet webworms, Sed webworms, Asparagus beetles, Japanese beetles, Lygus bugs, Whiteflies, Garden Fleahoppers, Harlequim bugs, Oblique-banded leaf rollers, Stink bugs, Celery Leaftlers, Melon worms, Tortoise beetles, Garden webworms, Alfalfa webworms, and Mites	2 teaspoons (10 m1)
Cucumber beetles, Fles beetles, Vegetable weevils, Squash bugs (nymphs), Squash vine borers, European corn borers-3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.	4 teaspoons (20 ml)

use on fruits and berries such as apple, pear, peach, plum, cherry, grape, current, gooseberry, raspberry, blackberry, strawberry and blueberry, consult the following chart. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within on day of harvest. Repeat every 5 to 10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER(3.79L
Aphids, Leafhoppers, Exposed Thrips	l teaspoon (5 ml)
Imported Currant Worms, Gooseberry Fruit Worms, Raspberry Fruit Worms, Blueberry Maggots, Cherry Fruit Flies, Strawberry Root Worms(adult), Red-necked Borers, Japanese Beetles, and Mites	2 teaspoons (10 ml)
Strawberry Leaf Rollers and Rose Chafers	4 teaspoons (20ml)

TO KILL FLEAS, TICK AND LICE ON DOGS, CATS, AND PREMISES:
( KEEP DILUTED SPRAY AWAY FROM LIGHT)

ON DOGS: DO NOT USE MORE THAN I FLUID OUNCE(2Tbsp.) (30 ml) PER GALLON ON PUPPIES.

For fleas and lice, dilute FOLIAFUME Insecticide at the rate of 1 fluid ounce (2 Tbsp) (30 ml) per 1 gallon (3.79 L) of water. (For young animals, use 1/2 fluid ounce (1 Tbsp)(15 ml) per 1 gallon (3.79 L) of water). Apply directly to animals as a spray, sponge-on or a wash. Dip until animal's skin i3 wet. Do not rinse

For ticks, dilute FOLIAFUME Insecticide at the rate of 2 fl. d ounces (4 7bsp) (60 ml) per gallon (3.79L) of water. (For young animals, use 1 fluid ounce (2 Tbsp) (30 ml) per gallon (3.79L) of water). Apply directly to animal as 3 spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with FOLIAFUME Insecticide.

ON CATS: DO NOT USE ON YOUNG KITTENS ON ADULT ANIMALS, DO NOT USE MORE THAN I FLUID OUNCE(2 Tbsp)(30 ml) PER GALLON (3.79L).

For fleas, ticks and lice, dilute FOLIAFUME Inseccicide at the rate of I fluid ounce(2 Tbsp)(30ml) per gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with FOLIAFUME Insecticide.

BEST AVAILABLE COPY

1 1 1 1 1 1

#### RANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

BIST AVALLAS'S PROM