

Log # 35138-68

PM-13
35138-68

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Until Reregistration

196

Aero Indoor Fogger

SEP 29 1984

AEROCHEM, INC.
1396 Lee Lane
Raymond MS 39154

160 / 187
45 1821

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 31538-68".

b. Product name should be changed to "Aero Total Release Indoor fogger".

c. On the front panel group the food/feed sites together and add a qualifying statement as shown below:
.....for use in non-food/feed areas of commercial buildings, warehouses, theatres, office buildings, schools, hotels, restaurants, food handling facilities, etc.

CONCURRENCES

SYMBOL							
SURNAME	807						
DATE	9/20/84						

d. The paragraph under Precautionary Statements beginning....."Do not apply directly to food. Do not use..... etc" should be placed under a special "Note" or the Directions for Use since it pertains to where the product is applied rather than hazards. In addition it should be expanded as follows: Following the third sentence add Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Non food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

e. Food/feed processing plants can imply use in U.S, Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.

f. Under "Directions for Use" replace 100 with 6000 cubic feet, since the recommended rate per FR Notice cited below is one ounce per 1000 cubic feet.

For further information regarding flammability caused by total release foggers, please refer to the Federal Register Notice, Vol. 59 No. 73/Friday April 15, 1994 Proposed Rules.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures:

396

SEP 29 1994

AERO INDOOR FOGGER

35138-68

Kills Ants, Bed bugs, Cockroaches, Confused Flour Beetles, Crickets, Firebrats, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Ticks and Yellow Mealworms.

Also kills Brown Dog Ticks, Deer Ticks and other Ixodid species that carry or may transmit Lyme disease.

For Use in Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Hotels, Nursing Homes, Office Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Trucks, Verandas, Veterinaries, Warehouses, and Zoos.

One Unit Treats up to 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
*N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate].....	0.400%
Related compounds.....	0.035%

INERT INGREDIENTS.....	99.115%
	<u>100.000%</u>

*MGK® 264, Insecticide Synergist

**Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

BEST AVAILABLE COPY

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 6 oz.

entry or any transit type disease.

496

For Use in Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Hotels, Nursing Homes, Office Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Trucks, Verandas, Veterinaries, Warehouses, and Zoos.

One Unit Treats up to 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
*N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate].....	0.400%
Related compounds.....	0.035%

INERT INGREDIENTS.....	99.115%
	100.000%

*MGK[®] 264, Insecticide Synergist

**Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans

EVERCIDE, MGK[®] - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 6 oz.

Mfg. By
Aerochem, Inc.
1396 Lee Lane
Raymond, MS 39154

EPA Reg. No. 35138-

EPA Est. No.

BEST AVAILABLE COPY

506
7

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply directly to food. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not contaminate water by direct application or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Fleas and Ticks: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

Do not use more than one unit per average size room.

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

use in serving areas while food is exposed or facility in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. 676

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not contaminate water by direct application or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Fleas and Ticks: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

Do not use more than one unit per average size room.

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

BEST AVAILABLE COPY