



Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas  
Product Manager 32  
Antimicrobial Program Branch  
Registration Division (H-7504C)

Enclosure

3 9 4

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment authority. For guidance contact your State Water Board or Regional Office of the E.P.A.

**PHYSICAL AND CHEMICAL HAZARDS:**  
**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents, or other chemicals may release hazardous gases irritating the eyes, lungs, and mucous membranes.

**MANUFACTURED BY  
GILMER INDUSTRIES, INC.  
P.O. BOX 1265  
HARRISONBURG, VA 22801  
Phone (703) 434-8877**

EPA REG. NO. 35156-20001  
EPA EST. NO. 35156-VA-01

**HYPOCHLORITE SOLUTION CONTAINING MORE THAN  
7% AVAILABLE CHLORIDE UN1791**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP 23 1981

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
35156-20001



**GIL-SUPER C**


ACTIVE INGREDIENT:  
SODIUM HYPOCHLORITE .....  
INERT INGREDIENTS .....

**KEEP OUT OF REACH OF CHILDREN  
DANGER**  
**STATEMENT OF PRACTICAL TREATMENT:**  
IF CONTACT WITH EYES OCCURS, flush with water for  
prompt medical attention.  
IF CONTACT WITH SKIN OCCURS, wash with plenty of water.  
IF SWALLOWED, drink large amounts of water. DO NOT  
induce vomiting. Call a physician or poison control center immediately.  
(See additional precautions on side panel)

NET CONTENTS: 1 GALLON

**BEST AVAILABLE COPY**

373  
Date:



Useful to,  
Scale Act  
per side  
Reg. No.  
-2000

# SUPER CHLOR

INGREDIENT:		
POCHLORITE .....	12.5%	
INGREDIENTS .....	87.5%	

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
**OF PRACTICAL TREATMENT (FIRST AID)**  
**EYES OCCURS,** flush with water for at least 15 minutes. Get  
 relief.  
**SKIN OCCURS,** wash with plenty of soap and water.  
 Drink large amounts of water. **DO NOT** induce vomiting. Call a  
 control center immediately.  
 See additional precautions on side panel.)

3: 1 GALLON

**DIRECTIONS FOR USE**  
**IT IS A VIOLATION OF FEDERAL LAW TO**  
**USE THIS PRODUCT IN A MANNER**  
**INCONSISTENT WITH ITS LABELING**

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

**SANITIZATION OF FOOD CONTACT SURFACES**

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with GIL-SUPERCHLOR solution containing 200 ppm available chlorine. Maintain contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak overnight. Prepare a sanitizing solution by thoroughly mixing 2 oz. GIL-SUPER CHLOR with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

**SHELL EGG SANITIZATION**

Thoroughly clean all eggs. Thoroughly mix 2 oz. of GIL-SUPER CHLOR with 10 gallons of warm water to produce a 200 ppm available chlorine solution. The sanitizer temperature should not exceed 130°F. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow the eggs to thoroughly dry before casing or breaking. Do not apply a potable water rinse. The solution should not be reused to sanitize eggs.

**FRUIT AND VEGETABLE WASHING**

Thoroughly clean all fruits and vegetables in a wash tank. Thoroughly mix 5 oz. of GIL-SUPERCHLOR in 200 gallons of water to make a sanitizing solution of 25 ppm available chlorine. After draining the tank, submerge fruit or vegetables for 2 minutes in a second wash tank containing the recirculating sanitizing solution. Spray rinse vegetables with the sanitizing solution prior to packaging. Rinse fruit with potable water only prior to packaging.

**STORAGE AND DISPOSAL**

Store in a cool, dry area from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsates that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food, or feed by storage, disposal or cleaning of equipment.

**BEST AVAILABLE COPY**