

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ELSTON GOPHER GETTER BAIT

- Red

ACCEPTED
OCT 4 - 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 35380-1

FOR THE CONTROL OF:
PLAINS POCKET GOPHER, *GEOMYS BURSARIUS* AND
NORTHERN POCKET GOPHER, *THOMOMYS TALPOIDES*

ACTIVE INGREDIENT: Strychnine Alkaloid . . . 0.50% by weight
INERT INGREDIENTS: 99.50% by weight
TOTAL 100.00%



POISON




Red

DANGER
KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT - Red

- Red- IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.
 - Red- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
 - Red- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
 - Red- IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.
- Spilled baits must be picked up or buried. When not in use, do not leave bait in the dispensing mechanism of the machine.



NET WT.
5 LBS.
2.3 Kg.

Manufactured by:
RUE R. ELSTON, INC. 3
706 N. WEBER • SIOUX FALLS, S.D. 57102

BEST AVAILABLE COPY

EPA Reg. No. 35380-1
EPA Est. No. 35380-SD-1

- any
- A. Administer 100% oxygen by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.
 - B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

Red - CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER - Red

Red - CONVULSIVE POISON! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and foodstuffs. Keep away from children, pets, and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS - Red

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Notice: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the U.S. EPA: California condor, San Joaquin kit fox, Aleutian Canada goose, Morrow Bay kangaroo rat, salt marsh harvest mouse, gray wolf, and grizzly bear.

BEST AVAILABLE COPY

DIRECTIONS FOR USE - Red

It is a violation of Federal law to use this product in a manner inconsistent with its label USE RESTRICTIONS: This bait is to be used only for the control of plains pocket gophers (*Geomys talpoides*) in rangelands, pastures, croplands, and nonagricultural areas. Applied directly into pocket gophers' burrow systems by use of a machine-drawn burrow builder probe. Do not broadcast bait above ground over food or feed crops or anywhere else.

BURROW BUILDER APPLICATIONS: Follow manufacturer's instructions for the application equipment. For proper burrow, one that will not cave in regularly when walked upon, the burrow builder must be damp. Locate gopher runways by probing with an iron bar or stick 12"-18" from gopher horseshoe-shaped depression. Determine depth of burrow system. (Resistance on probe decreases as depth increases.) Set machine to this same depth. Make artificial runways 25'-35' apart, encompassing the total area. Generally, one pound of bait will treat one acre.

Red - MECHANICAL HAND PROBE APPLICATIONS: Follow manufacturer's instructions for the hand probe equipment. Locate gopher runways by probing 12"-18" from each mound on the side of the horseshoe-shaped depression. (Resistance on probe decreases as depth increases.) Dispense bait into runway using the method prescribed for the hand probe. Do not cover with sod or soil but do not permit soil to cover bait.

STORAGE AND DISPOSAL - Red

Do not contaminate water, food or feed by storage or disposal.

Red - STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Take precautions so bag will not be punctured or torn.

Red - PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Red - CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

pg 3 of 3

DIRECTIONS FOR USE - Red

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This bait is to be used only for the control of plains pocket gophers (Geomys bu pocket gophers (Thomomys talpoides) in rangelands, pastures, croplands, and nonagricultural areas. applied directly into pocket gophers' burrow systems by use of a machine-drawn burrow builder or b probe. Do not broadcast bait above ground over food or feed crops or anywhere else.

BURROW BUILDER APPLICATIONS: Follow manufacturer's instructions for the application equipment to b proper burrow, one that will not cave in regularly when walked upon, the burrow builder must be so must be damp. Locate gopher runways by probing with an iron bar or stick 12"-18" from gopher mound horseshoe-shaped depression. Determine depth of burrow system. (Resistance on probe decreases as r Set machine to this same depth. Make artificial runways 25'-35' apart, encompassing the total infe the ends. Generally, one pound of bait will treat one acre.

Red MECHANICAL HAND PROBE APPLICATIONS: Follow manufacturer's instructions for the hand probe equipme gopher runways by probing 12"-18" from each mound on the side of the horseshoe-shaped depression. decreases as runway is entered. Dispense bait into runway using the method prescribed for the equi with sod or soil but do not permit soil to cover bait.

BEST AVAILABLE COPY

Mr. Rue R. Elston
Rue R. Elston Company, Inc.
706 North Weber
Sioux Falls, SD 57102

18

BEST AVAILABLE COPY

Dear Mr. Elston:

Subject: Elston Gopher Getter Bait
EPA Registration No. 35380-1
Your Application Dated November 18, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

- In the "USE RESTRICTIONS" paragraph on your revised label, change "(Geomysbursarius)" to read "(Geomys bursarius)" and "(Thomomys-talpoides)" to read "(Thomomys talpoides)." We are sorry that we failed to notice the typing errors in this portion of our letter of August 29, 1988 before we sent it to you.

The Confidential Statement of Formula (CSF) dated November 17, 1988 is not acceptable. You will need to supply the upper and lower certified limits (columns 14.a. and 14.b.) for all ingredients. Also, please supply a Material Safety Data Sheet for Lipoldol-211 and the Blue dye. According to our records, this product is similar to the U.S Department of Agriculture (USDA) product 5628-19 and any data generated by them for this product would be applicable to your product.

However, you will still need to supply an acceptable CSF, 3(c)(1)(D) data compensation forms, and commitment to fulfill data requirements (see December 17, 1987 extension of time letter). Please be aware that if USDA fails to satisfy any or all of the data requirements in a timely manner, this Agency could take further administrative action against your product.

In the future when submitting labels for review, please submit five (5) copies.

53916-1-Palmateer-LPC-CBI-3-KENCO-12/7/88-rw:VO:CT
CONCURRENCES

SYMBOL							
SURNAME							
DATE							

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 09 1988

Under the
Federal Insecticide,
Fungicide,
& Rodenticide
Act

35380-1

ELSTON GOPHER GETTER BAIT

FOR THE CONTROL OF:
PLAINS POCKET GOPHER, *GEOMYS BURSARIUS* AND
NORTHERN POCKET GOPHER, *THOMOMYS TALPOIDES*

ACTIVE INGREDIENT: Strychnine Alkaloid 0.35% by weight
INERT INGREDIENTS: 99.65% by weight
TOTAL 100.00%



POISON



DANGER
KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

Spilled baits must be picked up or buried. When not in use, do not leave bait in the dispensing mechanism of the machine.

NOTE TO PHYSICIAN

A. Administer 100% oxygen by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.

B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER

CONVULSIVE POISON! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and foodstuffs. Keep away from children, pets, and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Notice: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the U.S. EPA: California condor, San Joaquin kit fox, Aleutian Canada goose, Morrow Bay kangaroo rat, salt marsh harvest mouse, arctic wolf, and grizzly bear.

DIRECTIONS FOR USE


BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This bait is to be used only for the control of the plains pocket gopher (*Geomys bursarius*) and the northern pocket gopher (*Thomomys talpoides*) with a mechanical burrow builder or with a mechanical hand probe.

BURROW BUILDER APPLICATIONS: Follow manufacturer's instructions for the application equipment to be used. To build a proper burrow, one that will not cave in regularly when walked upon, the burrow builder must be scoured, and the soil must be damp. Locate gopher runways by probing with an iron bar or stick 12"-18" from gopher mounds on the side of the horseshoe-shaped depression. Determine depth of burrow system. (Resistance on probe decreases as runway is entered.) Set machine to this same depth. Make artificial runways 25'-35' apart, encompassing the total infested area and crossing the ends. Generally, one pound of bait will treat one acre.

MECHANICAL HAND PROBE APPLICATIONS: Follow manufacturer's instructions for the hand probe equipment to be used. Locate gopher runways by probing 12" - 18" from each mound on the side of the horseshoe-shaped depression. Resistance on the probe decreases as runway is entered. Dispense bait into runway using the method prescribed for the equipment used. Close tunnel with sod or soil but do not permit soil to cover bait.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Take precautions so bag will not be punctured or torn.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

NET WT.
5 LBS.
2.3 Kg.

EPA Reg. No. 35380-1
EPA Est. No. 35380-SD-1

Manufactured by:

RUE R. ELSTON, INC.
706 N. WEBER • SIOUX FALLS, S.D. 57102

NOTE: THIS LABEL WILL BE USED FOR THE 40 LB CONTENTS
WITHOUT ANY CHANGES.

BEST AVAILABLE COPY

