CAUTION:

Keep out of reach of children. May be harmful if swallowed. Skin and eye contact may cause severe irritation. Avoid contact with skin and eyes. In case of contact flush with plenty of water. Do not use Ammonia or other bowl cleaners with this product. To do so will release hazardous gases.

G.E. Wilson Company

HARBORSIDE BLVD., PROVIDENCE, RHODE ISLAND 0290

WILCLOR-2 SODIUM HYPOCHLORITE SOLUTION FOR INDUSTRIAL USE ONLY

For Water Purification and Sewerage Treatment and for re-packing or reformulating as a disinfectant or algicide.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. See opposite panel.

DEGRADES WITH A(F:

Use test kit and increase usage amount as required. Store in cool place away from sunlight.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See first aid and other precautions on side panel.

> **ACTIVE INGREDIENT:** SODIUM HYPOCHLORITE 10.5% **INERT INGREDIENTS:**

AVAILABLE CHLORINE

TANK TRUCK

NET CONTENTS:

EPA EST 35482 RI 01 EPA Reg. No. 35482 - 2



89.5% 100 % 10 %

APPROX. GALLONS



DIRECTIONS FOR WATER **CHLORINATION USAGE:**

This product is to be used for water chlorination as specified by your state and local authorities for specific site application only.

The amount of available chlorine required to disinfect drinking or waste water will depend upon the demand of system to be treated. As a guide, once the available chlorine demand has been satisfied, 12 ounces of Wilclor-2 per 10,000 gallons of water will yield 1.0 parts per million available chlorine.

Repackagers and formulators of disinfectants for individual consumer use must develop their own labels with adequate use directions for the claims on their labels.

