

USE DIRECTIONS FOR SANITIZING

Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard surfaces:

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. PASTADE 474 in 4 gallons of water.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon dilution of 474.

No Potable water rinse is required.

A 1 oz./4 gallon PASTADE 474 has a hard tolerance of 750PPM of hardness (calculated as CaCO₃) when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*.

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing, before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PASTADE 474

PASTADE 474 DISINFECTANT SANITIZER FUNGICIDE DEODORIZER

Disinfectant Sanitizer Fungicide Deodorizer
for Hospital, Institutional, Industrial use.

AOAC Phenol Coefficients

Staphylococcus aureus, ATCC 6538 95.8
Salmonella typhosa, ATCC 6539 71.9

Active Ingredients

Alkyl (C₁₄, 68%, C₁₆, 30%, C₁₂, 5%, C₁₈, 5%)
Dimethyl Benzyl Ammonium Chloride 5.0%

Alkyl (C₁₂, 68%, C₁₄, 32%)
Dimethyl Ethylbenzyl Ammonium Chloride 5.0%

Inert Ingredients 90.0%

100.0%

CONTAINS SODIUM NITRITE

EPA Registration No. 35495-1

Establishment No. 35495 OR 1

Net Contents

450 lbs.

Manufactured By:

chemax inc.

industrial chemistry

2106 n. w. 24th ave. - portland, oregon 97210

phone 1-503/227-1616

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE THE LABEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS.

USE DIRECTIONS FOR DISINFECTION

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard surfaces.

Add 4 1/2 oz. PASTADE 474 to 5 gallons water. Apply to previously cleaned hard surface with mop or cloth.

At this use level PASTADE 474 is effective against *Pseudomonas aeruginosa*.

Disinfectant in Institutions, Industry, Schools and Homes.

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bath room fixtures and other hard surfaces.

Add 3 oz. of PASTADE 474 to 5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 3 oz./5 gallon use level, PASTADE 474 is effective against *Staphylococcus aureus*, and *Salmonella choleraesuis*.

