

**PRECAUTIONARY STATEMENTS**  
 Hazards to Humans and Domestic Animals

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**STORAGE & DISPOSAL**  
 DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

**STORAGE:** Protect from freezing and temperatures in excess of 140° F. Keep container closed when not in use. If contents are spilled or leaked due to container damage, collect liquid with absorbent material and dispose of in accordance with local, state and federal pesticide disposal regulations.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PASTADE -474**  
 Disinfectant—Sanitizer—Fungicide—Deodorizer  
 for Hospital, Institutional, Industrial use.

**AOAC Phenol Coefficients**  
 Staphylococcus aureus, ATCC 6538 95.8  
 Salmonella typhosa, ATCC 6539 71.9

**ACTIVE INGREDIENTS:**  
 Alkyl (C<sub>14</sub>, 60%; C<sub>16</sub>, 30%; C<sub>12</sub>, 5%; C<sub>18</sub>, 5%) . . . . . 5.0%  
 Dimethyl Benzyl Ammonium Chlorides

Alkyl-(C<sub>12</sub>, 68%; C<sub>14</sub>, 32%) . . . . . 5.0%  
 Dimethyl Ethylbenzyl Ammonium Chlorides

**INERT INGREDIENTS . . . . . 90.0%**  
**TOTAL 100.0%**

CONTAINS SODIUM NITRITE

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR  
 ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 35495-1  
 Establishment No.: 35495-DR

Manufactured By:

**chemax**

5700 n.w. front  
 portland, or 97210

**USE DIRECTIONS**

*Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations.*

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard surfaces. Wash and rinse all articles thoroughly, then apply a solution of 1 oz. PASTADE 474 in 4 gallons of water. Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon dilution of PASTADE 474.

No potable water rinse is required.

At 1 oz./4 gallons, PASTADE 474 has a hard tolerance of 750 PPM of hardness calculated as Ca CO<sub>3</sub> when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

*Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.*

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard surfaces.

Add 4% oz. PASTADE 474 to 5 gallons water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level PASTADE 474 is effective against Pseudomonas aeruginosa.

*Disinfectant in Institutions, Industry, Schools and Homes.*

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 3 oz. of PASTADE 474 to 5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 3 oz./5 gallon use-level, PASTADE 474 is effective against Staphylococcus aureus, and Salmonella choleraesuis.

**NON-WARRANTY:**

Manufacturer or Seller makes no Warranty, expressed or implied concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.

Authorized by USDA for use in Federally inspected meat and poultry plants.

ACCEPTED

NET CONTENTS:  
 FEB 25 1986

35495-1