

SANITART 38

BEST DOCUMENT AVAILABLE

35495-11

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

NOTICE .

Only for sale to, use, and storage by servicepersons

Wash Sanitizer

Active Ingredient
Sodium Dichloro-s-triazinetrione
Dihydrate 28%
Inert Ingredients 72%
Provides 15.8% available chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

Practical Treatment FIRST AID

If swallowed. Feed bread soaked in min-followed by olive oil or cooking oil. Call a physician immediately. If on skin, Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

If in eyes. Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

EPA Reg. No. 35495-

EPA Est. No. 35495-OR-1

Net Contents ____

LBS.

Manufactured by



5700 n w. front ave. portland, or 97210

SANITART 387 Wash Sanitizer is recommended for use in spr and clean eggs prior to sale. SANITART 387 Wash Sanitizer is use in sanitizing dishes, glasses, food processing equipment dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of lederal law to use this product in a manufabeling.

For egg wash: Dissolve one ounce of SANITART 387 Wash S4 warm (125°F) water. This provides 100 ppm of available chlorin machine, spray with the 100 ppm available chlorine solution and dry. Eggs may be rinsed with potable water if desired.

For dishes, glasses, food processing equipment and utensils' SANITART 387 Wash Sanitizer per ten gallons of warm (125° 100 ppm of available chlorine. Clean and rinse items prior to titems to be sanitized in solution, hold for two or three minutes aidry. The same solution may be used in the feed tank for in machines providing two to five minutes contact time for sanitizifood processing equipment and utensils. The items are then rethe sanitizing solution should be used promptly after mixing. If the sanitizing solution should be used promptly after mixing. If the stand or is reused and tests show the level of chlorine has additional SANITART 387 Wash Sanitizer should be added to concentration of 100 ppm available chlorine.

STORAGE AND DISPOSAL

- 1 PROHIBITIONS: Do not contaminate water, food, or feed by
- 2 STORAGE: Keep product dry and in tightly closed containers in a cool, dry, well-ventilated area away from heat or ope decomposition, isolate container if possible and flood with lai dissolve all material before discarding.
- 3 PESTICIDE DISPOSAL: Wastes resulting from the use 4 disposed of on site or at an approved waste disposal facility.
- 4. CONTAINER DISPOSAL: Completely empty inner liner of sides and bottom to loosen clinging particles. Empty residual ment. Then dispose of liner in a sanitary landfill or by incineral and local authorities. If drum is contaminated and cannot be the same manner.
- GENERAL: Consult Federal, State, and local authorities method

SANITART 387

BEST DOCUMENT AVAILABLE

Wash Sanitizer

Active Ingredient	
Sodium Dichloro-s-triazinetrione	
Dihydrate	28%
inert ingredients	
Provides 15.8% available chlorine	

KEEP OUT OF REACH OF CHILDREN DANGER

Practical Treatment FIRST AID

If swallowed. Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin. Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

If in eyes. Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

EPA Reg No 35495-

e. May

n or on

rubber

throat.

unated

je into

in ac-

:ontact

RDS

∍ clean

ensing

t Such

fire or

matter

on with

es and

of con-

uner If

ntilated

ary

ions

EPA Est No 35495-OR-1

Net Contents ____

_LBS.

Manufactured by



5700 n.w. front aveportland, or 97210 SANITART 387 Wash Sanitizer is recommended for use in spray machines to sanitize and clean eggs prior to sale. SANITART 387 Wash Sanitizer is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For egg wash. Dissolve one ounce of SANITART 387 Wash Sanitizer in ten gallons of warm (125°F) water. This provides 100 ppm of available chlorine. With a conveyor type machine, spray with the 100 ppm available chlorine solution and allow eggs to drain and dry. Eggs may be rinsed with potable water if desired.

For dishes, glasses, food processing equipment and utensils, dissolve one ounce of **SANITART 387 Wash Sanitizer** per ten gallons of warm (125°F) water. This provides 100 ppm of available chlorine. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution, hold for two or three minutes and remove, allow to drip dry. The same solution may be used in the feed tank for immersion or spray-type machines providing two to five minutes contact time for sanitizing dishes, glasses and food processing equipment and utensils. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional SANITART 387 Wash Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

STORAGE AND DISPOSAL

- 1 PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal
- 2 STORAGE: Keep product dry and in tightly closed containers when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of a decomposition, isolate container if possible and flood with large amounts of water to dissolve all material before discarding.
- 3 PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4 CONTAINER DISPOSAL: Completely empty inner liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary tandfill or by incineration it allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.
- 5 GENERAL: Consult Federal, State, and local authorities for approved alternate method

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (#H-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	AUG 30 1984
NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide.		CT CT
(Under the Federal Insecticide, Fungicide.	NAME OF PESTICIDE PRODU	СТ
(Under the Federal Insecticide, Fungicide,		
AME AND ADDRESS OF REGISTHANT (Include ZIP code)	<u> </u>	
Г	7	
· · · · ·		
Section was a second section of the second		
Mary Mary Control of the Control of		
L	_	
IOTE: Changes in labeling formula differing in substance fubmitted to and accepted by the Registration Division prior and accepted by the Registration Division prior and accepted by the Registration number the basis of information furnished by the registrant, the	or to use of the label in commen	ce. In any correspondence on the
he Federal Insecticide, Fungicide, and Rodenticide Act.	nouse tietuen bestiefne is imte	n's Meliniana Maic Sintaich film
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is re-	turned herewith.
 A transfer of the control of the contr		4 of 3 to 3
	· ·	y = y = x
	-	e e e
		•
	Consultation of	
•	and the second	
	1	
BEST DOCUME	nt available	
BEST DOCUME	nt available	
BEST DOCUME	nt available	