

TURF PRIDE with 1.00% RONSTAR

SUPPLEMENTAL LABELING

FOR WOODY ORNAMENTAL SHRUBS, VINES, TREES & CONTAINER GROWN ORNAMENTALS

50 lb. Bag Treats up to 11,000 Sq.Ft.

A Commercial Weed & Feed "Preemergent + Fertilizer"

FOR SALE TO, USE AND STORAGE BY COMMERCIAL NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY

SEE BASIC TURF PRIDE® PRODUCT LABEL EPA REG NO. 35512-24 FOR COMMERCIAL USE OF THIS PRODUCT ON PARKS, GOLF COURSES, ATHLETIC FIELDS, AND OTHER RECREATIONAL AND ORNAMENTAL TURFGRASS AREAS

Controls: Crabgrass, Annual Bluegrass, Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass, Pigweed and Many Other Weeds as Listed

ACTIVE INGREDIENT:

Oxadiazon; [2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl) 1,2,3,4-oxadiazolin-5-one]. 1.00%

INERT INGREDIENTS: 99.00%

Total 100.00%

Contains RONSTAR® Herbicide a Registered Trade Mark of Rhone Poulenc Inc.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water & touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of soap & water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA Reg. No. 35512-24 EPA EST. NO. 35512-FL-1
NET WEIGHT 50 POUNDS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Thoroughly wash face and hands with soap and water after exposure and before eating or smoking. Wear protective clothing including long-sleeved shirt & gloves when handling. Launder exposed clothing before reuse. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in its original bag, in a cool, dry, locked place out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your

WEED CONTROL AROUND WOODY ORNAMENTAL SHRUBS, VINES & TREES CONTROLS GRASSY WEEDS & BROADLEAF WEEDS

Annual Bluegrass, Barnyardgrass, Bittercress, Carpetweed, Carpetgrass, Common Groundsel, Common Purslane, Crabgrass, *Evening Primrose, Green Foxtail, Fall Panicum, Florida Pusley, *Galinsoga, Golden Ragwort, *Goosegrass, Lambsquarter, Oxalis, Pennsylvania Smartweed, Petty Spurge, *Prostrate Spurge, Redroot Pigweed, Spotted Catsear, Stinging Nettle, *Swinecress, Yellow Woodsorrel.

Can be applied to both newly transplanted and established ornamentals plants where both weed control and fertilization is desired. Rainfall or overhead irrigation will improve weed control. Do not disturb or cultivate soil after treatment. Do not apply to wet foliage or under conditions in which granules will collect on leaves.

HOW MUCH TO USE

For susceptible weeds apply 50 lbs. to treat 11,000 to 7,350 Sq.Ft. of Ornamental planted area. This supplies plants with approximately 0.68 to 1.02 lbs. actual (N) Nitrogen plant food per 1,000 Sq.Ft. of plant bed. See Chart WHEN TO APPLY. (50 lbs./7,350 Sq.Ft. is preferred rate.)

*For hard to kill weeds as *indicated use the rate of 50 lbs. for 7,350 Sq.Ft. or 50 lbs. for 5,555 Sq.Ft. (3 to 4 lbs. A.I./Acre) = 6.8 lbs. to 9 lbs. actual product per 1000 Sq. Ft. of plant bed.

FOR AREAS WHERE WEEDS ARE GROWING

If treatment is desired in non-turf areas where weeds are presently growing first remove existing weeds. Rake and smooth the soil by "breaking-up" clumps. Apply at rate as directed for specific weeds. (50 lbs. to treat either 11,000 Sq. Ft. or 7,350 Sq.Ft.) This treatment will only control weeds germinating from seeds. It will not control weeds sprouting from roots! Irrigate the area after treatment with 1/4 to 1/2 inch water to get maximum weed control.

FOR FIELD GROWN ORNAMENTALS

Apply at the rate of 50 lbs. per 11,000 or 7,350 Sq.Ft. of area. This product may be used around the following Established Plants. ARBOR-VITAE, ASH, AZALEA, BARBERRY-Japanese, BIRCH, CAMELLIA, COTONEASTER, CRABAPPLE, DOGWOOD, EUONYMOUS, FORSYTHIA, HOLLY, HONEYSUCKLE, JUNIPER, LILAC, MAPLE, OAK, PERIWINKLE, PINE, PITTOSPORUM, PRIVET, RHODODENDRON, ROSE, RUSSIAN OLIVE, SPRUCE, TAXUS, V'BURNUM, XYLOSMA, GROUND COVERS: CARPOBROTUS, OSTEOSPERMUM, SEDUM, ALGERIAN IVY, VINCA MAJOR, ENGLISH IVY, PACHASANDRA, AJUGA, EUONYMOUS.

*Use higher rate for hard to kill weeds.

May be used around the following newly transplanted ornamentals. CAMELLIA, DOGWOOD, FORSYTHIA, HEDRA, HOLLY, JUNIPER, OAK, PERIWINKLE, PINE, PRIVET, RHODODENDRON, RUSSIAN OLIVE, SPRUCE, TAXUS, TSUGA.

To obtain continued season long weed control on the following list of plants additional applications may be made 60 to 120 days after the previous application in the following situations.

2 REPEAT TREATMENTS 50 lbs / 7,350 SQ.FT ON FOLLOWING PLANTS

Established - Container Grown - Abelia, Common Boxwood, English Ivy, Holly, Juniper, Pine, Rhododendron. Newly Transplanted - Container Grown Common Boxwood, English Ivy, Juniper, Pine, Rhododendron.

3 REPEAT TREATMENTS 50 lbs / 7,350 SQ.FT. ON FOLLOWING PLANTS

Established - Container Grown - Abelia, Holly, Rhododendron. Forest Nurseries - For Pines - Loblolly, Slash, Eastern White.

WEED AND FEED FOR CONTAINER GROWN ORNAMENTAL PLANTS

This product is recommended on a wide variety of container and field grown

State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N).....	15%
Nitrate Nitrogen	0%
Ammoniacal Nitrogen	12%
Water Soluble Nitrogen	
and/or Urea Nitrogen	0%
Water Insoluble Nitrogen	3%
Available Phosphoric Acid (P ₂ O ₅)....	0%
Soluble Potash (K ₂ O).....	15%

Derived from Ammonium Sulfate, Ureaform, Muriate of Potash.

Manganese as Mn .5% Iron as Fe 1.0% Chlorine < 15%

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

woody ornamental shrubs, vines and trees. It may be used on the following list of container grown plants. Use at the rate of 50 lbs. per 5,555 sq. ft. of pot soil surface area. Plants in 14 inch containers set out in 12 foot wide rows X 100 feet long will require 10 3/4 lbs. product per row (Equivalent to 4 lbs. A.I. per acre). Apply with a "shoulder strap held" grass-seeder or granule applicator that will direct the granules to each pot soil surface.

AGAPANTHES, ANDROMEDA, ARBORVITA, ARCTOSTAPHYLOS, AZALEA, BARBERRY, BOXWOOD- Common-Japanese, CALISTEMON, CAMELLIA, CEANOTHUS, CEDAR, COTONEASTER, CYPRESS, DOGWOOD, DOUGLAS FIR, EUCALYPTUS, EUONYMOUS-Evergreen, FORSYTHIA, GARDENIA, GINKGO, HEATH HEATHER, HEDERA, HOLLY, HONEYSUCKLE, JASMINE, JUNIPER-Varieties, JUSTICA, LEUCOTHOE, MAGNOLIA, MAHONIA, MYRTLE, OSMANTHUS, PERIWINKLE, PHOTINIA, PINE-Varieties, PITTOSPORUM, PODOCARPUS, PRIVET, PYRACANTHA, QUERCUS, RAPHIOLEPUS, RHODODENDRON, ROGE, STAR JASMINE, SYZYGIUM, VIBURNUM, XYLOSMA.

06-26-91

HOWARD FERTILIZER COMPANY

P.O. BOX 13800 - ORLANDO, FL 32859