· 35512-34

12-11-2000

Please read instructions on	•	•		Form Approved.	OMB No. 2070-	<u>-0060.</u>	
United States Environmental Protection Ages Washington, DC 20460			gency	- X/	Registration Amendment Other	OPP Identifier Number	
	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	A	- D 41 - 14	سا		NOTETORELON	
Application for Pesticide - Section I NOTIFICATION							
1. Company/Product Number 35512-34			2. EPA P Jan	roduct Manager les A. Tom	3. Proposed Classification		
4. Company/Product (Name) TURF PRIDE WEED & FEED				25 IMS	OPP ID # 260967		
5. Name and Address of Applicant (Include ZIP Code) HOWARD FERTILIZER COMPANY, INC. P.O. BOX 593800 ORLANDO, FL 32859 Check if this is a new address				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. > N/A/ Product Name > N/A			
Section - II							
Amendment - Explain Resubmission in res	····	— [-]	Final printed labels in response to Agency letter dated - "Me Too" Application. Other - Explain below.				
Explanation: Use additional page(s) if necessary. (For section I and Section II.) >This Notification adds an sdditional bag size "50 pounds". > 50 Pound Bags covers 6,000 sq.ft.							
Section - III							
1. Material This Product W	ill Be Packaged In:						
Child-Resistant Packaging Yes* X/ No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per If "	Yes Yes Yes" Ckage wgt	No. per container	> X/ - 5	Intainer Metal > metal Plastic > plastic Glass Paper > glass Other(Specifypaper other	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label ->on label On Labeling accompanying product							
6. Manner in Which Label is Affixed to Product Litho Other Paper glued Stenciled							
		Se	ection - I	/			
1. Contact Point (Complet	e items directly below 1	for identification of i	ndividual to b	o contacted, if ne	cessary, to proce	ess this application.)	
Name H. R. MCLANE, INC. By H. R. McLane; Title Agent 305 661 1706 Telephone No. (Include Area Code) Hoard Fert. Co., Inc. 1-800,899-3141							
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)							
2. Signature	ell Han	3. Tit		zed Agent	(((((((((((((((((((
4. Typed Name James H. Brow	n, President	5. Da - Ms. Katl	110	V 20 2000 en, Reg.Mg	gr.	••••	

Kelated Colli U.UZ /0 99.43% OTHER INGREDIENTS: -Total 100.00%

Contains 11.4 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine / acre when used according to directions.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention. IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

SEE SIDE BANK! FOR ADDITIONAL RECAUTIONARY STATEMENTS.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

WEEDS CONTROLLED OR SUPPRESSED

Henbit

Annual Bluegrass (Poa Annua) Annual Sowthistle Clover **Black Medic Blue Toadflax Bull Paspalum Buckhorn Plantain Bur Clover** Carolina Geranium (Cranesbili) Chickweed (Common and Mouse Ear) Cocklebur Common Dandellon **Common Purslane** Crabgrass **Crowfoot Grass** Cudweed **Cutleaf Evening Primrose** Dichondra **Dollar Weed** Florida Beggarweed Florida Betony (Rattlesnaké Weed) Florida Pusley Fragrant Cudweed (Rabbit Tobacco)

Knotweed Lambsquarter Lespedeza Lippia (Matchweed) Moneywort Morning Glory Narrowleaf Vetch **Parsley-Piert** Oxalls (Common and Yellow Woodsorrel) Plaweed Purslane Ragweed **Red Sorrel** Rescuegrass Sandspur Sedges* Shepards Purse Sicklepod **Spotted Spurge** Spurweed Stinging Nettle **Swinecrest Venus Looking Glass** Virginia Creeper Wild Mustard **Wood Sorrel**

*Repeat application are required for control of Nutsedge grasses.

EPA REG. NO. 35512-34 EPA EST. NO. 35512-FL-1

application in the fall or spring. Apply January 1st up to March 1st for best control otherwise the product may be applied up to June 15th with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco,

Florida Betony and Evening Primrose.

In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Kill time of mature weeds may be 4 to 5 weeks. Wait 2 months for repeat application. Apply when air is calm to prevent particle wind drift.

HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 50 pounds to treat 6.000 Sq.Ft. — Sprinkle the area immediately after application to wash granules off the grass blades.

SPREADER SETTINGS 50 lbs./ 6,000 Sq.Ft. CYCLONE 4.5 SCOTT 7

NOTE: Spreader rate varies with walking speed. Check spreader over known area.

WHERE TO USE

This material is for use on St. Augustine and Centipede lawns only. On newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. DO NOT USE ON BLUEGRASS, FESCUE, BENTGRASS, BAHIA, RYE, BERMUDA, OR DICHONDRA LAWNS.

USE PRECAUTIONS

Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants because injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label or injury to those other grasses may result.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - - variable% Nitrate Nitrogen variable% Ammoniacal Nitrogen variable% Water Soluble Nitrogen variable%

Water Soluble Nitrogen variable%
(and/or Urea Nitrogen)
Water Insoluble Nitrogen, variable%
Available Phosphate (P,O₃)
Soluble Potash (K₂O)
Chlorine not more than variable%
Chlorine not more than variable%
Derived from Sulfate of Ammonia, Ammonilura Phosphate
Murlate of Potash, Sulphate-Potash-Magnesium. Potential-Acidity Equivalent to variable amt. Ibs. of Calcium Carbonate part to Statement of variable %Secondary Plant Foods
Total Magnesium as Mg - 1.20%; Iron as Fe - 1.00%; Water Soluble Magnesium Mg - 1.20%; Zinc as Zn - 0.05% Manganese as Mn - 0.50%; Boron as B 0.02% Copper as Cu - 0.02%; Molybdenum as Mo - 0.002% Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zhic Oxide, Borax. Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. HOUSEHOLD: Do not resue empty bag. Wrap in several layers of newpaper and discard in trash. several layers of newpaper and discard in trash.

NOTICE: Buyer and user assumes all risk of use, storage and/or handling of this material not in accordance with the terms of this label. (epa accpt'd 8-15-94 - (34-amd-50#.p85 \09-28-00)

NET WEIGHT 50 POUNDS

HOWARD FERTILIZER COMPANY

P.O. BOX 13800 - ORLANDO, FL 32859