



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 35512-46	2. EPA Product Manager Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Pride® 92 Weed & Feed	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Howard Fertilizer & Chemical Co., Inc. P.O. Box 628202 Orlando, FL 32862-8202 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <b>NOTIFICATION</b> Product Name <b>SEP - 9 2004</b>	

**Section - II**

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_  
 Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application.  
 Notification - Explain below.  Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 NOTIFICATION to add back text identifying "2 lbs. of a.i. per acre" that was inadvertently omitted from label as approved May 26, 2004 due to software formatting change.  
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. Howard Fertilizer & Chemical Co., Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Howard Fertilizer & Chemical Co., Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product  
 Lithograph  Paper glued  Stenciled  Other \_\_\_\_\_

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Rebecca M. Horton	Title Consultant/Agent	Telephone No. (include Area Code) 540-375-8826
---------------------------	---------------------------	---

**Certification**  
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature  
*Rebecca M. Horton*

3. Title  
Consultant/Agent

4. Typed Name  
Rebecca M. Horton

5. Date  
August 12, 2004

6. Date Application Received (Stamped)

KEEP OUT OF REACH OF CHILDREN

# CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THIS LABEL

## FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.

**If Swallowed:**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If Inhaled:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**If in Eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**If on Skin or Clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or inhaled. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:  
Long-sleeved shirt and long pants; shoes plus socks

## ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water, which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

## READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, CONDITIONS OF SALE, Disclaimer of Warranties, and Limitation of Liability before using this product.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale, or other commercial uses, such as for commercial seed production, or for research purposes. For use on St. Augustine and Centipede turf grass being grown in parks, on golf courses and lawns.

## WHERE TO USE

This material is for use only on St. Augustine and Centipede lawns. On newly seeded centipede, delay application until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable plants) to treated areas for 18 months or injury may result. Apply this product only when grass foliage is dry.

**DO NOT USE ON BANANA BENT, BERMUDA, BLUEGRASS, DICHONDRA LAWNS, FESCUE, OR RYE GRASSES, BECAUSE SERIOUS TURF DAMAGE CAN OCCUR.**

## WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-Emergent and also as a Post Emergent weed killer. Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1<sup>st</sup> up to March 1<sup>st</sup> for best control otherwise product may be applied up to June 15<sup>th</sup> with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeated application may be necessary. Time for complete kill of mature weeds may be 4 to 5 weeks. Wait 2 months for repeat application. Apply when air is calm to prevent particle wind drift.

## HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 50 pounds to treat 12,500 Sq. Ft. - 40lbs. to treat 10,000 sq. ft. of lawn (equivalent to 4 lbs. per 1,000 Sq. Ft.). Do not exceed recommended rates. Sprinkle the area immediately after application with water to wash granules off the grass blades and down to soil level.

## USE PRECAUTIONS

Do not apply this product on or over the root zone of ornamental trees, shrubs, bedding plants, flowers, or garden plants because injury to them may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label, because serious injury to those grasses may result.

## SPREADER SETTINGS for 4lbs. / 1,000 sq. ft.

CYCLONE B-1 ROTARY.....# 4

SCOTTS MODEL 35.....# 6

**NOTE:** Spreader rate varies with walking speed.

Check spreader over a known square foot area.

Do not exceed 100 lbs. of product per 12,500 sq. ft. (80 lbs. per 10,000 sq. ft.) per year (maximum 2 applications per site). Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. This product must be watered in immediately after application. ENTRY RESTRICTION:

Do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

## APPLICATION EQUIPMENT RESTRICTIONS:

Do not apply granular lawn products by hand, do not allow product to come in contact with hands. Granular lawn products applied by hand-held devices (e.g., belly grinder) can only be applied as a spot treatment.

## WEEDS CONTROLLED OR SUPPRESSED

Annual bluegrass (Poa Annua)  
Annual Sowthistle  
Clover  
Black Medic  
Blue Toadflax  
Bull Paspalum  
Buckhorn Plantain  
Bur Clover  
Carolina Geranium (Cranesbill)  
Chickweed (Common and Mouse Ear)  
Cocklebur  
Common Dandelion  
Common Purslane  
Crabgrass  
Crowfoot Grass  
Cudweed  
Cutleaf Evening Primrose  
Dichondra  
Dollar Weed  
Florida Beggarweed  
Florida Betony (Rattlesnake weed)  
Florida Pusley  
Fragrant Cudweed (Rabbit Tobacco)

Henbit  
Knottedweed  
Lambsquarters  
Lespedeza  
Lippia (Matchweed)  
Moneywort  
Morning Glory  
Narrowleaf Vetch  
Parsley-Piert  
Oxalis (Common and Yellow Woodsorrel)  
Pigweed  
Purslane  
Ragweed  
Red Sorrel  
Rescuegrass  
Sandspur  
Sedges\*  
Shepherds Purse  
Sicklepod  
Spotted Spurge  
Spurweed  
Stinging Nettle  
Swinecrest  
Venus Looking Glass  
Virginia Creeper  
Wild Mustard  
Wood Sorrel

\*Repeat application is required for control of Nutsedge grasses.

## CONDITIONS OF SALE

If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Howard Fertilizer & Chemical Co., Inc. All such risks shall be assumed by the user or buyer.

**Disclaimer of Warranties:** There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Howard Fertilizer & Chemical Co., Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Howard Fertilizer & Chemical Co., Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

**LIMITATION OF WARRANTIES:** The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Howard Fertilizer & Chemical Co., Inc. option, the replacement of this product.

## GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) .....variable %  
Nitrate Nitrogen .....variable %  
Ammoniacal Nitrogen .....variable %  
Water Soluble Nitrogen .....variable %  
(And/Or Urea Nitrogen)  
Water Insoluble Nitrogen .....variable %  
Available Phosphate Acid (P2O5) .....variable %  
Soluble Potash (K2O) .....variable %  
Chlorine, not more than .....variable %

Derived from: Sulfate of Ammonia, Ammonium Phosphate, Murate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equivalent to 1245 lbs. of Calcium Carbonate per ton.

## Statement of Secondary Plant Foods:

Total Magnesium as Mg - 1.20%; Iron as Fe - 1.00%; Water Soluble Magnesium Mg - 1.20%; Zinc as Zn - 0.05%  
Manganese as Mn - 0.50%; Boron as B 0.02% Copper as Cu - 0.02%; Molybdenum as Mo - 0.002% Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate. F387

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store product in its original labeled container in a cool, dry, place out of reach of children. [Commercial Use]

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

[Residential Use]

## PESTICIDE DISPOSAL:

If empty - Do not reuse this container. Place in trash or offer for recycling, if available.

If partly filled - Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Turf Pride® is a Registered Trademark of Howard Fertilizer & Chemical Company, Inc.

EPA REG. NO. 35512-46

EPA EST. NO. 35512-FL-1

NET WEIGHT 50 POUNDS (22.7 kg)

HOWARD FERTILIZER & CHEMICAL COMPANY, INC.

P.O. BOX 628202 - ORLANDO, FL 32862-8202

8/3

August 12, 2004

CERTIFIED MAIL #7003 3110 0002 5218 3349

Document Processing Desk (NOTIF)  
Office of Pesticide Programs/Registration Division (7504C)  
U.S. Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, DC 20460

Re: Notification of adding back "2 lbs. A.i. per acre" text  
EPA Reg. No. 35512-46, Turf Pride® 92 Weed & Feed



Attn: Sherada Hobgood

On behalf of Howard Fertilizer & Chemical Co., Inc. of Orlando, Florida, enclosed is notification to "add back" the text referencing "2 lbs. of a.i. per acre" that was inadvertently omitted from the label as approved May 26, 2004 – as a result of software formatting/printing error. I've also taken this opportunity to correct a few minor typographical errors found in the label

All areas of revision are highlighted on the enclosed revised label. Copies of the current EPA-approved label (May 26, 2004) and prior approved label (Sept. 17, 2003) which carries the "2 lbs. of a.i. per acre" statement are enclosed for your convenience in review.


Best regards,

Rebecca M. Horton  
Consultant/Agent for  
HOWARD FERTILIZER & CHEMICAL CO., INC.

/bmh

Enclosures

cc: CBarton/HFCC



Member **CHEMICAL PRODUCERS & DISTRIBUTORS ASSN.**

Federal & State Pesticide/Fertilizer Registration Services *plus* typesetting & design of final product labeling

118½ E. Main Street, Ste. 1, Salem, VA 24153-3805 • (540)375-8826 • fax (540)375-8827

e-mail: registrationsbydesign@att.net