

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUPPLICATION

FEB 2 9 2008

Rebecca M. Horton Consultant/Agent for Howard Fertilizer & Chemical Co., Inc. 118 ½ East Main Street, Suite 1 Salem, VA 24153-3805

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 1998-10

Dear Ms. Horton:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 1998-10 dated February 11, 2008 for:

EPA Registration 35512-46	Turf Pride 92 Weed & Feed
EPA Registration 35512-52	Turf Pride Fertilizer w/0.069% Bifenthrin
EPA Registration 35512-48	Turf Pride 115 Weed & Feed
EPA Registration 35512-14	Turf Pride Weeder
EPA Registration 35512-54	Turf Pride Fertilizer w/0.096% Bifenthrin
EPA Registration 35512-51	Turf Pride Fertilizer w/0.25% Prodiamine

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs



118½ East Main Street Suite 1 Salern, VA.24153-3805 phone 540.375.8826 fax 540.375.8827 CERTIFIED MAIL #7007 3020 0001 8201 7855

February 11, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs/Reg. Div. (7505P)
U.S. Environmental Protection Agency
Ariel Rios Bldg.
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: NOTIFICATION FOR COMPLIANCE WITH PR NOTICE 2007-4

EPA Reg. No. 35512-48, Turf Pride 115 Weed & Feed

Attn: Linda Arrington

Notifications & Minor Formulations Team Leader

On behalf of Howard Fertilizer & Chemical Co., Inc. of Orlando, Florida, enclosed is notification of administrative label revisions, including revision to the Storage & Disposal text for compliance with PR Notice 2007-4.

The following documents are enclosed:

1) EPA Form #8570-1, Application for Pesticide - Notification (2 copies)

2) Copy of the proposed label with revisions highlighted in red.

If further action or information is required on Howard's behalf, please advise.

<del>Best</del> regards,

Rebècca M. Horton Consultant/Agent for

HOWARD FERTILIZER & CHEMICAL CO., INC.

Utota

e-mail: hortonb@ntelos.net

RH/alb Enclosures



E   	rea hafara comulat	ina daran	• ,	Form Annroyed	OMR No. 207	0-0060	. Approval expires 2-28-
o roa	اں <b>اvironmental</b>	nited States	•		Registration Amendme Other	n	OPP Identifier Number
		Application	on for Pesticid	e - Section	l .		
1. Company/Product Number 35512-48			i	roduct Menager Tompkins		l r n	posed Classification  None Restricted
4. Company/Product (Name) Turf Pride® 115 Weed	and Feed		PM# 25				THE BUILDING
5. Name and Address of Applica	nt (Include ZIP Cod	de)					FIFRA Section 3(c)(3)
Howard Fertilizer & Cher P.O. Box 628202 Orlando, FL 32862-8202 Check if this is a	2		to: EPA R	y product is sim			Profes and labeling
		·	Section - II				
Amendment - Explain below Resubmission in response Notification - Explain below Notification: Use additional properties of the labeling of the Confidential Statement to EPA, and further understands FIFRA and Howard Fertilizer & Chemical Confidence of the labeling of the Confidential Statement to EPA, and further understands FIFRA and Howard Fertilizer & Chemical Confidence of the Confide	age(s) if necessary PR Notice 2007-4. Isions of PR Notice 2007- istement of Formula for the that if the amended labe	/. (For section 4 and the require is product. Howait is not consistent	n I and Section II.) ments of EPA regulations at d Fertilizer & Chemical Co., with the requirements of 40	Inc. understands that it CFR 158.10, 156.140, tions 12 and 14 of FIFR	ed sion. slow. io, 158.144, 156.146 s is a violation of 18 U.5 158.144, 156.146 and	and 158.15	001 to willfully make any false
1 Barratal This Braders MADE Ba	Doubood los		30Ction - III	· · · · · · · · · · · · · · · · · · ·			
Yes V No	Yes  "Yes"  "It Packaging wgt.	No. per container	Water Soluble Pa	No. per	P	nteiner fetal festic iless aper other (Sp	pecify)
3. Location of Net Contents Info	rmation	4. Size(s) Re	tail Container	5. Lo	oation of Label	Direction	18
Label Cont	niner		50#		on label		
6. Manner in Which Label is Affi	xed to Product	Lithor Paper Stend	graph glued illed	Other pl	astic sleeve ins	ert	
			Section - I\	/			
1. Contact Point	ns directly below fo	or identificati	on of individual to be	contacted, if nec	essary, to proce	sa this i	pplication.)
Name Rebecca M. Horton		,	TitleConsultant/A & Chemical (	-		ephone 0-375-8	No. (include Area Code) 826
i certify that the statemen i acknowledge that any ke both under applicable law	nowlingly false or i	Certification this form and misleading st	i all attachments the	reto are true, aco shable by fine or	urate and compl imprisonment or	ete.	6. Date Application Received (Stamped)
2. Signature Library Hold	<b>→</b>		3. Title Consultant/Age & Chemical Co.		ertilizer		
A. Tomad Blanca			E D-14		•	- 1	•

Rebecca M. Horton

Feb. 11, 2008

FEB 29 2008

[MASTER LABEL - COMMERCIAL USE]

# TURF PRIDE® 115 Weed & Feed

FOR ST. AUGUSTINE AND CENTIPEDE LAWNS

[Additional Brand Name: Turf Pride® AccuBlend<sup>TM</sup> Fertilizer with 1.15% Weed Control]

### WEED CONTROL WITH PREMIUM LAWN FOOD

50 POUND BAG TREATS 12,500 SO. FT. (18 POUND BAG TREATS 4,500 SQ. FT.)

Controls weeds: Florida Pusley, Lippia, Pigweed and certain Broadleaf Weeds as listed.

Prevents Crabgrass, Paspalums, and Spotted Spurge and other weeds as listed.

### ONLY FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

ACTIVE INGREDIENT:		
Atrazine (CAS #1912-24-9)		1.15%
Related Compounds		0.02%
OTHER INGREDIENTS:		98.83%
To	stal	100.00%

Contains 23 lbs. of a.i. Atrazine per ton and when used according to label directions applies 2 lbs. a.i. per acre.

EPA Reg. No. 35512-48

information.

EPA Est. No. 35512-FL-2

TURF PRIDE® is a Registered Trade Mark of Howard Fertilizer & Chemical Co., Inc.

### KEEP OUT OF REACH OF CHILDREN **CAUTION**

READ ENTIRE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID

	FIRST AID
If Swallowed:	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on Skin or Clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
center or doc	duct container or label with you when calling a poison control tor, or going for treatment. You may also contact the National ormation Center at 1-800-858-7378 for emergency medical

NET WEIGHT 50 POUNDS (22.7 kg)

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- · Long-sleeved shirt and long pants, and
- Shoes plus socks

### USER SAFETY REQUIREMENTS: Follow

manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water, which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Product must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other suitable crop.

Product must not be mixed or loaded, or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. Operations that involve mixing, loading, rinsing, or washing of this product into or from pesticide handling or application equipment or containers within 50 ft. of any well are prohibited, unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water, and rain water that may fall on the pad. Surface water shall not be allowed to either flow over or from the pag which means the

## HOWARD FERTILIZER & CHEMICAL CO., INC.

pad must be self-contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain at a minimum 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above-specified minimum containment capacities do not apply to vehicles when delivering pesticide to the mixing/loading sites.

Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed.

One of the following restrictions must be used in applying atrazine to tile-outletted fields containing standpipes:

- Do not apply within 66 feet of standpipes in tile-outletted fields.
- Apply this product to the entire tile-outletted field and immediately incorporate it to a depth of 2-3 inches in the entire field.
- Apply this product to the entire tile-outletted field under a no-till
  practice only when a high crop residue management practice is
  practiced. High crop residue management is described as a crop
  management practice where little or no crop residue is removed
  from the field during and after crop harvest.

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

#### WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass
(Poa Annua)

Annual Sowthistle Clover

Black Medic
Blue Toadflax
Bull Bassalum

Bull Paspalum Buckhorn Plantain

Bur Clover Carolina Geranium

(Cranesbill) Chickweed (Common and

Mouse Ear) Cocklebur

Common Dandelion

Common Purslane Crabgrass

Crowfoot Grass Cudweed

**Cutleaf Evening Primrose** 

Dichondra Dollar Weed

Florida Beggarweed Florida Betony

(Rattlesnake Weed)

Florida Pusley
Fragrant Cudweed
(Rabbit Tobacco)

Henbit Knotweed

Lambsquarter Lespedeza

Lippia (Matchweed)

Moneywort Morningglory Narrowleaf Vetch

Parsley-Piert Oxalis (Common and

Yellow Woodsorrel)

Pigweed Purslane Ragweed Red Sorrel Rescuegrass Sandspur

Sedges\*
Shepardspurse
Sicklepod
Spotted Purge

Spurweed Stinging Nettle Swinecrest

Venus Looking Glass Virginia Creeper Wild Mustard Wood Sorrel

### READ ENTIRE LABEL BEFORE USE.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on St. Augustine and Centipede turfgrass being grown in parks, on golf courses and lawns.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>PESTICIDE STORAGE</u>: Store product in original labeled container in a cool, dry, locked place out of reach of children. <u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling, if available, or, dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed Information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through <a href="https://www.atrazine-watershed.info">www.atrazine-watershed.info</a> or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact Howard Fertilizer & Chemical Co. Inc. for a refund.

GENERAL PRECAUTIONS AND RESTRICTIONS
Do not apply more than 2.0 lbs. of active ingredient per acre for any application. Do not exceed 50 lbs. of product per 12,500 sq. ft. (25 lbs. per 6,250 sq. ft.) per application. Do not make more than two applications per year. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. This product must be watered in immediately after application.

Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields): This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing:

- This product must be watered in animediately.
- Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

## HOWARD FERTILIZER & CHEMICAL CO., INC.

<sup>\*</sup>Repeat applications are required for control of Nutsedge grasses.

### **ENTRY RESTRICTION**

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

APPLICATION EQUIPMENT RESTRICTIONS
Do not apply granular lawn products by hand, do not allow product to come in contact with hands. Granular lawn products applied by hand-held devices (e.g., belly grinder) can only be applied as a spot treatment.

### WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-Emergent AND also as a Post Emergent weed killer.

Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1<sup>st</sup> up to March 1<sup>st</sup> for best control otherwise product may be applied up to June 15<sup>th</sup> with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose.

In case of heavy weed infestation or low soil moisture, a repeated application may be necessary. Time for complete kill of mature weeds may be 4 to 5 weeks. Wait 2 months for repeat application. Apply when air is calm to prevent particle wind drift.

### HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 50 pounds to treat 12,500 Sq. Ft. – 40 lbs. to treat 10,000 sq. ft. – 18 lbs. to treat 4,500 sq. ft. of lawn (equivalent to 4 lbs. per 1,000 Sq. Ft.). Do not exceed recommended rates. Sprinkle the area immediately after application with water to wash granules off the grass blades and down to soil level.

[Optional Suggested Spreader Settings]

SPREADER SETTINGS for 4 lbs./1,000 sq. ft.

CYCLONE B-1 Rotary

#4

SCOTTS Model 35

#6

NOTE: Spreader rate varies with walking speed. Check-spreader over a known square foot area.

WHERE TO USE

### WHERE TO USE

This material is for use only on St. Augustine and Centipede lawns. On newly seeded centipede, delay until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable plants) to treated areas

for 18 months or injury may result. Apply this product only when grass foliage is dry.

DO NOT USE ON BAHIA, BENT, BERMUDA, BLUEGRASS, DICHONDRA LAWNS, FESCUE OR RYE GRASSES BECAUSE SERIOUS TURF DAMAGE CAN OCCUR.

### **USE PRECAUTIONS**

Do not apply this product on or over the root zone of ornamental trees, shrubs, bedding plants, flowers, or garden plants since injury to them may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label, because serious injury to those grasses may result.

GUARANTEED FERTILIZER ANALYSIS
--------------------------------

Total Nitrogen (N)	xx%
xx% Nitrate Nitrogen	
xx% Ammoniacal Nitrogen	
xx% Water Soluble Nitrogen (and/or Urea Nitrogen)	
xx% Water Insoluble Nitrogen xx%	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	xx%
Soluble Potash (K <sub>2</sub> O)	xx%

Derived from xxxxxxx.

Chlorine not more than xx%

Potential Acidity Equivalent to xx lbs. of Calcium Carbonate per ton.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, expressed or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

[Lot no. to be added at production]

## HOWARD FERTILIZER & CHEMICAL CO., INC.

### [ALTERNATE LABEL - RESIDENTIAL USE]

# TURF PRIDE® 115 Weed & Feed

FOR ST. AUGUSTINE AND CENTIPEDE LAWNS

### WEED CONTROL WITH PREMIUM LAWN FOOD

50 POUND BAG TREATS 12,500 SO. FT. (18 POUND BAG TREATS 4,500 SQ. FT.)

Controls weeds: Florida Pusley, Lippia, Pigweed and certain Broadleaf Weeds as listed.

Prevents Crabgrass, Paspalums, and Spotted Spurge and other weeds as listed.

### ONLY FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

ACTIVE INGREDIENT:	TIVE INGREDI	ENT:
--------------------	--------------	------

Atrazine (CAS #1912-24-9)	1.15%
Related Compounds	0.02%
OTHER INGREDIENTS:	

Total 100.00%

Contains 23 lbs. of a.i. Atrazine per ton and when used according to label directions applies 2 lbs. a.i. per acre.

EPA Reg. No. 35512-48

information.

EPA Est. No. 35512-FL-2

TURF PRIDE® is a Registered Trade Mark of Howard Fertilizer & Chemical Co., Inc.

## KEEP OUT OF REACH OF CHILDREN **CAUTION**

READ ENTIRE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID

	FIRST AID
If Swallowed:	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on Skin or Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
Have the prod	luct container or label with you when calling a poison control

Pesticide Information Center at 1-800-858-7378 for emergency medical

center or doctor, or going for treatment. You may also contact the National.

NET WEIGHT 50 POUNDS (22.7 kg)

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water, which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### WEEDS CONTROLLED OR SUPPRESSED

Henbit Annual Bluegrass Knotweed (Poa Annua) Annual Sowthistle Lambsquarter Clover Lespedeza Black Medic Lippia (Matchweed) Moneywort Blue Toadflax

Bull Paspalum Morningglory Narrowleaf Vetch Buckhorn Plantain Bur Clover Parsley-Piert Carolina Geranium Oxalis (Common and

(Cranesbill) Yellow Woodsorrel)

Chickweed (Common and Pigweed Mouse Ear) Purslane Cocklebur Ragweed Red Sorrel Common Dandelion Common Purslane Rescuegass. Sandspur Crabgrass Sedges\*. Crowfoot Grass Cudweed Cutleaf Evening Primrose Dichondra

Shepardspurse " Sicklepod wood Spotted Purge Spurweed ...

Stinging Netile Florida Beggarweed Swinecrest Florida Betony

## HOWARD FERTILIZER & CHEMICAL CO., INC.

Dollar Weed

(Rattlesnake Weed)
Florida Pusley
Fragrant Cudweed
(Rabbit Tobacco)

Venus Looking Glass Virginia Creeper Wild Mustard Wood Sorrel

### READ ENTIRE LABEL BEFORE USE.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

### STORAGE AND DISPOSAL

<u>PESTICIDE STORAGE</u>: Store product in original labeled container in a cool, dry, locked place out of reach of children.

<u>PESTICIDE DISPOSAL</u>: **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Wastes resulting from the use of this product may be disposed of on site.

<u>CONTAINER DISPOSAL</u>: **If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

GENERAL PRECAUTIONS AND RESTRICTIONS Do not apply more than 2.0 lbs. of active ingredient per acre for any application. Do not exceed 50 lbs. of product per 12,500 sq. ft. (25 lbs. per 6,250 sq. ft.) per application. Do not make more than two applications per year. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. This product must be watered in immediately after application.

Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

### **ENTRY RESTRICTION**

Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until watering-in is complete and the surface is dry.

### WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-Emergent AND also as a Post-Emergent weed killer.

Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1<sup>st</sup> up to March 1<sup>st</sup> for best control otherwise product may be applied up to June 15<sup>th</sup> with good weed control. A fall

application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose.

In case of heavy weed infestation or low soil moisture, a repeated application may be necessary. Time for complete kill of mature weeds may be 4 to 5 weeks. Wait 2 months for repeat application. Apply when air is calm to prevent particle wind drift.

### **HOW TO APPLY**

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 50 pounds to treat 12,500 Sq. Ft. – 40 lbs. to treat 10,000 sq. ft. – 18 lbs. to treat 4,500 sq. ft. of lawn (equivalent to 4 lbs. per 1,000 Sq. Ft.). Do not exceed recommended rates. Sprinkle the area immediately after application with water to wash granules off the grass blades and down to soil level.

[Optional Suggested Spreader Settings]

### SPREADER SETTINGS for 4 lbs./1,000 sq. ft.

CYCLONE B-1 Rotary

#4

SCOTTS Model 35

#6

NOTE: Spreader rate varies with walking speed. Check spreader over a known square foot area.

### WHERE TO USE

This material is for use only on St. Augustine and Centipede lawns. On newly seeded centipede, delay until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable plants) to treated areas for 18 months or injury may result. Apply this product only when grass foliage is dry.

DO NOT USE ON BAHIA, BENT, BERMUDA, BLUEGRASS, DICHONDRA LAWNS, FESCUE OR RYEGRASSES BECAUSE SERIOUS TURF DAMAGE CAN OCCUR.

### **USE PRECAUTIONS**

Do not apply this product on or over the root zone of ornamental trees, shrubs, bedding plants, flowers, or garden plants since injury to them may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label, because serious injury to those grasses may result.

### GUARANTEED FERTILIZER ANALYSIS

Derived from xxxxxxxx.

Chlorine not more than xx%

Potential Acidity Equivalent to ax los. of Calcium Carbonate per ton.

# HOWARD FERTILIZER & CHEMICAL CO., INC.

<sup>\*</sup>Repeat applications are required for control of Nutsedge grasses.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, expressed or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

[Lot no. to be added at production]

HOWARD FERTILIZER & CHEMICAL CO., INC.