UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Howard Fertilizer & Chemical Co., Inc. c/o Ms. Rebecca Horton Registrations by Design, Inc. P.O. Box 1019 Salem, VA 24153

OCT - 7 2009

Dear Ms. Horton:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009, Revise per Pesticide Registration Notice 2007-4 (Container Disposal),

and update Warranty Statement

Turf Pride Fertilizer with 0.096% Bifenthrin Insecticide

EPA Reg. No. 35512-54

Your submission dated July 16, 2009

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 16, 2009 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Sincerely,

Dana R. Pilett

Richard Gebken

Product Manager 10 Insecticide Branch

Registration Division (7505P)

ase read instructions on reverse before company for	rm	Form Ap	nrove		n-nnen	Approval expires 2-28-95
Environmental Pro Washington,	States tection Age		~	Registration Amendment Other	n	OPP Identifier Number
Appl	ication for I	Pesticide - Sec	tion	1		
1. Company/Product Number 35512-54		2. EPA Product Mar Gebken	ager		r 3	osed Classification
4. Company/Product (Name) Turf Pride® Fertilizer with 0.096% Bifenthri	n Insecticide	PM# 13				lone Restricted
5. Name and Address of Applicant (Include ZIP Code) Howard Fertilizer & Chemical Co., Inc. P.O. Box 628202 Orlando, FL 32862-8202 Check if this is a new address		1	is sim	ilar or identical	in com	IFRA Section 3(c)(3) position and labeling
	Sec	tion - II				
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For NOTIFICATION: of label change per June 4, 2 This notification is consistent with the guidance in the June 4, 2009 letter and to	r section I and Se 009 letter from	Agency let "Me Too" Other - Exp ction II.) EPA s regulations at 40 CFR part 1	ter dat Applica blain be	ation. Blow.		
Statement of Formula for this product. Howard Fertilizer & Chemical Co., Inc. to the amended label is not consistent with the requirements of 40 CFR part 156, penalties under sections 12 and 14 of FIFRA.	this product may be in v					
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes No If "Yes" No.	V		or	V PI	itainer letal lestic lass aper ther (Sp	ecify)
	e(s) Retail Contai		5. Lo	cation of Label C	Direction	В
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Othe	or pla	astic sleeve inse	ert	
		ion - IV				
1. Contact Point (Complete items directly below for iden			, if nec	essary, to proce	ss this a	pplication.)
Name Rebecca M. Horton	Title Cor	nsultant/Agent for vard Fertilizer & Cher		Tel co., Inc. (5 ²	ephone (No. (Include Area Code)
Ce I certify that the statements I have made on this for a schooledge that any knowlingly false or misleadoth under applicable law.	ertification orm and all attach ding statement m	ments thereto are tru ay be punishable by (ie, acci fine or	imprisonment of	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3. Date Application Received Stamped)
2. Signature Libeau M. Hoth	3. Title Consulta	nt/Agent for Howard F	ertilizer	& Chemical Co.,	i,	
4. Typed Name Rebecca M. Horton	5. Date	July 16, 200)9			C (C (C (C (C (C (C (C (C (C (



118½ East Main Street Suite 1 Salem, VA 24153-3805 phone 540.375.8826 fax 540.375.8827 July 16, 2009

Document Processing Desk (NOTIF-PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Ariel Rios Bldg.
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification of Revised Label per EPA 6-4-09 Letter

EPA Reg. No. 35512-54, Turf Pride® Fertilizer with 0.096% Bifenthrin Insecticide

Attn: Linda Arrington, Team Leader

Notifications & Minor Formulations

On behalf of Howard Fertilizer & Chemical Co., Inc. of Orlando, Florida, enclosed is notification for the above-referenced product. The purpose of this notification is to update the label per the June 4, 2009 letter from EPA. No changes have been made to the CSF.

The following documents are enclosed:

- 1) EPA Form #8570-1, Application for Pesticide Notification (2 copies)
- 2) Copy of the proposed revised label with revisions highlighted in blue.

If further action or information is required on behalf of Howard Fertilizer & Chemical Co., Inc., please advise.

Best regards,

Rebecca M. Horton Consultant/Agent for

HOWARD FERTILIZER & CHEMICAL CO., INC.

e-mail: hortonb@ntelos.net

RMH/shk

Enclosures



Turf Pride® Fertilizer with 0.096% Bifenthrin Insecticide

[Additional Brand Name(s): Turf Pride® AccuBlendTM Fertilizer with 0.096% Bifenthrin Insecticide ProFusion Process; Turf Pride® Fertilizer with Insecticide]

FOR USE TO CONTROL ANTS (INCLUDING IMPORTED FIRE ANTS), MOLE CRICKETS AND OTHER LISTED PESTS ON LAWNS, IN LANDSCAPED AREAS, AROUND RESIDENTIAL, INSTITUTIONAL, PUBLIC COMMERCIAL AND INDUSTRIAL BUILDINGS, PARKS AND RECREATIONAL AREAS, AND ATHLETIC FIELDS.

ACTIVE INGREDIENT:	
Bifenthrin*	0.096%
OTHER INGREDIENTS:	99,904%
TOTAL:	100.000%

*Cis isomers 97% min.; trans isomers 3% max.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

If on skin o

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

advice.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions; Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Howard Fertilizer & Chemical Co., Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law there are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Howard Fertilizer & Chemical Co. is authorized to make any warranties contained herein. To the extent consistent with applicable law Howard Fertilizer & Chemical Co. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF

GUARANTEED ANALYSIS	X-X-X
Total Nitrogen (N)*	x.xx%
x.xx% Ammoniacal Nitrogen	
x.xx% Nitrate Nitrogen	
x.xx% Urea Nitrogen	
x.xx% Water Insoluble Nitrogen	
Available Phosphate (P.O.)	x.xx%
Soluble Potash (K ₂ O)	x.xx%
Calcium (Ca)	x.xx%
Magnesium (Mg)	x.xx% Q
x xx% Water Soluble Magnesium (Mg)	<u> </u>
Sulfur (S)	x xx% 🗲
x xx% Combined Sulfur (S)	C
Soluble Potash (K ₂ O) Calcium (Ca) Magnesium (Mg) x.xx% Water Soluble Magnesium (Mg) Sulfur (S) x.xx% Combined Sulfur (S) Boron (B)	v vv% II
Total Copper (Cu)	v vv% =
Total Iron (Fe)	
Total Manganese (Mn)	
x.xx% Water Soluble Manganese (Mn)	
	v vv%
Molybdenum (Mo)	v vv0/
Total Zille (Zil)	X.XX/0
Chlorine (Cl), not more than x.xx%	
Derived from:	
Derived Holli.	
*x.xx% slowly available nitrogen from	•
F1261	
Information regarding the contents and levels of met	ale in this product is
available on the internet at http://www.aapfco.org/me	ટાલાડ

DIRECTIONS FOR USE

[See page 2 for variations on proposed fertilizer blends.]

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Do not apply more than 414 lbs. of this product per acre per year. Not for use on golf courses, sod farms, nurseries, commercial greenhouses, or grass grown for seed.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Lawn & Perimeter Applications:

Perimeter application: Apply to lawn area 6-10 ft. wide around and adjacent to the structure using 4.75 lb. per 1,000 sq. ft.

Lawn application: Broadcast this product with suitable application equipment to ensure uniform coverage over the treatment area. Apply 4.75 lb. per 1,000 sq. ft. to control the following pests:

Deer Ticks² Annual Bluegrass Weevils - adult (Hyperodes) Earwigs Ants Fleas Grasshoppers Armyworms Billbugs - adult Imported Fire Ants1 Leafhoppers Black turfgrass Ataenius - adult Centipedes Mealybugs Millipedes Chinch Bugs Mole Crickets Crickets God V.'ebworms Cutworms

Imported Fire Ants: Control will be optimized by combining oroalcast applications that will control foraging workers and newly mated fly-in queens with mound treatments that will control any existing colonies. Apply 1 Thep, to the surface of each mound during periods of mild temperature (65°-80° F), taking care act to disturb ants. Water in gently. Treat new mounds as they appear. Do not use food utensils (such as

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatmentathics.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions; Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Howard Fertilizer & Chemical Co., Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law there are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Howard Fertilizer & Chemical Co. is authorized to make any warranties contained herein. To the extent consistent with applicable law Howard Fertilizer & Chemical Co. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF WARRANTIES: To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Howard Fertilizer & Chemical Co., Inc.'s option, the replacement of the product.

Turf Pride® is a registered trademark of Howard Fertilizer & Chemical Company, Inc.

Manufactured & Guaranteed by

HOWARD FERTILIZER & CHEMICAL COMPANY, INC.
P.O. BOX 628202 - ORLANDO, FL 32862-8202

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed above and referring to the batch number found on this container.

NET WT. 50 LB (22.7 kg)

x.xx% Water Soluble Magnesium (Mg)	7
x.xx% water Soluble Magnesium (Mg) Sulfur (S)	-
x.xx% Combined Sulfur (S)	
Boron (B)xxxx	
Total Copper (Cu)x.xx%	Ţ
Total Iron (Fe)	\equiv
Total Manganese (Mn) x.xx%	
x.xx% Water Soluble Manganese (Mn)	
Molybdenum (Mo)x.xx%	
Total Zinc (Zn) x.xx%	
Chlorine (CI), not more than x.xx%	
Derived from:	
*x.xx% slowly available nitrogen from	
F1261 Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals	

[See page 2 for variations on proposed fertilizer blends.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Do not apply more than 414 lbs. of this product per acre per year. Not for use on golf courses, sod farms, nurseries, commercial greenhouses, or grass grown for seed.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Lawn & Perimeter Applications:

Perimeter application: Apply to lawn area 6-10 ft. wide around and adjacent to the structure using 4.75 lb. per 1,000 sq. ft.

Lawn application: Broadcast this product with suitable application equipment to ensure uniform coverage over the treatment area. Apply 4.75 lb. per 1,000 sq. ft. to control the following pests:

Annual Bluegrass Weevils - adult Deer Ticks2 (Hyperodes) Earwigs Ants Fleas Grasshoppers Armyworms Billbugs - adult Imported Fire Ants¹ Black turfgrass Ataenius - adult Leafhoppers Mealybugs Centipedes Millipedes Chinch Bugs Mole Crickets God V.'ebworms Crickets Cutworms Ticks

Imported Fire Ants: Control will be optimized by combining oroalcast applications that will control foraging workers and newly mated fly-in queens with mound treatments that will control any existing colonies. Apply 1 Thep, to the surface of each mound during periods of mild temperature (65°-80° F), taking care act to disturb ants. Water in gently. Treat new mounds as they appear. Do not use food utensils (such as Tablespoon) for food purposes after pesitivide use.

*Deer Ticks (Ixodes sp.) have a complicated live cycle that ranges over a two year period and involves four life stages. Applications should be made in mid to late-spring to control larvae and nymphs that reside in the soil and leaf

[OPTIONAL TEXT - WHEN MARKETED IN NY STATE: In New York State, this product may NOT be applied to any grass or turf area within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State, do make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first

application.]

Storage & Disposal

Pesticide Storage: Store product in its original closed container in a cool, dry place out of reach of children and animals. In case of spill, avoid contact. Isolate spills, sweep up, and use as directed on this label. Pesticide Disposal: If partly filled — Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: If empty – Nonrefillable container. Do not reuse or refill this container [bag]. Place in trash or offer for recycling if available.

ALTERNATIVE FERTILIZER BLENDS / GUARANTEED ANALYSES:

GUARANTEED ANALYSIS	8-3-6
Total Nitrogen (N)*	8.00%
6.00% Ammoniacal Nitrogen	
2.00% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	3.00%
Soluble Potash (K ₂ O)	6.00%
Chlorine (Cl), not more than 4.50%	

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*1.2% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	20-2-10
Total Nitrogen (N)*	20.00%
10.00% Ammoniacal Nitrogen	
10.00% Urea Nitrogen	
Available Phosphate (P2O5)	2.00%
Soluble Potash (K ₂ O)	

Chlorine (Cl), not more than 7.50%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*6.0% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	12-2-12
Total Nitrogen (N)*	12.00%
9.00% Ammoniacal Nitrogen	
3.00% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	2.00%
Soluble Potash (K ₂ O)	12.00%


Chlorine (Cl), not more than 9.00%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*1.8% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	15-2-15
Total Nitrogen (N)*	15.00%
11.25% Ammoniacal Nitrogen	•
3.75% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	2.00%
Soluble Potash (K ₂ O)	15.00%



Chlorine (Cl), not more than 7.5%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia, sulfate of potash magnesium.

*2.88% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

[For Florida: FLORIDA APPLICATIONS: For use on golf courses or other athletic turf in FL, we recommend you follow SL191, "Recommendations for N, P, K & Mg for Golf Course and Athletic Field Fertilization Base on Mehlich I Extractant", available on the internet at http://edis.ifas.ufl.edu/SS404. FLORIDA APPLICATIONS: For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at

http://www.dep.state.fl.us/central/Home/MeetingsTraining/FL Green/BMP Book final.pdf.]

[Lot no. to be added at production]

GUARANTEED ANALYSES:

GUARANTEED ANALYSIS	8-3-6
Total Nitrogen (N)*	8.00%
6.00% Ammoniacal Nitrogen	
2.00% Urea Nitrogen	
Available Phosphate (P2O5)	3.00%
Soluble Potash (K ₂ O)	6.00%
(,	

Chlorine (Cl), not more than 4.50%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*1.2% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	20-2-10
Total Nitrogen (N)*	20.00%
10.00% Ammoniacal Nitrogen	
10.00% Urea Nitrogen	
Available Phosphate (P2O5)	2.00%
Soluble Potash (K ₂ O)	

Chlorine (CI), not more than 7.50%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*6.0% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	12-2-12
Total Nitrogen (N)*	12.00%
9.00% Ammoniacal Nitrogen	
3.00% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	2.00%
Soluble Potash (K ₂ O)	12.00%

Chlorine (Cl), not more than 9.00%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*1.8% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

GUARANTEED ANALYSIS	15-2-15
Total Nitrogen (N)*	15.00%
11.25% Ammoniacal Nitrogen	
3.75% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	2.00%
Soluble Potash (K ₂ O)	15.00%

Chlorine (Cl), not more than 11.25%

Derived from: ammonium phosphate, muriate of potash, polymer coated sulfur coated urea, sulfate of ammonia.

*2.25% slowly available nitrogen from polymer coated sulfur coated urea.

F1261

courses or other athletic turf in FL, we recommend you follow SL191, "Recommendations for N, P, K & Mg for Golf Course and Athletic Field Fertilization Base on Mehlich I Extractant", available on the internet at http://edis.ifas.ufl.edu/SS404. FLORIDA APPLICATIONS: For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at

http://www.dep.state.fl.us/central/Home/MeetingsTraining/FL Green/BMP Book final.pdf.]

[Lot no. to be added at production]

[SUB LABEL - CONSUMER (RESIDENTIAL) USE]

Turf Pride® Fertilizer with 0.096% Bifenthrin Insecticide

FOR USE TO CONTROL ANTS (INCLUDING IMPORTED FIRE ANTS), MOLE CRICKETS AND OTHER LISTED PESTS ON RESIDENTIAL LAWNS, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS, AND HOME VEGETABLE **GARDENS**

xx LBS. TREATS UP TO xx SQ. FT.

*Cis isomers 97% min.; trans isomers 3% max.

ACTIVE INGREDIENT:	
Bifenthrin*	0.096%
OTHER INGREDIENTS:	<u>99.904%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See back/side/other panel(s) for additional Precautionary Statements and First Aid)

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Howard Fertilizer & Chemical Co., Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law there are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Howard Fertilizer & Chemical Co. is authorized to make any warranties contained herein. To the extent consistent with applicable law Howard Fertilizer & Chemical Co. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF

GUARANTEED ANALYSIS	X-X-X
Total Nitrogen (N)*	x.xx%
x.xx% Ammoniacal Nitrogen	
x.xx% Nitrate Nitrogen	
x.xx% Urea Nitrogen	
x.xx% Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	x.xx%
Soluble Potash (K ₂ O)	x.xx%
Calcium (Ca)	x.xx%
Magnesium (Mg)	x.xx%
x.xx% Water Soluble Magnesium (Mg)	ì
Sulfur (S)	x.xx%
x.xx% Combined Sulfur (S)	
Boron (B)	x.xx%
Total Copper (Cu)	x.xx%
Total Iron (Fe)	
Total Manganese (Mn)	
x.xx% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	x.xx%
Total Zinc (Zn)	
Chlorine (Cl), not more than x.xx%	
Derived from:	
*x.xx% slowly available nitrogen from	
F1261	•
Information regarding the contents and levels of met available on the internet at http://www.aapfco.org/me	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

JOPTIONAL TEXT - WHEN MARKETED IN NY STATE:

In New York State, this product may NOT be applied to any grass or turf area within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State, do make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.]

Lawns, Home Perimeter, Ornamental & Flower Gardens:

Apply this product with a suitable hand or power operated spreader (gravity or rotary) to ensure uniform coverage over the treatment area. Apply when insect pests first appear. Repeat treatment every 2 months as needed - only if signs of insect activity recur.

Perimeter application around home and other residential structures [buildings]: Apply as a band treatment 6-10 ft. wide around and adjacent to the structure using 11/4 - 21/2 lbs. per 1,000 sq. ft. For Centipedes, Millipedes, Ants and Mole Crickets use 21/2 to 43/4 lbs. per 1,000 sq. ft.

Lawn, Ornamental & Flower Garden applications: Apply 11/4 - 21/2 lbs. per 1,000 sq. ft. For Centipedes, Millipedes, Anis and Mole Crickets use 21/2 to 4% lbs. per 1,000 sq. ft.

Controls:

Annual Bluegrass Weevils - adult (Hyperodes) Ants Armyworms Billbugs - adult Black turfgrass Ataenius - adult

Deer Ticks2 Earwigs Gra-shoppers Imported Fire Anss Leaf 10ppers

CAUTION

(See back/side/other panel(s) for additional Precautionary Statements and First Aid)

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

advice.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer, accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Howard Fertilizer & Chemical Co., Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law there are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Howard Fertilizer & Chemical Co. is authorized to make any warranties contained herein. To the extent consistent with applicable law Howard Fertilizer & Chemical Co. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF WARRANTIES: To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Howard Fertilizer & Chemical Co., Inc.'s option, the replacement of the product.

Turf Pride® is a registered trademark of Howard Fertilizer & Chemical Company, Inc.

Manufactured & Guaranteed by

HOWARD FERTILIZER & CHEMICAL COMPANY, INC. P.O. BOX 628202 - ORLANDO, FL 32862-8202

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed above and referring to the batch number found on this container.

NET WT. 50 LB (22.7 kg)

viagnesium (ivig)	
x.xx% Water Soluble Magnesium (Mg)	
Sulfur (S)	x.xx%
x.xx% Combined Sulfur (S)	
Boron (B)	x.xx%
Total Copper (Cu)	xxx%
Total Iron (Fe)	
Total Manganese (Mn)	x.xx%
x.xx% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	x.xx%
Total Zinc (Zn)	
Chlorine (Cl), not more than x.xx%	
Derived from:	
*x.xx% slowly available nitrogen from	

F1261

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

[OPTIONAL TEXT - WHEN MARKETED IN NY STATE:

In New York State, this product may NOT be applied to any grass or turf area within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State, do make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.]

Lawns, Home Perimeter, Ornamental & Flower Gardens:

Apply this product with a suitable hand or power operated spreader (gravity or rotary) to ensure uniform coverage over the treatment area. Apply when insect pests first appear. Repeat treatment every 2 months as needed – only if signs of insect activity recur.

Perimeter application around home and other residential structures [buildings]: Apply as a band treatment 6-10 ft. wide around and adjacent to the structure using 1¼ - 2½ lbs. per 1,000 sq. ft. For Centipedes, Millipedes, Ants and Mole Crickets use 2½ to 4¾ lbs. per 1,000 sq. ft.

Lawn, Ornamental & Flower Garden applications: Apply 1'4 - 2½ lbs. per 1,000 sq. ft. For Centipedes, Millipedes, Anis and Mole Crickets use 2½ to 4½ lbs. per 1,000 sq. ft.

Controls

Annual Bluegrass Weevils - adult Deer Ticks2 Earwigs (Hyperodes) Ants F!cas Armyworms imported Fire An's1 Billbugs – adult Leaf toppers Black turfgrass Ataenius - adult * Mealybugs Centipedes **Nitilinedes** Mole Crickets Chinch Bugs Crickets Sod Webworn.s Cutworms

Imported Fire Ants: Control will be optimized by combining broadcast applications that will control foraging workers and newly instead ily-in queens with mound treatments that will control any existing colonies. Apply 1 Tbsp. to the surface of each mound during periods of mild temperature (65°-80° F), taking care not to disturb ants. Water in gently. Treat new mounds as they appear. Do not use food utensils (such as Tablespoon) for food purposes after pesticide use.

²Deer Ticks (*Ixodes sp.*) have a complicated life cycle that ranges over a two year period and involves four life stages. Applications should be made in mid to late-spring to control larvae and nymphs that reside in the soil and leaf litter.

Home Vegetable Gardens:

Use 5 cups [1.2 lbs.] of product per 500 sq. ft. of garden area. Work into the top 4-6 inches of the soil just prior to planting or after plants have emerged.

Vesstables	DIIIA	T +
Vegetables	PHI*	Insects
Green Peas, Edible Pods (sugar snap peas, snow peas), Green Beans (wax beans, snap beans), Dry beans (black-eyed peas, cowpeas) Cucurbits including Chayote, Citron melon, Cucumber, Edible Gourd, Muskmelon (cantaloupe, casaba, Crenshaw melon, golden melon, honeydew melon, pinapple melon, Santa Claus melon, snake melon), Pumpkin, Summer Squash (crookneck, scallop, straightneck, zucchini), Winter Squash (butternut, calabza, hubbard including acorn and spaghetti), Watermelon	3 days	Ants, Cutworms, Crickets, Earwigs, Grasshoppers, Grubs, Seed Maggots, Weevils and Wireworms
Cole Crops including Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi Peppers Eggplant Head Lettuce	7 days	
Sweet Com	1 day	Ants, Armyworms, Cutworms, Crickets, Earwigs, European Corn Borer, Fall Armyworm, Grasshoppers, Grubs, Southwestern Corn Borer and Weevils

^{*}PHI = number of days between application and harvest

Storage & Disposal

Pesticide Storage: Store product in its original closed container in a cool, dry place out of reach of children and animals. In case of spill, avoid contact. Isolate spills, sweep up, and use as directed on this label. Pesticide Disposal: If partly filled — Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: If empty – Nonrefillable container. Do not reuse or refill this container [bag]. Place in trash or offer for recycling if available.

[Lot no. to be added at production]