

35512-56

10/31/2008

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Mrs. Rebecca M. Horton  
Consultant/Agent for  
Howard Fertilizer & Chemical Co., Inc.  
118 1/2 East Main Street - Suite 1  
Salem, VA 24153-3805

OCT 31 2008

RE: Notification to add non-FIFRA related text for compliance with Florida Urban Turf Rule requirements for commercial fertilizer use  
Registration Number: 35512-56  
Submission Dated: August 27, 2008

Dear Mrs. Horton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, August 27, 2008, for the product, Turf Pride® Lawn Food with Trimec® Herbicide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely yours,

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2/15



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 35512-56	2. EPA Product Manager J. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Pride® Lawn Food with Trimec® Herbicide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Howard Fertilizer & Chemical Co., Inc. P.O. Box 628202 Orlando, FL 32862-8202 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of: (1) to add non-FIFRA related text for compliance with Florida Urban Turf Rule requirements for commercial fertilizer use.

This notification is consistent with the provisions of PR Notice 98-10 and the requirements of EPA regulations at 40 CFR 152.46. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. Howard Fertilizer & Chemical Co., Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if the amended label is not consistent with the requirements of 40 CFR 152.46, this product may be in violation of FIFRA and Howard Fertilizer & Chemical Co., Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50#		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input checked="" type="checkbox"/> Other plastic sleeve insert		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent for Howard Fertilizer & Chemical Co., Inc.	Telephone No. (Include Area Code) 540-375-8826
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Consultant/Agent for Howard Fertilizer & Chemical Co., Inc.	
4. Typed Name Rebecca M. Horton	5. Date 8/27/08	

Registrations  
by Design, Inc.<sup>SM</sup>

118 1/2 East Main Street  
Suite 1  
Salem, VA 24153-3805  
phone 540.375.8826  
fax 540.375.8827

CERTIFIED MAIL #7007 2680 0002 5827 6819

August 27, 2008

3/5

Document Processing Desk (NOTIF)  
Office of Pesticide Programs/Reg. Div. (7505P)  
U.S. Environmental Protection Agency  
Ariel Rios Bldg.  
1200 Pennsylvania Ave., NW  
Washington, DC 20460

Re: NOTIFICATION FOR COMPLIANCE WITH PR NOTICE 98-10  
EPA Reg. No. 35512-14, Turf Pride Weeder  
EPA Reg. No. 35512-37, Turf Pride Fertilizer + Preemergent Weed Control  
EPA Reg. No. 35512-43, Turf Pride Fertilizer with 1% Ronstar  
EPA Reg. No. 35512-46, Turf Pride 92 Weed & Feed  
EPA Reg. No. 35512-48, Turf Pride 115 Weed & Feed  
EPA Reg. No. 35512-49, Turf Pride Fertilizer with 2% Sevin Brand Carbaryl Insecticide  
EPA Reg. No. 35512-50, Turf Pride Fertilizer with 0.50% Prodiamine  
EPA Reg. No. 35512-51, Turf Pride Fertilizer with 0.25% Prodiamine  
EPA Reg. No. 35512-52, Turf Pride Fertilizer with 0.069% Bifenthrin Insecticide  
EPA Reg. No. 35512-54, Turf Pride Fertilizer with 0.096% Bifenthrin Insecticide  
EPA Reg. No. 35512-55, Turf Pride Fertilizer with 0.055% Bifenthrin Insecticide  
EPA Reg. No. 35512-56, Turf Pride Lawn Food with Trimec Herbicide  
EPA Reg. No. 35512-57, Turf Pride Fertilizer with 0.67% Ronstar  
EPA Reg. No. 35512-58, Turf Pride Fertilizer with 0.50% Ronstar

Attn: Linda Arrington  
Notifications & Minor Formulations Team Leader


On behalf of Howard Fertilizer & Chemical Co., Inc. of Orlando, Florida, enclosed is notification of non-FIFRA related text for compliance with Florida Urban Turf Rule requirements for use of the commercial fertilizers referenced above.

The following documents are enclosed:

- 1) EPA Form #8570-1, Application for Pesticide - Notification (2 copies)
- 2) Copy of the proposed label with revision highlighted in blue.

If further action or information is required on Howard Fertilizer & Chemical Co., Inc's behalf, please advise.

Best regards,



Rebecca M. Horton  
Consultant/Agent for  
HOWARD FERTILIZER & CHEMICAL CO., INC.  
e-mail: [hortonb@ntelos.net](mailto:hortonb@ntelos.net)

RH/alb  
Enclosures

Established  
1996

# Turf Pride® Lawn Food with Trimec® Herbicide

4/5

[Additional Brand Name(s): Turf Pride® AccuBlend™ Lawn Food with Trimec® Herbicide; Turf Pride® AccuBlend™ Fertilizer with Trimec® Herbicide]  
 A TRIPLE ACTION BROADLEAF HERBICIDE WITH LAWN FOOD  
 50 LB TREATS UP TO 5000 SQ. FT. OF TURFGRASS  
 FOR USE IN CONTROL OF BROADLEAF WEEDS IN HOME LAWNS, APARTMENT AND CONDOMINIUM TURF, IN PARKS, PLAYGROUNDS AND OTHER ORNAMENTAL AND RECREATIONAL TURFGRASS  
 A BROADLEAF WEED KILLER FOR SOUTHERN LAWNS  
 BALANCED LAWN FOOD GIVES TURF FAST-GREENING WITH EXTENDED FEEDING  
 CONTROLS: Dandelions, Chickweed, Knotweed and many Other Weeds as listed.  
 For use on St. Augustinegrass, Centipedegrass, Zoysiagrass, Bahiagrass, Bermudagrass, Bluegrass, Bentgrass and Fescue varieties.

**ACTIVE INGREDIENTS:**

Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid .....	0.20%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid .....	0.11%
Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid) .....	0.05%
<b>OTHER INGREDIENTS:</b> .....	99.64%
<b>TOTAL:</b> .....	100.00%

This product contains: 3.2 LB or 0.16% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid per ton; 1.80 LB or 0.09% 2,4-dichlorophenoxyacetic acid per ton.; 0.80 LB or 0.04% dicamba (3,6-dichloro-o-anisic acid) per ton.  
 Isomer specific by AOAC Methods. Contains the single isomer form of Mecoprop-p.  
 TRIMEC® is a registered trademark of PBU/GORDON Corporation.

**GUARANTEED ANALYSIS**

	<b>X-X-X</b>
Total Nitrogen (N) .....	x.xx%
x.xx% Ammoniacal Nitrogen	
x.xx% Nitrate Nitrogen	
x.xx% Urea Nitrogen	
x.xx% Water Insoluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	x.xx%
Soluble Potash (K <sub>2</sub> O) .....	x.xx%
Chlorine (Cl), not more than x.xx%	
Derived from: _____	
*x.xx% slowly available nitrogen from _____	
F1261	

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed above and referring to the batch number found on this container.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

<b>If in eyes</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If on skin or clothing</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>If swallowed</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from treated areas.

**READ ENTIRE LABEL BEFORE USING**

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, expressed or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**Storage & Disposal**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container and keep bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**Pesticide Disposal:** Wastes resulting from a spill or from the use of this product may be disposed of on site or at an approved waste disposal facility. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Container Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**USE PRECAUTIONS:** Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of a x a x other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns.

Do not use on dichondra. Do not over-apply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause a minor transitory discoloration on St. Augustinegrass.

Turf Pride® is a registered trademark of Howard Fertilizer & Chemical Company, Inc.

Manufactured & Guaranteed by  
**HOWARD FERTILIZER & CHEMICAL COMPANY, INC.**  
 P.O. BOX 628202 - ORLANDO, FL 32862-8202

**NET WT 50 LB (22.7 kg)**

EPA Reg. No. 35512-56  
 August, 2008 – notification

EPA Est. No. 35512-FL-2

**WHERE TO USE:** This product may be used on all varieties of Zoysiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Bahiagrass, Bentgrass, Fescues and Bluegrass.

**WHEN TO USE:** Apply when weeds are young and actively growing in the spring, summer or fall. Best results will be obtained if applied in the morning when dew is on the grass and when daily temperatures range from 65° to 90°F. For lawns that are heavily over-run by hard-to-kill weeds or in a state of poor growth due to low moisture conditions, a second treatment in 30 to 45 days may be necessary.

The maximum application rate to turf is 0.5 lb. 2,4-D acid equivalent per acre per application site. The maximum number of broadcast applications per treatment site is 2 per year.

**HOW TO APPLY:** Mow lawn to normal height 1 to 2 days before application. Water lawn thoroughly, as needed, at least 1 day before application to sustain moisture until the next watering (1-2 days after application). Choose a calm day to ensure uniform coverage and avoid spreading granules onto non-target plants. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants. Wait 1-2 days following application, then water treated area thoroughly.

#### **SPREADER SETTINGS**

To check for your spreader settings refer to your spreader manual details and apply

**10 pounds of product to cover 1,000 sq. ft. of turfgrass.** During application, close spreader openings when turning.

#### **BROADLEAF WEEDS CONTROLLED**

Annual yellow sweetclover, Aster, Austrian fieldcress, Bedstraw, Beggertick, Betony (Florida), Bindweed (field), Bird vetch, Bitter wintercress, Bittercress (hairy), Bitterweed, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower milkweed, Blue lettuce, Blue vervain, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull thistle, Bullnettle, Burclover, Burdock, Burning nettle, Burweed, Buttercup, Buttonweed, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catnip, Catsear, Chickweed (common, mouseear), Chicory, Cinquefoil, Clover (crimson, hop, red, strawberry, sweet, white), Cockle, Cocklebur, Common mullein, Creeping jenny, Cudweed, Curly dock, Daisy (English, fleabane, oxeye), Dandelion, Dichondra, Dogbane, Dogfennel, Dollarweed, False dandelion, False flax, False sunflower, Fiddleneck, Florida pusley, Frenchweed, Galinsoga, Goathead, Goldenrod, Ground ivy, Gumweed, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Heathaster, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Horsenettle, Jimsonweed, Knawel, Knotweed, Kochia, Lambsquarters, Lespedeza, Mallow, Matchweed, Mexicanweed, Milk vetch, Morningglory, Mouseear hawkweed, Mugwort, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oriental cocklebur, Oxalis, Parsley-piert, Parsnip, Pearlwort, Pennygrass, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis (tickseed), Plantain, Poison ivy, Poison oak, Pokeweed, Poorjoe, Prairie sunflower, Prickly lettuce, Prickly sida, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncturevine, Purslane (common), Ragweed, Red sorrel, Redroot pigweed, Redstem filaree, Rough cinquefoil, Rough fleabane, Russian pigweed, Russian thistle, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smooth dock, Smooth pigweed, Sorrel, Sowthistle, Spanishneedles, Speedwell, Spiny amaranth, Spiny cocklebur, Spiny sowthistle, Spotted catsear, Spotted spurge, Spurweed, Stinging nettle, Strawberry (India mock), Tall nettle, Tall vervain, Tansy ragwort, Tansy mustard, Tanweed, Thistle, Trailing crownvetch, Tumble mustard, Tumble pigweed, Velvetleaf, Venice mallow, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Water pennywort, Wavyleaf bullthistle, Western clematis, Western salsify, White mustard, Wild

5/5  
aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild mustard, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Woodsorrel, Woolly croton, Woolly morningglory, Woolly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds

[For Florida: FLORIDA APPLICATIONS: For use on golf courses or other athletic turf in FL, we recommend you follow SL191, "Recommendations for N, P, K & Mg for Golf Course and Athletic Field Fertilization Base on Mehlich I Extractant", available on the internet at <http://edis.ifas.ufl.edu/SS404>.

FLORIDA APPLICATIONS: For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at [http://www.dep.state.fl.us/ccentral/Home/MeetingsTraining/FLGrccn/BMP\\_Book\\_final.pdf](http://www.dep.state.fl.us/ccentral/Home/MeetingsTraining/FLGrccn/BMP_Book_final.pdf).]

[Lot no. to be added at production]