

35512-56

01/14/2009

4



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg. Number:

35512-56

Date of Issuance:

14 JAN 2009

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Turf Pride Lawn Food with  
Trimec Herbicide

Name and Address of Registrant (include ZIP Code):

Howard Fertilizer and Chemical Company Inc.  
P.O. Box 628202  
Orlando, FL 32862-8202

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
- 2) To the First Aid section, place the If In Eyes statements after the If Swallowed statements.

Signature of Approving Official:

*Joanne I. Miller*

Joanne I Miller  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)

Date:

14 JAN 2009

Submit one copy of the revised final printed label for the record. A stamped copy of the label is included for your records. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at [Kraft.Erik@epa.gov](mailto:Kraft.Erik@epa.gov).

- 3) To the Hazards to Humans and Domestic Animals section, add "Harmful if absorbed through skin. Causes moderate eye irritation. Wear chemical-resistant gloves (such as or made of any waterproof material, selection category A)."
- 4) Change the first 2 sentences of the Environmental Hazards section to "This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water."
- 5) To the label add "Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day."
- 6) Add the following application restrictions to the label "Limited to 2 applications per year."

REC'D 10-29-07 3  
4

# Turf Pride<sup>®</sup> Lawn Food with Trimec<sup>®</sup> Herbicide

[Additional Brand Name(s): Turf Pride<sup>®</sup> AccuBlend<sup>™</sup> Lawn Food with Trimec<sup>®</sup> Herbicide; Turf Pride<sup>®</sup> AccuBlend<sup>™</sup> Fertilizer with Trimec<sup>®</sup> Herbicide]  
A TRIPLE ACTION BROADLEAF HERBICIDE WITH LAWN FOOD  
50 LB TREATS UP TO 5000 SQ. FT. OF TURFGRASS  
FOR USE IN CONTROL OF BROADLEAF WEEDS IN HOME LAWNS, APARTMENT AND CONDOMINIUM TURFGRASS AND OTHER ORNAMENTAL AND RECREATIONAL TURFGRASS  
A BROADLEAF WEED KILLER FOR SOUTHERN LAWNS  
BALANCED LAWN FOOD GIVES TURF FAST-GREENING WITH EXTENDED FEEDING  
CONTROLS: Dandelions, Chickweed, Knotweed and many Other Weeds as listed.  
For use on St. Augustinegrass, Centipedegrass, Zoysiagrass, Bahiagrass, Bermudagrass, Bluegrass, Bentgrass and Fescue varieties.

ACCEPTED  
WITH COMMENTS  
IN EPA Letters Dated  
14 JAN 2008  
under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No. 35512-56

## ACTIVE INGREDIENTS:

- Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid .....0.20%
- Dimethylamine salt of 2,4-dichlorophenoxyacetic acid.....0.11%
- Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid).....0.05%

OTHER INGREDIENTS: .....99.64%

TOTAL: .....100.00%

This product contains: 3.2 LB or 0.16% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid per ton; 1.80 LB or 0.09% 2,4-dichlorophenoxyacetic acid per ton.; 0.80 LB or 0.04% dicamba (3,6-dichloro-o-anisic acid) per ton.

Isomer specific by AOAC Methods. Contains the single isomer form of Mecoprop-p. TRIMEC<sup>®</sup> is a registered trademark of FBI/GORDON Corporation.

## GUARANTEED ANALYSIS

- Total Nitrogen (N) ..... x.xx%
- x.xx% Ammoniacal Nitrogen
- x.xx% Nitrate Nitrogen
- x.xx% Urea Nitrogen
- x.xx% Water Insoluble Nitrogen\*
- Available Phosphate (P<sub>2</sub>O<sub>5</sub>)..... x.xx%
- Soluble Potash (K<sub>2</sub>O)..... x.xx%

Chlorine (Cl), not more than x.xx%

Derived from: \_\_\_\_\_

\*x.xx% slowly available nitrogen from \_\_\_\_\_

F1261

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed above and referring to the batch number found on this container.

## KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

<b>If in eyes</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If on skin or clothing</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>If swallowed</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### General Precautions and Restrictions

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dust has settled.

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area, especially careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns.

Do not use on dichondra. Do not over-apply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause a minor transitory discoloration on St. Augustinegrass.

Turf Pride<sup>®</sup> is a registered trademark of Howard Fertilizer & Chemical Company, Inc.  
Manufactured & Guaranteed by  
**HOWARD FERTILIZER & CHEMICAL COMPANY, INC.**  
P.O. BOX 628202 - ORLANDO, FL 32862-8202

**NET WT 50 LB (22.7 kg)**

EPA Reg. No. 35512-56  
October 23, 2007 - amendment

EPA Est. No. 35512-FL-2  
Page 1 of 2 Pages

4/1

**WHERE TO USE:** This product may be used on all varieties of Zoysiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Bahiagrass, Bentgrass, Fescues and Bluegrass.

**WHEN TO USE:** Apply when weeds are young and actively growing in the spring, summer or fall. Best results will be obtained if applied in the morning when dew is on the grass and when daily temperatures range from 65° to 90°F. For lawns that are heavily over-run by hard-to-kill weeds or in a state of poor growth due to low moisture conditions, a second treatment in 30 to 45 days may be necessary.

The maximum application rate to turf is 0.5 lb. 2,4-D acid equivalent per acre per application site. The maximum number of broadcast applications per treatment site is 2 per year.

**HOW TO APPLY:** Mow lawn to normal height 1 to 2 days before application. Water lawn thoroughly, as needed, at least 1 day before application to sustain moisture until the next watering (1-2 days after application). Choose a calm day to ensure uniform coverage and avoid spreading granules onto non-target plants. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants. Wait 1-2 days following application, then water treated area thoroughly.

#### SPREADER SETTINGS

To check for your spreader settings refer to your spreader manual details and apply 10 pounds of product to cover 1,000 sq. ft. of turfgrass. During application, close spreader openings when turning.

#### BROADLEAF WEEDS CONTROLLED

Annual yellow sweetclover, Aster, Austrian fieldcress, Bedstraw, Beggertick, Betony (Florida), Bindweed (field), Bird vetch, Bitter wintercress, Bittercress (hairy), Bitterweed, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower milkweed, Blue lettuce, Blue vervain, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull thistle, Bullnettle, Burclover, Burdock, Burning nettle, Burweed, Buttercup, Buttonweed, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catnip, Catsear, Chickweed (common, mouseear), Chicory, Cinquefoil, Clover (crimson, hop, red, strawberry, sweet, white), Cockle, Cocklebur, Common mullein, Creeping jenny, Cudweed, Curly dock, Daisy (English, fleabane, oxeye), Dandelion, Dichondra, Dogbane, Dogfennel, Dollarweed, False dandelion, False flax, False sunflower, Fiddleneck, Florida pusley, Frenchweed, Galinsoga, Goathead, Goldenrod, Ground ivy, Gumweed, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Heathaster, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Horsenettle, Jimsonweed, Knawel, Knotweed, Kochia, Lambsquarters, Lespedeza, Mallow, Matchweed, Mexicanweed, Milk vetch, Morningglory, Mouseear hawkweed, Mugwort, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oriental cocklebur, Oxalis, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pinewoods bedstraw, Plains coreopsis (tickseed), Plantain, Poison ivy, Poison oak, Pokeweed, Poorjoe, Prairie sunflower, Prickly lettuce, Prickly sida, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncturevine, Purslane (common), Ragweed, Red sorrel, Redroot pigweed, Redstem filaree, Rough cinquefoil, Rough fleabane, Russian pigweed, Russian thistle, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smooth dock, Smooth pigweed, Sorrel, Sowthistle, Spanishneedles, Speedwell, Spiny amaranth, Spiny cocklebur, Spiny sowthistle, Spotted catsear, Spotted spurge, Spurweed, Stinging nettle, Strawberry (India mock), Tall nettle, Tall vervain, Tansy ragwort, Tansy mustard, Tanweed, Thistle, Trailing crownvetch, Tumble mustard, Tumble pigweed, Velvetleaf, Venice mallow, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Water pennywort, Wavyleaf bullthistle, Western clematis, Western salsify, White mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild mustard, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Woodsorrel, Woolly croton, Woolly morningglory, Woolly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

### Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container and keep bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**Pesticide Disposal:** Wastes resulting from a spill or from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.