

PM 10 35558-6

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

35558-6

Date of Issuance:

7 MAR 1996

NOTICE OF PESTICIDE:

Registration
 Reregistration

Term of Issuance:

Conditional

Name of Pesticide Product:

Bradley Industrial Spray

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bradley Extermination Co., INC.
5916 Briergien Avenue
Memphis, TN 38120-2312

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 35558-6".

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

RPK

Date:

7 MAR 1996

BRADLEY INDUSTRIAL SPRAY

For Use in the Home, and Non-Food and Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theaters, Kennels, Hospitals.

ACTIVE INGREDIENTS:

- Pyrethrins 0.50%
- * Piperonyl butoxide, Technical 1.00%
- ** N-Octyl bicycloheptene dicarboximide ... 1.67%

*** INERT INGREDIENTS 96.83%

* Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds

** MGK 264[®], Insecticide Synergist

*** Contains petroleum distillate

MGK[®] Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents _____

Manufactured by:

BRADLEY EXTERMINATING
8100 26th Avenue, South
Minneapolis, MN 55425-1304

ACCEPTED

WITH COMMENTS

In EPA Letter Dated

EPA Reg. No. _____

EPA Est. No. 35558-A

17 MAR 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No.

35558-6

3/10


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.



QUESTIONS?

Call BRADLEY EXTERMINATING and talk to a pest control expert.

Toll Free Minnesota: 1-800-247-0019

Toll Free Outside Minnesota: 1-800-BRAD EXT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Accessible Stages of Insects* Infesting Dried Fruit Products in Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat application as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month. More than ten applications may be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part of this insecticide plus 5.6 parts oil.

*Confused Flour Beetle, Dried Fruit Beetle, Indian Meal Moth, Roaches, and Saw-Toothed Grain Beetle.

To Kill the Adult and Accessible Insect Pests* of Stored Food (Stored in Multiwall Paper Bags or Cloth Bags in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine or use fixed ceiling sprayers that produce a very fine mist. Use a dosage of 1 fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated area. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

*Angoumois Grain Moth, Cadelle, Confused Flour Beetles, Indian Meal Moth, Mediterranean Flour Moth, Rice Weevil, Saw-toothed Grain Beetle and Yellow Meal Worm.

To Kill Flies, Gnats and Mosquitoes: Close room and discharge spray mist as described above. Use a dosage of $\frac{1}{2}$ of 1 fluid ounce per 1,000 cubic feet of room space. Leave the room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated area. Ventilate the area after treatment is completed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewerage plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Cadelles, Cigarette Beetles, Confused Flour Beetles, Drug Store Beetles, Granary Weevils, Meal Moth Larvae and Adults, Rice Weevils, Rust Red Flour Beetles and Saw-toothed Grain Beetles:

Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1,000 square feet. Pay particular attention to cracks and crevices in floors, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations:

Apply this spray with a sprayer that produces coarse, wetting droplets into cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

NOTE: When using oil as a diluent, an odorless light petroleum hydrocarbon as defined by CFR Title 21, Section 172.884 should be used for all applications for use under USDA meat, poultry, shell egg grading, and egg products inspection programs.