


SPP



CONCENTRATED CHLORINATING

2 1/2" JUMBO TABLETS

ACTIVE INGREDIENT:	
TRICHLORO-S-TRIAZINETRIONE	100%
AVAILABLE CHLORINE	90%

DANGER: KEEP OUT OF REACH OF CHILDREN

See other precautions and first aid on back panel.

Approx. 2 1/2" diameter, 5 1/3 oz. av. each. For automatic and floating feeders.
Slow dissolving, stabilized type

NET WEIGHT POUNDS

EPA REG. NO. 35572-3 EPA EST. NO. 35572-C-1

SPP CONCENTRATED CHLORINATING 2 1/2" JUMBO TABLETS

— DIRECTIONS —

1. STABILIZE pool water. This is necessary to insure maximum effectiveness of SPP tablets. Properly conditioned pools should be treated with SPP Water Conditioner (1/2 oz. per bath).
 2. CHECK RESIDUAL CHLORINE with a suitable chlorine test kit. If below 1.0 part per million (ppm), use SPP Dry Chlorine (granular) to establish residual chlorine at 1.0 to 1.5 ppm.
 3. MAINTAIN RESIDUAL CHLORINE at 1.0 to 1.5 ppm by placing 1 SPP Tablet for every 5,000 gallons of water into feeder every 7 to 14 days. Each tablet supplies about 7 ppm available chlorine per 5,000 gallons of water. The number of tablets required for your pool may vary depending on temperature, wind, rain, pool usage and feeding method. Test pool water frequently with a suitable chlorine test kit to assure the proper concentration of available chlorine level at 1.0 to 1.5 ppm. Adjust subsequent additions as necessary.
 4. MEASURE pH immediately and at least once each week with a suitable test kit. Adjust pH to 7.2 to 7.6. Use suitable agents such as SPP Dry Acid to reduce pH and SPP Soda Ash to increase pH.
- * Follow directions for use on labels of these products.

— DANGER —

DANGER: KEEP OUT OF REACH OF CHILDREN.

CORROSIVE Causes eye damage. May be fatal if swallowed. Do not get in eyes or on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to bare skin. Wash hands after handling.

FIRST AID: If swallowed feed fruit, cooked cereal, or bread soaked in milk, followed by severe cooking oil. Call a physician immediately. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 10 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well-ventilated area away from heat or open flame. Decomposes at 350-475 degrees F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Manufactured by **CHEM-TAB CHEMICAL CORP., Long Beach, Ca**

ACCEPTED
AUG 25, 1975
35572-3

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO.