

**-DANGER-**

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**CORROSIVE.** Causes eye damage may be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

**FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

**DANGER:**

**STRONG OXIDIZING AGENT**

Mix only with water. Use clean, dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350-475 degrees F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.


**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Repackaged by

**CHEM-TAB CHEMICAL CORP.**

Compton, Ca. 90220

# GRANULAR



## CHLORINATING CONCENTRATE

**CONTAINS BUILT-IN CONDITIONER**

ACTIVE INGREDIENT:

SODIUM DICHORO-s-TRIAZINETRIONE	100%
AVAILABLE CHLORINE	62%

**See additional precautions and first aid on side panel.**

**DANGER: KEEP OUT OF REACH OF CHILDREN**

**NET WEIGHT POUNDS**

**This product may settle in transit.**

**Sold by weight only.**


EPA REG. NO. 35572-4

EPA EST NO. 35572-CA 1


- Features a chlorinating concentrate that dissolves immediately.
- A most effective germicide and algicide which also reduces cloudiness in water.
- Will not add scale forming minerals to the water.
- Will maintain your pool crystal clear.

**-DIRECTIONS-**

1. STABILIZE POOL WATER WITH SPP WATER CONDITIONER (cyanuric acid). This is necessary to insure maximum effectiveness and also conditions the water so that far less SPP GRANULAR CHLORINATING CONCENTRATE will be needed to maintain the proper chlorine residual.
2. Check Residual Chlorine with a suitable test kit. If below 1.5 parts per million (ppm), add 3 ounces of SPP Granular Chlorinating Concentrate per 10,000 gallons of water. Recheck chlorine residual. If the chlorine residual is below 1.5 ppm, add dosage increments at a rate of 1 to 2 ounces to raise the concentration until a chlorine residual of 1.5 to 2.0 ppm of available chlorine has been established. Add to water by broadcasting over pool surface preferably at deep end.
3. MAINTAIN RESIDUAL CHLORINE ADD SPP GRANULAR CHLORINATING CONCENTRATE daily, or as needed to maintain 1.5 to 2.0 ppm residual chlorine. Two ounces of SPP Granular Chlorinating Concentrate will supply 1.5 ppm chlorine to 10,000 gallons of water. The amount of subsequent additions will vary depending on temperature, wind, rain and pool usage. Test pool water frequently with a suitable test kit to assure proper concentration of residual chlorine.
4. RE-TEST RESIDUAL CHLORINE at least once a week with a suitable test kit. Adjust pH to 7.2 to 7.6. Use suitable agent such as SPP DRY ACID to reduce pH and SPP SODA ASH to raise pH.



# GRANULAR



## GRANULAR CHLORINATING CONCENTRATE

### CONTAINS BUILT-IN CONDITIONER

#### ACTIVE INGREDIENT:

CHLORO-s-TRIAZINETRIONE	100%
CHLORINE	62%


Additional precautions and first aid  
on side panel.

**DANGER: KEEP OUT OF REACH OF CHILDREN**

- Features a chlorinating concentrate that dissolves immediately
- Almost effective germicide and algicide
- Will not cause cloudiness in water
- Will not add scale forming minerals in the water
- Will maintain your pool crystal clear

#### —DIRECTIONS—

1. STABILIZE POOL WATER WITH SPP WATER CONDITIONER (cyanuric acid) This is necessary to insure maximum effectiveness and also conditions the water so that far less SPP GRANULAR CHLORINATING CONCENTRATE will be needed to maintain the proper chlorine residual
2. Check Residual Chlorine with a suitable test kit. If below 1.5 parts per million (ppm), add 3 ounces of SPP Granular Chlorinating Concentrate per 10,000 gallons of water. Recheck chlorine residual. If the chlorine residual is below 1.0 ppm add dosage increments at a rate of .1 to .2 ounces to raise the concentration until a chlorine residual of 1.5 to 2.0 ppm of available chlorine has been established. Add to water by broadcasting over pool surface, preferably at deep end.
3. MAINTAIN RESIDUAL CHLORINE Add SPP GRANULAR CHLORINATING CONCENTRATE daily, or as needed to maintain 1.5 to 2.0 ppm residual chlorine. Two (2) ounces of SPP Granular Chlorinating Concentrate will supply 1.0 ppm chlorine to 10,000 gallons of water. The amount of subsequent additions will vary depending on temperature, wind, rain and pool usage. Test pool water frequently with a suitable test kit to assure proper concentration of available chlorine.
4. MEASURE pH immediately and at least



# CHLORINATING CONCENTRATE

## CONTAINS BUILT-IN CONDITIONER

### ACTIVE INGREDIENT:

TRIS(1,3,5-TRICHLORO-2-PYRIDYL)-S-TRIAZINETRIONE	100%
AVAILABLE CHLORINE	62%

See additional precautions and first aid on side panel.

# DANGER: KEEP OUT OF REACH OF CHILDREN

## NET WEIGHT POUNDS

This product may settle in transit.  
Sold by weight only.

REG. NO. 35572-4

EPA EST. NO. 35572-CA-1

WATER CONDITIONER (cyanuric acid) This is necessary to insure maximum effectiveness and also conditions the water so that far less SPP GRANULAR CHLORINATING CONCENTRATE will be needed to maintain the proper chlorine residual

2. Check Residual Chlorine with a suitable test kit. If below 1.5 parts per million (ppm), add 3 ounces of SPP Granular Chlorinating Concentrate per 10,000 gallons of water. Recheck chlorine residual. If the chlorine residual is below 1.0 ppm add dosage increments at a rate of .1 to .2 ounces to raise the concentration until a chlorine residual of 1.5 to 2.0 ppm of available chlorine has been established. Add to water by broadcasting over pool surface, preferably at deep end.
3. MAINTAIN RESIDUAL CHLORINE Add SPP GRANULAR CHLORINATING CONCENTRATE daily or as needed to maintain 1.5 to 2.0 ppm residual chlorine. Two (2) ounces of SPP Granular Chlorinating Concentrate will supply 1.0 ppm chlorine to 10,000 gallons of water. The amount of subsequent additions will vary depending on temperature, wind, rain and pool usage. Test pool water frequently with a suitable test kit to assure proper concentration of available chlorine.
4. MEASURE pH immediately and at least once each week with a suitable test kit. Adjust pH to 7.2 to 7.6. Use suitable agents such as SPP DRY ACID to reduce pH and SPP SODA ASH to increase pH.

Follow directions for use on label of these products



