


# SPP



## CONCENTRATED CHLORINATING

1"  
TABLETS

ACTIVE INGREDIENT  
TRICHLORO-S-TRIAZINETRIONE 100%  
AVAILABLE CHLORINE 90%

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See other precautions and first aid on back panel.

Approx. 1" diameter 1/2 oz. av. each For automatic and floating feeders.  
Slow dissolving stabilized type.

**NET WEIGHT POUNDS**

EPA REG. NO. 35572-5 EPA EST. NO. 35572-CA-1

**ACCEPTED**  
*August 25, 1975*  
UNDER FEDERAL TRADE COMMISSION  
FUNGICIDE AND DENTICLE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 35572-5

## SPP CONCENTRATED CHLORINATING TABLETS

### — DIRECTIONS —

1. STABILIZE pH of water. This is necessary to insure maximum effectiveness of SPP Tablets. For unconditioned pools should be treated with SPP Water Conditioner.
  2. CHECK RESIDUAL CHLORINE with a suitable chlorine test kit. If below 1.0 part per million (ppm) add SPP Dry Chlorine (granular)\* to establish residual chlorine at 1.0 to 1.5 ppm.
  3. MAINTAIN RESIDUAL CHLORINE at 1.0 to 1.5 ppm by placing 10 SPP Tablets for every 5,000 gallons of water into feeder every 7 to 14 days. Each tablet supplies about 3 ppm available chlorine per 1,000 gallons of water. The number of tablets required for your pool may vary depending on temperature, wind, rain, pool usage and feeding method. Test pool water frequently with a suitable chlorine test kit to assure the proper concentration of available chlorine level at 1.0 to 1.5 ppm. Adjust subsequent additions as necessary.
  4. MEASURE pH immediately and at least once each week with a suitable test kit. Adjust pH to 7.2 to 7.6. Use suitable agents such as SPP Dry Acid\* to reduce pH and SPP Soda Ash\* to increase pH.
- \*Follow directions for use on labels of these products.

### — DANGER —

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**CORROSIVE.** Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to bare skin. Wash hands after handling.

**FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive or mineral oil. Call a physician immediately. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

### DANGER: STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well-ventilated area away from heat or open flame. Decomposes at 350-475 degrees F with liberation of harmful gases. In case of decomposition, if possible isolate container and flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before disposal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Treated effluent should not be discharged directly into streams, lakes, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Manufactured by **CHEM-TAB CHEMICAL CORP.**, Long Beach, Ca

35572-5

ACCEPTED  
August 25, 1975  
UNDER THE FEDERAL  
FUNGICIDE, INSECTICIDE  
AND MITICIDE ACT  
FOR RECORDING AND  
INDEXING  
EPA REG. NO. 39972-5

**SPP**

**CONCENTRATED CHLORINATING  
1  
TABLETS**

**BEST DOCUMENT AVAILABLE**

**DANGER: KEEP OUT OF REACH  
OF CHILDREN**

See other precautions and first aid on back panel.

NET WEIGHT POUNDS

**SPP CONCENTRATED CHLORINATING TABLETS 10/1**  
DIRECTIONS

**KEEP OUT OF REACH OF CHILDREN.**

STATE OF CALIFORNIA

THEM 745 CHEMICAL CORP