

**Precautionary Statements  
Hazardous to Humans and Domestic  
Animals**

**CAUTION**

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not treat while food processing is underway. If used in food processing or preparation areas, food should be removed or covered during treatment. Food processing surfaces should be covered during treatment or thoroughly cleaned. Remove pets, birds and cover fish bowls (tanks) before spraying. Do not allow children or pets to contact treated surfaces until spray has dried.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

**Physical Hazards**

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool dry area away from heat or open flame.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.



**No. 2  
RESIDUAL  
INSECTICIDE SPRAY**

For Use in Homes and Food and Non-Food Areas of  
Barns, Commercial Buildings, Apartments,  
Theater, Office Buildings, Schools, Motel, House  
Restaurants and Food Processing Facilities

|  |          |
|--|----------|
| <b>ACTIVE INGREDIENTS</b>  |          |
| Deltamethrin (ethyl hexanoate of Deltamethrin)                               | 0.055%   |
| Permethrin (Bifenthrin, technical)   | 0.100%   |
| 0-Octyl bicyclohexane dicarboximide  | 0.188%   |
| Chlorpyrifos (0-0-dimethyl 0-13.5 0-trichloro-P pyridyl phosphorochloridate) | 0.500%   |
| Pyrethrum distillate   | 93.860%  |
| Autumn permethrin distillate   | 0.285%   |
| <b>INERT INGREDIENTS</b>   | 95.033%  |
|  | 100.000% |

\*Equivalent to 0.0% (bifenthrin) (0-propylperonyl ether) and 0.2% related compounds  
EPA Reg. No. 1. Insecticide Synergist  
U.S. Patent No. 3,244,366-130- Chemical Company

**CAUTION  
KEEP OUT OF REACH OF CHILDREN  
PRACTICAL TREATMENT**

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.  
**IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists.  
**IF SWALLOWED:** Remove all traces of product. Do not induce vomiting. Get medical attention immediately.

Net Contents 20 ounces

Manufactured by  
**ENTERPRISE SALES COMPANY**  
Los Angeles, California 90013

EPA Est. No.

**General:** Use this product as a spot or crack and crevice treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply as a coarse spray localized areas where pests are found or may occur. Spray surfaces until wet. Repeat as needed.

**Applications in and around the home:** Use as a spot or crack and crevice treatment to control Cockroaches, Ants, Crickets, Silverfish, Sowbugs, Spiders and Earwigs. Apply this product as a coarse spray to localized areas where pests are found or may occur. Apply behind and beneath cabinets, refrigerators, sinks, stoves, around baseboards and in and around waste containers. Spray surfaces until wet. Contact as many insects as possible. For ants, spray trails and places where ants enter premises. Repeat as necessary for control.

**To Kill Carpet Beetles and Dermestids:** Spray along baseboards, edges of carpeting, under carpets and rugs, under furniture and in other places of harborage.

**To Kill Brown Dog Ticks and Fleas:** Remove and destroy old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as necessary. Fresh bedding should be placed in animal quarters after spray has dried. Do not spray animals. To control the source of your flea infestation treat your pet with a product registered for application to animals.

**Application within food handling establishments (places other than private residences in which food is held, processed, prepared or served) including, but not limited to, restaurants, grocery stores, bakeries, bottling plants, canneries and grain mills:** To kill ants, roaches, crickets, silverfish, sowbugs, spiders, earwigs, brown dog ticks, fleas, carpet beetles and dermestids. Use as a spot treatment to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated, using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms and closets, along and behind baseboards, beneath and behind stoves, refrigeration units, floor drains and plumbing. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors.

**APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE AND SPOT TREATMENT ARE NOT PERMITTED.**

BEST DOCUMENT AVAILABLE  
 NATIONAL ARCHIVES  
 COLLEGE PARK, MARYLAND  
 20740

