·		
	Ŷ	DIRECTIONS FOR USE
	Nop Istall	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
	XX & HASCOCIDE 45 35611-1 DEC 5 1 1985	HASCOCIDE 45 is used to control the growth of algae in swimming pools, axterior spas, whirlpools, hot tubs, and decorative fountains. For max- imum effectiveness pools, spas, whirlpools, hot tubs, and decorative fountains containing
1 Q	No. No.	heavy growth of algae should be cleaned prior to using <u>HASCOCIDE 45</u> For pools having just visible algae growth add an initial dose of <u>36.5</u> to <u>56</u> fluid ounces of <u>HASCOCIDE 45</u> per 10,000 gallons of water and re-
0 N		move settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 20 to36.5 fluid ounces of <u>HASCOCIDE 45</u>
		per 10,000 gallons of water. Subsequent additions of <u>6.5</u> to <u>1.3</u> fluid ounces of <u>HASCOCIDE 45</u> per 10,000 gallons of water should be made every 5 to
	/E INGREDIENT:	7 days after initial treatment for maintenance.
Poly(oxysthylene (dimethyliminio) ethylene-		Spas, whirlpools, hot tubs, and decorative fountains having just visible algae growth re- quire an initial dose of 4 to 6 fluid ounces of <u>HASCOCIDE 45</u>
	hethyliminio) ethylene dichloride)	per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whiripool,
INERT	INGREDIENT	hot tub, or decorative fountain, add initially 2 to 4 fluid ounces of HASCOCIDE 45 per 1,000 gallons of water. Subsequent addi-
This o	product contains <u>1.74</u> lb, of active ingredient per gallon and weighs	tions of <u>1</u> to <u>2</u> fluid ounces of <u>HASCOCIDE 45</u>
	. ib, per gallon.	should be made every 5 to 7 days after initial treatment for maintenance. <u>HASCOCIDE 45</u> is compatible with those chemicals normally
		used to treat pools, spas, and decorative fountains and is affective at both acid and alkaline pH. <u>HASCOCIDE 45</u> can be used in pools, spas, and
	KEEP OUT OF REACH OF CHILDREN	decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix <u>HASCOCIDE 45</u> with concentrated dry or liquid chlorine products.
	CAUTION	
		STORAGE AND DISPOSAL
		STORAGE: Keep container closed when not in use. Leaking or damaged con-
	PRECAUTIONARY STATEMENTS	tainers should be placed in a plastic bag and discarded in trash. Mop up spills
	HAZARDS TO HUMANS AND DOMESTIC ANIMALS	with clear water. All pesticides should be kept out of reach of children and stored away from food.
CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.		DISPOSAL: Do not reuse empty container. Wrap container and place in trash.
	ST AID: If swallowed, drink promptly a large quantity of milk, egg whites,	
	in solution, or, if these are not available, drink large quantities of water.	
	d alcodol. Call a physician immediately. RONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of	Manufactured by:
	, streams, or ponds. Permits may be required for discharges containing this	<u>Hollis Applied Sciences Co.</u> <u>P.O. Box 38245</u>

pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

NET CONTENTS _

EPA EST. NO. _

Memphis, TN 38138

EPA REG. NO. 35611-1