

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Container Disposal: a) Containers of 30 gallons or more—re-seal container and offer for reconditioning, or:

b) All containers—triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

IN MISTING EQUIPMENT: Use spraying device similar to Microsol machine or cold aerosol generators such as MICRO-GEN and LECO.

To Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist as described on left panel. Use a dosage of $\frac{1}{2}$ to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelle, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See Above) DO NOT apply this spray to surfaces that may come in contact with food; excessive residues in food may result.



SHOCKET ESBIOL™ FOOD PLANT SPRAY

ACTIVE INGREDIENTS:

d-trans-chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.326%
Other isomers	0.024%
**Piperonyl butoxide, technical	0.700%
N-octyl bicycloheptene dicarboximide	1.170%
Petroleum distillate	97.780%
*S-bioallethrin from ESBIOL (TM) Roussel-Uclaf.	100.000%
**Equivalent to .560% (butylcarbityl) (6-propylpiperonyl)etha and 140% related compounds.	

CAUTION

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Do not breathe spray mist. Wear mask or respirator a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water before re-use. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas apply only when the facility is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use drum. Return to drum reconditioner or destroy by perforation or crushing and burying in a safe place.

Mix well in container before each use. Keep container closed and store in a cool place.

PHYSICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



SHOCKET

ESBIOL FOOD PLANT SPRAY

ACTIVE INGREDIENTS:

*d-trans-chrysanthemum monocarboxylic acid ester of	
d-2-allyl-4-hydroxy-3-methyl-2-cyclopentan-1-one	0.326%
Other isomers	0.024%
**Piperonyl butoxide, technical	0.700%
N-octyl bicycloheptene dicarboximide	1.170%
Petroleum distillate	97.780%
*S-bioallethrin from ESBIOL (TM) Roussel-Uclaf.	100.000%
**Equivalent to .560% (butylcarbityl) (6-propylpiperonyl)ether and .140% related compounds.	

CAUTION

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Deadly if swallowed. Do not breathe spray mist. Wear mask or respirator of the type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water before re-use. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. When using the product in these areas, do so only when the facility is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not use when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product as specified on this label.

Do not re-use drum. Return to drum reconditioner or destroy by perforating, crushing and burying in a safe place.

Shake well in container before each use. Keep container closed and store in a safe place.

PHYSICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Kill Roaches, Silverfish and Termites in Sheltered Situations:
Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

USE IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Accessible Stages of Insects * Infesting Dried Fruit Products Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part SHOCKET Food Plant Industrial Spray plus 5.6 parts oil.

* Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches.

To Kill the Adult and Accessible Forms of Insect Pests * of Stored Food (Stores in Multiwall Paper Bags or in Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth

ACCEPTED

AUG 25 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under Reg. No. 35629-3

MFG. BY,

SHOCKET CHEMICAL CORPORATION
GARDEN CITY PARK, N.Y. 11530

E.P.A. Reg. No. 35629-3



E.P.A. EST.No. 35629-N.Y.-1

NET CONTENTS ____ GAL.