

ACCEPTED

7 MAY 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 35666-1

**USE TO PROTECT EXTERIOR
SURFACES OF:**

Barns, out buildings and silos; and boardwalks, bridges, fence posts, floors, shingles, sills, timbers & similar sites not in contact with food, feed or livestock.

Large size lumber such as fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry and well seasoned and immersed in the product for a period of 12 to 24 hours to be effective wood preserver.

Creosote acts as a permanent stain, giving a desirable brown color to wood surfaces. Two coats applied one to two days apart are recommended. One gallon will cover approximately sixty to eighty square feet with two coats.

"Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies."

CAUTION:

This product is toxic to fish and wild life.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

**DARK CREOSOTE
WOOD
PRESERVATIVE**

CREOSOTE OIL

ACTIVE INGREDIENT
COAL TAR CREOSOTE — 96.5%
INERT INGREDIENTS — 3.5%
TOTAL — 100.0%

CAUTION:

"KEEP OUT OF REACH OF CHILDREN"

"HARMFUL OR FATAL IF SWALLOWED"
COMBUSTIBLE

READ OTHER CAUTIONS ON SIDE PANELS

CONTENTS 1 U.S. GALLON

EPA. REG. NO. 35666-1

EPA. EST. NO. 35666-KY-1

CAUTION

CONTAINS CREOSOTE

Do not use inside dairy barns or other structures where it may come in contact with feed or livestock.

**COMBUSTIBLE — KEEP AWAY FROM
HEAT AND OPEN FLAMES**

**HARMFUL OR FATAL IF
SWALLOWED.**

**Avoid breathing of vapors.
Use adequate ventilation.**

**Do not get in eyes, on skin or
clothing. If swallowed,
vomiting. CALL PHYSICIAN
IMMEDIATELY.**

PACKAGED AND DISTRIBUTED BY

M. J. DALY CO. INC. LUDLOW, KY. 41016

CREOSOTE WOOD PRESERVATIVE

CREOSOTE OIL
ACTIVE INGREDIENT
CREOSOTE — 96.5%
INERT INGREDIENTS — 3.5%
TOTAL — 100.0%

CAUTION:
"KEEP OUT OF REACH OF CHILDREN"
"HARMFUL OR FATAL IF SWALLOWED"
COMBUSTIBLE
READ OTHER CAUTIONS ON SIDE PANELS

1 U.S. GALLON
EPA. REG. NO. 35666-1
EPA. EST. NO. 35666-KY-1

PACKAGED AND DISTRIBUTED BY
LUDLOW, KY. 41016

CAUTION
CONTAINS CREOSOTE OIL
Do not use inside dairy barns, silos or other structures where it may contact food, feed or livestock.

**COMBUSTIBLE — KEEP AWAY FROM
HEAT AND OPEN FLAME.**

**HARMFUL OR FATAL IF
SWALLOWED.**

**Avoid breathing of vapors.
Use adequate ventilation.**

**Do not get in eyes, on skin or on
clothing. If swallowed, induce
vomiting. CALL PHYSICIAN
IMMEDIATELY.**

DARK CREOSOTE WOOD PRESERVATIVE

CREOSOTE OIL
ACTIVE INGREDIENT
COAL TAR CREOSOTE — 96.5%
INERT INGREDIENTS — 3.5%
TOTAL — 100.0%

CAUTION:
"KEEP OUT OF REACH OF CHILDREN"
"HARMFUL OR FATAL IF SWALLOWED"
COMBUSTIBLE
READ OTHER CAUTIONS ON SIDE PANELS

CONTENTS 1 U.S. GALLON
EPA. REG. NO. 35666-1
EPA. EST. NO. 35666-KY-1

PACKAGED AND DISTRIBUTED BY
M. J. DALY CO. INC. LUDLOW, KY. 41016

ACCEPTED

MAY 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRY
FD UNDER NO. 35666-1

**USE TO PROTECT EXTERIOR
SURFACES OF:**

barns, out buildings and silos, and boardwalks, bridges, fence posts, floors, shingles, sills, timbers & similar sites not in contact with food, feed or livestock.

Large size lumber such as fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry and well seasoned and immersed in the product for a period of 12 to 24 hours to be effective wood preserver.

Creosote acts as a permanent stain, giving a desirable brown color to wood surfaces. Two coats applied one to two days apart are recommended. One gallon will cover approximately sixty to eighty square feet with two coats.

"Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies."

CAUTION:

This product is toxic to fish and wild life.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

**DARK CREOSOTE
WOOD
PRESERVATIVE**

CREOSOTE OIL

ACTIVE INGREDIENT
COAL TAR CREOSOTE — 96.5%
INERT INGREDIENTS — 3.5%
TOTAL — 100.0%

CAUTION:

"KEEP OUT OF REACH OF CHILDREN"

"HARMFUL OR FATAL IF SWALLOWED"

COMBUSTIBLE

READ OTHER CAUTIONS ON SIDE PANELS

CONTENTS 1 U.S. GALLON

EPA. REG. NO. 35666-1

EPA. EST. NO. 35666-KY-1

PACKAGED AND DISTRIBUTED BY

M. J. DALY CO. INC. LUDLOW, KY. 41016

CAUTION

CONTAINS CREOSOTE OIL

Do not use inside dairy barns, silos or other structures where it may contact food feed or livestock

COMBUSTIBLE — KEEP AWAY FROM HEAT AND OPEN FLAME.

HARMFUL OR FATAL IF SWALLOWED.

Avoid breathing of vapors
Use adequate ventilation.

Do not get in eyes, on skin or on clothing. If swallowed, induce vomiting. **CALL PHYSICIAN IMMEDIATELY.**

**DARK CREOSOTE
WOOD
PRESERVATIVE**

CREOSOTE OIL

ACTIVE INGREDIENT

COAL TAR CREOSOTE — 96.5%

INERT INGREDIENTS — 3.5%

TOTAL — 100.0%

CAUTION:

"KEEP OUT OF REACH OF CHILDREN"

"HARMFUL OR FATAL IF SWALLOWED"

COMBUSTIBLE

READ OTHER CAUTIONS ON SIDE PANELS

CONTENTS 1 U.S. GALLON

EPA. REG. NO. 35666-1

EPA. EST. NO. 35666-KY-1

PACKAGED AND DISTRIBUTED BY

M. J. DALY CO. INC. LUDLOW, KY. 4101