

**Precautionary Statements
Hazards to Humans
and Domestic Animals**


WARNING:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

**PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT:**

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not mix this product with any other chemical or gross filth. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

NET CONTENTS



CHLORO-SAN

FABRIC AND DIAPER SANITIZER

ACTIVE INGREDIENTS

| | |
|---|-------|
| Sodium dichloro-s-triazinetrione dihydrate (provides 10.1% available chlorine) | 18.0% |
| Sodium carbonate | 25.0% |
| Sodium dodecylbenzene sulfonate | 2.4% |

INERT INGREDIENTS

54.6%

KEEP OUT OF REACH OF CHILDREN

WARNING

Harmful if swallowed. May cause eye damage. Do not get in eyes, on the skin or on clothing. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

CHLORO-SAN FABRIC & DIAPER SANITIZER

Recommended for stain removal and reduction of ammonia causing bacteria in institutional and commercial laundering of fabrics and diapers.

EPA REGISTRATION #35772-2

Manufactured by Establishment #35772IL01

DIRECTIONS FOR USE:

It is violation of a federal law to use this product in a manner inconsistent with its labeling.

Wet fabrics or diapers should be spin dried before the sanitizer is applied. Four ozs. CHLORO-SAN should be added for each 16 gal. wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application gives 200 ppm available chlorine in the pre-wash cycle.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLORO-SAN should be added, to give 200 ppm available chlorine in the pre-wash cycle.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight or heat. In case of spill flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved land-fill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

Crown Chemical Inc.
Crestwood, Ill.