

WOOD-LAST™

**Chromated Copper Arsenate
Concentrated Wood Preservative
Aqueous 50% Solution CCA - Type A**

ACCEPTED

JAN 3 1977

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
registered, for the pesticides
regulated under
EPA Reg. No. 35896-2

FOR MANUFACTURING USE ONLY

Active Ingredients:

Chromium Trioxide (CrO ₃)	32.20
Copper Oxide (CuO)	10.45
Arsenic Pentoxide (As ₂ O ₅)	7.35

50%
50

Inert Ingredient: Water

Total Elemental Arsenic (all in water-soluble form) 4.80%

KEEP OUT OF REACH OF CHILDREN

DANGER  **POISON**

- Harmful or Fatal if Swallowed.
- Causes damage to eyes, skin, mucous membrane.

FIRST AID

If Swallowed: Call physician. Induce vomiting. See left panel.

External: Flush eyes or skin with ample water. For eyes, call physician. See left panel.

SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS AT LEFT



CHEMICALS, INC.
SEWAREN, N.J. 07077 (U.S.A.)

EPA EST. NO. 35896-NJ-1
EPA REG. NO. 35896-2

**NET 675 LBS.
50 GAL.**

LOT NO. _____

35896-2

01/03/1977

1/2



DIRECTIONS FOR USE

(It is a violation of Federal law to use this product in a manner inconsistent with its labeling.)

Wood-Last™ Chromated Copper Arsenate Concentrate is for use after dilution only in pressure vessel- equipped wood treating plants for manufacture of preserved wood. Dilute this 50% solution to concentrations prescribed in American Wood-Preservers' Association Standards to achieve penetration and retention levels desired.

WARRANTY

Manufacturer warrants product to meet label specifications. Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions. Nothing hereon may be construed as authorization to practice any expired U.S. or foreign patent.

Precautionary Statements Hazards to Humans & Domestic Animals

DANGER

- Corrosive. Causes eye damage, skin or mucous membrane irritation.
- Harmful or fatal if swallowed. Do not swallow liquid or inhale mist.
- Handle in well ventilated area. Open drum with care to vent any pressure.
- Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves.
- Wash thoroughly with soap and water after handling.

FIRST AID

IF SWALLOWED: Call physician at once. Dilute stomach contents by giving patient 2-4 glasses of milk or water. Induce vomiting by finger in throat. Repeat until vomit is clear. Give 4 oz. of milk of magnesia followed by whites of two eggs beaten in a glass of water, or glass of milk. Keep patient calm and warm to avoid shock. (Never give anything by mouth to an unconscious person).

EXTERNAL CONTACT: Flush eyes or skin for 15 minutes with plenty of water, preferably warm. For eyes, be sure to wash under eyelids; call physician. After flushing, wash skin with soap thoroughly. Remove contaminated clothing at once. (Wash before reusing. Discard contaminated shoes.) For severe or persistent skin irritation, consult physician promptly.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE: SEE RIGHT PANEL

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Spills: Cover liquid with enough lime to neutralize acid and form alkaline paste. Shovel into steel or polyethylene container for disposal. Do not flush to sewer or stream.

Pesticide Disposal: All concentrate, treating solution, or rinsate that cannot be used or recycled should be disposed of according to procedures approved by federal, state, or local disposal authorities.

Container Disposal: Reseal drum and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

Consult Federal, State or Local Disposal authorities for approved alternative procedures.