

USE DIRECTIONS:

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Triple-D with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). **POTABLE WATER RINSE REQUIRED.**

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Do not reuse empty container.

Rinse thoroughly with water before discarding or returning to drum conditioner.

TRIPLE D

**CLEANER
DEODORIZER**

**DISINFECTANT
FUNGICIDE**

Designed for Hospital and Institutional use

ACTIVE INGREDIENTS:

n-Alkyl (60 C., 30 C., 5 C., 5 C.)	
Dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68 C., 32 C.) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS:	92.50%
	100.0%

NET CONTENTS:

EPA Reg. No. 35908-1

DANGER

Keep Out of Reach of Children. See right side panel for additional precautionary and first aid statements.

Boy-ko
SUPPLY CO.

Triple-D is a cleaner, disinfectant, and sanitizer designed for institutional use such as Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. Triple-D can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. **POTABLE WATER RINSE** is required.

DANGER

Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes & skin when handled. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED

MAY 18 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
EPA Reg. No. 35908-1
registered under

ACCEPTED

MAY 18 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
EPA Reg. No. 35908-1
registered under