

PH 25 35915-6

10/5

OXON ITALIA  
ATRAZINE TECHNICAL

Net Contents Kg:

A Herbicide for Manufacturing Use Only

Active Ingredients:

Atrazine 2-chloro-4-ethylamino-6-isopropylamino-S-triazine.....	95%
Related Active triazine compounds (minimum).....	2%
Inert Ingredients (maximum).....	3%
TOTAL:.....	100%

Keep Out of Reach of Children

Storage and Disposal


Pesticide Storage and Disposal

Store in a dry place. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment. Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal

Completely empty bag. Dispose of empty bag in a sanitary landfill or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire or other emergency, call (404) 587-1032 day or night.



**BEST AVAILABLE COPY**

Jofe

-2-

Precautionary StatementsHazards to Humans and Domestic Animals

## CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe dust. Avoid contact with eyes, skin or clothing.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Note to Physician: There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

EPA Reg. No. 35915-6

EPA Est. No. 35915-IT-03

OXON ITALIA S.p.A.  
Via Sempione, 195  
PERO-MILANO-ITALY 20016

**BEST AVAILABLE COPY**

-3-

**DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY**

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once

---

**Conditions of Sale and Warranty**

---

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of OXON ITALIA or the Seller. All such risks shall be assumed by the Buyer.

OXON warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. OXON makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall OXON or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by OXON ITALIA S.p.A. and is accepted as such by the Buyer.

No end use of this product other than manufacturing is intended or implied by the above Condition of Sale and Warranty.

**BEST AVAILABLE COPY**

4045

-4-

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Formulators are responsible for obtaining EPA registration for their end use product(s).

This product can only be used to formulate products with Agricultural weed control directions if the labeling for such end use products contains a restricted use classification and the following information and/or revised use directions. This product may not be used to formulate into end-use products for non-selective weed control on noncrop land.

If this product is used to formulate turf and/or lawn care products the following restrictions do not apply.

1. Users are required to wear long sleeve shirts and long pants or equivalent, chemical resistant gloves, and boots (waterproofed). In addition, persons involved in mixing/loading operations are required to use heavy-duty chemical resistant gloves or neoprene gloves and a face shield or goggles.
2. Restricted Use Pesticide - (Ground and Surface Water Concerns)

For retail to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use in order to minimize potential for atrazine to reach ground and surface water.

3. Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.
4. This product may not be mixed/loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. This product may not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. This product may not be applied aerially or by ground within 66 feet of the points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 ft. around natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.

**BEST AVAILABLE COPY**

5. Postemergence application to corn and sorghum must be made before corn and sorghum reaches 12 inches in height.
6. Applications for quackgrass suppression in corn and sorghum are restricted to a spring application only. No fall applications are permitted.
7. A) For soil applications prior to crop emergence (i.e., early preplant, preplant incorporated, preplant surface, at planting or preemergence).
  - i) On highly erodible soils (as defined by Soil Conservation Service (SCS), if conservation tillage is utilized [ $\geq 30\%$  plant residue] the maximum rate is 2 pounds a.i./A. If plant residue is  $< 30\%$ , the maximum rate is 1.6 pounds a.i./A.
  - ii) On soils not highly erodible, the maximum rate is 2 pounds a.i./A.
- B) For postemergence applications, if there has been no previous soil application for that crop, the maximum rate is 2 pounds a.i./A. If there has been a previous soil application to that crop, do not exceed a total of 2.5 pounds a.i./A/calendar year.
8. Do not apply this product through any type of irrigation system.
9. Where there are state/local requirements regarding atrazine use (including lower maximum rates and/or set-backs) which are different from the label, the more restrictive/protective requirements must be followed.

**BEST AVAILABLE COPY**