


PM 35  
35915 6



# Atrazine Technical

## A Herbicide for Manufacturing Use Only

**ACTIVE INGREDIENTS:**

Atrazine 2-chloro-4-ethylamino-6-isopropylamino-S-triazine .....	95%
Related Active atrazine compounds (minimum) .....	2%
<b>INERT INGREDIENTS (maximum) .....</b>	<b>3%</b>
<b>TOTAL: .....</b>	<b>100%</b>

Keep Out Of Reach of Children

### CAUTION

See side panel for additional Precautionary Statements

EPA Reg. No. 35915-6  
EPA Est. No. 35915-IT-03

Net Contents Kg:

OXON ITALIA S.p.A. - Via Sempione, 195 PERO - MILANO - ITALY  
Tel 02/35378 1 - Fax 02/3390275 - Telex 332397

### STORAGE AND DISPOSAL PESTICIDE STORAGE AND DISPOSAL

Store in a dry place. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Washes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag. Dispose of empty bag in a sanitary landfill or by incineration, or by open burning if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, leaks, etc. follow all precautions indicated on the label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire or other emergency call (404) 567-1032 day or night.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Do not breathe dust. Avoid contact with eyes, skin or clothing.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious patient.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**NOTE TO PHYSICIAN:** There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office.

### DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

**IMPORTANT:** Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

**CONDITIONS OF SALE AND WARRANTY**

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of the product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of OXON ITALIA or the Seller. All such risks shall be assumed by the Buyer.

Oxon Italia warrants that the product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. OXON makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall OXON or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of the product. The foregoing is a condition of sale by OXON ITALIA S.p.A. and is accepted as such by the Buyer.

No use of the product other than manufacturing is intended or implied by the above Condition of Sale and Warranty.

### DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling. Formulators are responsible for obtaining EPA registration for their end use products. This product can only be used to formulate products with Agriculture weed control directions if the labeling for such end use products contains a restricted use classification and the following information and/or revised use directions. This product may not be used to formulate and use products for non-pesticide weed control on non-crop land.

If this product is used to formulate turf and/or lawn care products the following restrictions do not apply.

- Users are required to wear long sleeve shirts and long pants or equivalent chemical resistant gloves and boots (waterproofed) in addition persons involved in mixing/loading operations are required to use heavy duty chemical resistant gloves or neoprene gloves and a face shield or goggles.
- Restricted Use Pesticide - (Ground and Surface Water Concerns)**  
For retail and end use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.  
This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use in order to minimize potential for atrazine to reach ground and surface water.  
Ground water contamination may be reduced by using and tamping of permanent liquid bulk storage sites with an impermeable material.  
This product may not be mixed/loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. This product may not be mixed or loaded in order to minimize potential for atrazine to reach ground and surface water.  
Ground water contamination may be reduced by using and tamping of permanent liquid bulk storage sites with an impermeable material.  
This product may not be mixed/loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. This product may not be mixed or loaded in order to minimize potential for atrazine to reach ground and surface water.  
This product may not be applied aerially or by ground within 66 feet of the plants where field surface water runoff enters perennial or intermittent streams and rivers or within 200 ft. ground natural or impounded lakes and reservoirs. If the product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.
- Postemergence application to corn and sorghum must be made before corn and sorghum reached 12 inches in height.
- Applications for auxin-growth suppression in corn and sorghum are restricted to a spring application only. No fall applications are permitted.
- A) For soil applications prior to crop emergence (i.e. early preplant, preplant incorporated, preplant surface of planting or preemergence)
  - On highly erodible soils (as defined by Soil Conservation Service (SCS) if conservation tillage is utilized [≥ 30% plant residue]) the maximum rate is 2 pounds a.i./A. If plant residue is < 30% the maximum rate is 1.6 pounds a.i./A.
  - On soils not highly erodible the maximum rate is 2 pounds a.i./A.
- B) For postemergence applications, if there has been no previous soil application for that crop, the maximum rate is 2 pounds a.i./A. If there has been a previous soil application to that crop, do not exceed a total of 2.5 pounds a.i./A/cropland/year.
- Do not apply this product through any type of irrigation system.
- Where there are state/local requirements regarding atrazine use (including lower maximum rates and/or set backs) which are different from the label, the more restrictive/protective requirements must be followed.

**BEST AVAILABLE COPY**