US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

 Γ

REGISTRATION REREGISTRATION

(Under the Federal Insectivide, Fungicide, and Rodenticide Act. (2) rended)

35920-11 TERM OF ISSUANCE

EPA REGISTRATION NO.

MAR 05 1997

DATE OF ISSUANCE

NAME OF PESTICIDE PRODUCT

System I Bacteriostatic Countertop
Water Processor SY1-34-CT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Clean Water USA, Inc. P.O. Box 6127 Fort Lauderdale, FL 33310

NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 35920~11."
 - b. Include the company name and company address onto the installations instructions brochure.
 - c. EPA Registration should be on the Installation instructions.

DATE

d. Revise:

Refer to Instructions for proper Use.

to read:

Refer to installation Instructions for proper Use.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section $\delta(e)$. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

6hn H. Lee

/Product Manager (31)

Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

•

SYSTEM 1 BACTERIOSTATIC COUNTERTOP WATER PROCESSOR SY1-34-CT

EMBP OUT OF REACH OF CHILDREN CAUTION

NOTE: After installation, run cold water 15 minutes to clear any loose carbon before drinking water.

REFER TO INSTRUCTIONS FOR PROPER USE.

DISPOSAL: Wrap filter in newspaper and discard in trash

For use on cold water line from municipally treated tap water in the home

This unit has a capacity of up to 10,000 gallons. It is capable of treating 5 gallons of cold tap water daily for a period of 36 months. The useful life of this product is dependent on the quality of the water. If you notice a diminishing water flow, this indicates that the unit is nearing the end of its useful life.

EPA REGISTRATION NO.: 35920-EPA ESTABLISHMENT NO: 35920-PL-1

CLEAN WATER USA, INC 823 N.W. 57TH STREET FT. LAUDERDALE, FL 33309 (305) 491-6611

MFT TATERTS. One Bacteriogiatic Fater Filter Unit

ACCEPTED
with COMMENTS
in EPA Letter Dated:

- MAR 05 1992

Under the Post of tractifies Functions and the second of t

35920-11

INSTALLATION INSTRUCTIONS BACTERIOSTATIC WATER TREATMENT UNIT

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS DEVICE IN A MANNER INCONSISTENT WITH ITS LABELING.

REFER TO THE LABEL FOR PROPER USE

Counter Top Model: SY1-34CT

- Open Box and lay out parts, 1 faucet diverter head, 2 adapter Rings, 2 Rubber washers.
- 2. Remove bubble screen from end of faucet.
- Place diverter head on faucet to determine if an adapter ring is needed.
 If adapter ring is needed, check bag for ring and rubber washer and install them.
- 4. Attach the free end of the tubing to the water filter by pushing the hose on the hose barb in the unit.
- 5. Place unit in sink. Turn on the main faucet and divert water to the unit by pulling out the small button on the front of the diverter. When water flows from the unit, gently invert the unit to remove any remaining air, and let run for 5 to 10 minutes to flush out normal carbon dust.
- 6. Check all fittings for leaks.
- 7. Place the unit on the countertop in its service position and if necessary, cut the vinyl tubing to the appropriate length.

This unit is for use with COLD WATER ONLY. DO NOT run hot water through the unit.

The recommended flow rate for proper operation of this unit is minute. Excessive flow will diminish the units' effectiveness.